

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم
قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن


تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HOSSAM MAGHRABY



بعض الوثائق الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY


**Radiochemical Studies on the Preparation and
Evaluation of Radioimmunoassay System For the
Assessment of the Tumor Marker Alphafetoprotein**

BI050V

A Thesis Submitted
By

Khaled Mohamed Sallam Salem

B.Sc. of Science
Faculty of Science.



For The Degree of Master In Science

Under Supervision of

Prof. Dr. Mohamed Mohamed

Prof. Dr. Mohamed Taha Hussein

Helmy Arief

El-Kolaly

Prof. of Organic chemistry

Prof. of Radiopharmaceutics

Faculty of Science

Head of Hot labs. Center

Zagazig University

Atomic Energy Authority

(Banha Branch)

Dr. Mohsen Taher Ragab.

Lecturer of Radiobiochemistry


Head of Radioimmunoassay unit

Hot Labs Center

Atomic Energy Authority

**Faculty of Science
Zagazig University
Banha Branch**

2002




بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ
وَقُلْ رَبِّ زِدْنِیْ عِلْمًا
صَدَقَ اللّٰهُ الْعَظِیْمُ

Thesis Entitled:

Radiochemical Studies on the Preparation and Evaluation of
Radioimmunoassay System For the Assessment of the
Tumor Marker Alphafetoprotein

THESIS ADISORS	APPROVED
Prof. Dr. Mohamed Mohamed Helmy Arief Prof. of Organic chemistry Faculty of Science Zagazig University (Banha Branch)	<i>M. M. A. Arief</i>
Prof. Dr. Mohamed Taha Hussein El-Kolaly Prof. of Radiopharmaceutics Head of Hot labs. Center Atomic Energy Authority	<i>Mohamed T. H. El-Kolaly</i>
Dr. Mohsen Taher Ragab. Lecturer of Radiobiochemistry Head of Radioimmunoassay unit Hot Labs Center Atomic Energy Authority	<i>M. T. Ragab</i>



DIDCATED TO

My Parents

My Sisters

My Brothers

and my Wife.

1.3.2.2. Immunoradiometric assay (IRMA)	15
1.4. Production of polyclonal anti-AFP antibody.	17
1.4.1. Choice of animal species	17
1.4.2. Immunization	18
1.5. Radiolabelled antigens as tracer	20
1.6. Standards for radioimmunoassay	21
1.7. Separation system for bound and free fraction	21
1.7.1. Physico-chemical methods for separating bound from free antigen.	22
1.7.1.1. Separation by electrophoresis	22
1.7.1.2. Adsorption system	23
1.7.1.3. Ion-exchange system	23
1.7.1.4. Methods based on molecular size	23
1.7.1.5. Solvent and salt precipitation systems	24
1.7.2. The double antibody method	24
1.7.2.1. Accelerated double antibody system	25
1.7.2.2. Pre-precipitated double antibody systems	25
1.7.3. Solid - phase antibody systems	26
1.7.3.1. Surface solid phase systems	26
1.7.3.2. Particular solid -phase systems	26

1.8. Radiolabelling methods	27
1.8.1. Radionuclide selection for labelling	27
1.8.2. Chemistry of labelling with iodine	29
1.8.3. Electrophilic substitution mechanism	30
1.8.4. Choice of radioiodination method	31
1.8.4.1. Iodine monochloride methods	32
1.8.4.2. Chloramine-T method	32
1.8.4.3. Alternative chemical oxidation methods	34
1.8.4.3.1. Sodium hypochlorite method	34
1.8.4.3.2. N-bromosuccinimide method	34
1.8.4.4. Iodogen method	35
1.8.4.5. Electrolytic iodination method	36
1.8.4.6. Enzymatic iodination method	37
1.8.5. Conjugation labelled methods for the iodination proteins and peptides method.	38
1.8.6. Purification of radiolabelled protein from unreacted radioiodide.	40
1.8.7. Assessment of the radioiodinated tracer	41
1.8.7.1. Radiochemical purity	41
1.8.7.2. Immunoreactivity	42
1.8.7.3. specific activity (SA)	43

1.8.7.4. Stability and shelf-life (storage)	45
1.9. Performance characteristic of the optimized RIA system	46
1.9.1. Sensitivity	46
1.9.2. Precision	46
1.9.2.1. Intra assay precision	47
1.9.2.2. Inter assay precision	47
1.9.3. Accuracy	48
1.9.3.1. Recovery test	48
1.9.3.2. Dilution effect test	48
1.9.4. Validity and comparison with the available commercial kits	49

Chapter 2

2.1. Materials and methods	50
2.1.1. Chemical and reagents	50
2.1.2. Equipment	52
2.1.3. Reagent and buffer preparation	53
2.2. Radioiodination of AFP antigen	57
2.2.1. Chloramine-T method	58
2.2.2. Iodogen method	58
2.2.3. N-bromosuccinimide method	59
2.2.4. Lactoperoxidase method	59

2.2.5. Purification of ¹²⁵ I-AFP antigen	60
2.2.6. Immunoreactivity check of the prepared tracer	60
2.2.7. Comparison study between different oxidizing agent to prepared radioiodination of AFP antigen.	61
2.2.8. Storage of radioiodinated tracers	62
2.3. Preparation of AFP standards and quality controls	62
2.3.1. Human cord blood	62
2.3.2. Purification of AFP antigen from cord serum	63
2.3.3. Determination of protein concentration	64
2.4. Preparation of polyclonal antibody	64
2.4.1. Choice of host animals	64
2.4.2. preparation of the immunogen	65
2.4.3. Booster immunization	65
2.4.4. Blood sampling and harvest	65
2.4.5. Purification of rabbit anti-serum IgG obtained using ammonium sulfate method.	66
2.4.6. Estimation of protein content	67
2.4.7. Characterization and selection of antibodies or antisera	68
2.5. Formulation of RIA systems for AFP went into two ways	67
2.5.1. Double antibody liquid phase RIA assay.	68
2.5.2. Solid phase coated tube RIA system	69

2.5.2.1. Phosphate buffer approach	69
2.5.2.2. Borate buffer approach	69
2.5.2.3. Assay protocol for solid phase coated tube RIA system.	70
2.6. Optimization of the prepared RIA systems	70
2.6.1. Sample, standard or quality control volume	70
2.6.2. Incubation time	70
2.6.3. Radioactivity	71
2.6.4. Washing manner for coated tubes (RIA)	71
2.7. Performance characteristics of the optimized RIA system	71
2.7.1. Determination of the sensitivity	71
2.7.2. Determination of the precision	72
2.7.3. Effect of recovery	72
2.7.4. Effect of dilution	73
2.7.5. Method comparison	73
2.8. Statistical analysis:	73
2.8.1. Arithmetic mean value	74
2.8.2. standard deviation	74
2.8.3. Standard error of the mean	75
2.8.4. Simple linear regression and correlation coefficient	75