

سامية محمد مصطفى



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات

لم ترد بالأصل



A study of adhesion molecules in systemic lupus erythematosus; correlation of the serum level with disease activity and tissue expression in the skin lesions

Thesis submitted for partial fulfillment of the requirements for M.D.

In

Dermatology and Venereology

By

Mona Ahmed Mohamed Atwa

M.B., B.Ch., M.Sc

Supervisors

Prof.

Atef I. El-Akhras

*Prof. of Dermatology & Venereology
Faculty of Medicine
Suez Canal University*

Prof.

Moustafa M. K. Eyada

*Prof. and Head of
Dermatology & Venereology Department
Faculty of Medicine
Suez Canal University*

Prof.

Mohamed O. El-Okda

*Prof. of Pathology
Faculty of Medicine
Suez Canal University*

Dr.

Naglaa A. Fawaz


*Assist Prof. of Clinical Pathology
Faculty of Medicine
Suez Canal University*

Faculty of Medicine
Suez Canal University

1999

B

107-1



ACKNOWLEDGEMENTS


After my ultimate thanks to **Allah** for his glorious virtues, it is a great honor for me to express my sincere gratitude, indebtedness and supreme appreciation to **Prof. Atef I. El-Akhras**, Professor of Dermatology & Venereology, Suez Canal University, for his kind supervision, valuable guidance, fruitful remarks and continuous assistance throughout the accomplishment of this work.

I do not know how I can ever thank **Prof. Moustafa M.K. Eyada**, Prof. and head of Dermatology and Venereology department, Suez Canal University, and express my deepest gratitude and ultimate appreciation for his generous assistance. Really, every step in this work had been kindly assisted by his great efforts and sincere care.

My deep thanks to **Prof. Osama El-Okda** Prof. of Pathology, Suez Canal University, for his kind encouragement and faithful support.

I am deeply indebted and really grateful to **Dr. Naglaa Abd EI-Aziz Fawaz**, assistant Prof. of Clinical Pathology, Suez Canal University, for her great assistance, kind cooperation and continuous encouragement throughout the achievement of this work.


Finally, I would like to record my real thanks and deep gratitude to my senior and junior colleagues for their useful help during the work.



CONTENTS

PAGE

• <i>Introduction</i>	1
• <i>Aim of the work</i>	3
• <i>Review of literature</i>	4
<i>Chapter (1): Cell Adhesions Molecules</i>	4
<i>Chapter (2): Intercellular Adhesion Molecule-1</i>	19
<i>Chapter (3): Selectins</i>	44
<i>Chapter (4): Systemic lupus erythematosus; Pathogenesis</i>	55
<i>Chapter (5): Pathomechanisms of Photosensitive LE; role of adhesion molecules</i>	106
• <i>Patients and Methods</i>	129
• <i>Results</i>	139
• <i>Discussion</i>	157
• <i>Summary and Conclusion</i>	164
• <i>Appendix</i>	167
• <i>References</i>	168
• <i>Arabic Summary</i>	



LIST OF TABLE

PAGE

<i>Table (1)</i>	: Adhesion Molecules	5
<i>Table (2)</i>	: Stimulatory and Inhibitory factors that regulate ICAM-1 expression	24
<i>Table (3)</i>	: The selectin family of adhesion molecules	44
<i>Table (4)</i>	: Features Characteristic of Autoantibody Production in Systemic Lupus Erythematosus Reflect an Ongoing Immune Response Directed to and Driven by Self-Antigens	57
<i>Table (5)</i>	: Evidence for an Autoimmune CD4 T Cell Cognate Immune Response in Systemic Lupus Erythematosus that Regulates the Production of Autoantibodies	58
<i>Table (6)</i>	: Autoantibody Production to Linked Sets of Autoantigens: Correlation with Different Clinical Manifestations	59
<i>Table (7)</i>	: Examples of T-independent Autoantibody Production in Disease States Other than Systemic Lupus Erythematosus	61
<i>Table (8)</i>	: General Alterations in the T Cell Compartment in Systemic Lupus Erythematosus	67
<i>Table (9)</i>	: Hypothetical Etiologic Factors for Systemic Lupus Erythematosus Accounting for the Delay in Action of Susceptibility Genes, Incomplete Penetrance and Partial Twin Concordance	82
<i>Table (10)</i>	: Approaches to the Identification of the Genes that Determine Systemic Lupus Erythematosus Susceptibility	86
<i>Table (11)</i>	: Potential Actions of DRB1*0301 and DRB1*1501 Alleles in Determining the Systemic Lupus erythematosus Susceptibility State	90
<i>Table (12)</i>	: DR Alleles and Specific Manifestations in SLE	93
<i>Table (13)</i>	: Hypothetic Mechanisms of How Genetic Predisposition to	100

an Immune Recognition Event Leads to the Induction
Phase of Systemic Lupus Erythematosus

<i>Table (14)</i>	: sICAM-1 levels in SLE patients with specific organ involvement	142
<i>Table (15)</i>	: sICAM-1 levels in SLE patients with some laboratory measures	142
<i>Table (16)</i>	: sICAM levels in SLE patients with different types of medications	143
<i>Table (17)</i>	: Correlation between disease activity and some activity markers	143
<i>Table (18)</i>	: Correlation between sICAM-1 and some activity markers of SLE	143
<i>Table (19)</i>	: mICAM-1 expression among SLE patients with and without skin lesions.	146
<i>Table (20)</i>	: Relationship between mICAM-1 and sICAM-1	146
<i>Table (21)</i>	: sE-s lectin levels in SLE patients with specific organ involvement	150
<i>Table (22)</i>	: sE-selectin levels in SLE patients with some laboratory measures.	150
<i>Table (23)</i>	: sE-selectin levels in SLE patients with different types of medications	151
<i>Table (24)</i>	: Correlation between sE-selectin and some activity markers of SLE	151
<i>Table (25)</i>	: mE - selectin expression among SLE patients with and without skin involvement.	155
<i>Table (26)</i>	: Relationship between mICAM-1 and sICAM-1	155

LIST OF FIGURES

	PAGE
<i>Figure (1)</i> : Proposed structure of ICAM-1.	21
<i>Figure (2)</i> : Hypothetical model illustrating interplay between membrane-bound ICAM-1 (mICAM-1) and soluble ICAM-1 (sICAM-1).	42
<i>Figure (3)</i> : Domain organization of the selectins.	45
<i>Figure (4)</i> : Four theoretic stages of systemic lupus erythematosus (SLE) through which an individual progresses.	55
<i>Figure (5)</i> : Participation of T cells with specificity for autologous peptides in the autoimmune response of systemic lupus erythematosus (SLE).	65
<i>Figure (6)</i> : A second equivalent scenario for participation of T cells with specificity for autologous peptides in the autoimmune response of systemic lupus erythematosus (SLE).	75
<i>Figure (7)</i> : Expansion of the autoimmune response.	76
<i>Figure (8)</i> : Leukocyte/endothelial cell interactions and the adhesion molecule pairs that control them.	125
<i>Figure (9)</i> : Proposed mechanism for induction of skin lesions in photosensitive lupus erythematosus.	127
<i>Figure (10)</i> : Standard curve for hs-ICAM-1	137
<i>Figure (11)</i> : Standard curve for sE-selectin	138
<i>Figure (12)</i> : Serum levels of sICAM-1 in SLE patients and Controls.	141
<i>Figure (13)</i> : Correlation between disease activity and sICAM-1.	141
<i>Figure (14)</i> : Marked staining for mICAM-1 in peri-appendageal blood vessels (score 3).	144
<i>Figure (15)</i> : Moderate staining for mICAM-1 in dermal blood vessels. No staining of keratinocytes or inflammatory cells (score 2).	145

ABBREVIATIONS

<i>ACLE</i>	:Acute Cutaneous Lupus Erythematosus
<i>ACR</i>	:American College of Rheumatology
<i>ADCC</i>	:Antibody Dependent Cellular Cytotoxicity
<i>AMLR</i>	:Autologous Mixed Lymphocyte Response
<i>AECA</i>	:Anti-Endothelial cells Antibodies
<i>B-NHL</i>	:B-Cell Non- Hodgkin Lymphomas
<i>CCLE</i>	:Chronic Cutaneous Lupus Erythematosus
<i>CD</i>	:Cluster of Differentiation
<i>CHO cells</i>	:Chinese Hamster Ovary cells
<i>DLE</i>	:Discoid Lupus Erythematosus
<i>EBNA-1</i>	:Epstein-Barr-Virus encoded Nuclear Antigen
<i>EBV</i>	:Epstein Barr Virus
<i>EC</i>	:Endothelial Cell
<i>EGF</i>	:Epidermal Growth Factor
<i>ELAM-1</i>	:Endothelial Leukocytes Adhesion Molecule-1
<i>ELFT</i>	:ELAM-1 Ligand Fucosyltransferase
<i>FTIV</i>	:Fucosyltransferase IV
<i>GLYCAM-1</i>	:Glycosylation- Dependent Cell Adhesion Molecule-1
<i>GM-CSF</i>	:Granulocyte-Macrophage Colony-Stimulating Factor
<i>GMP-140</i>	:Granule Membrane Protein-140
<i>HDMEC</i>	:Human Dermal Microvascular Endothelial Cells
<i>HEV</i>	:High Endothelial Venule
<i>HLA</i>	:Human Leukocytic Antigen
<i>HSP 70</i>	:Heat Shock Protein 70
<i>HUVEC</i>	:Human Umbilical Vein Endothelial Cells
<i>ICAM</i>	:Intercellular Adhesion Molecule
<i>IFN-γ</i>	:Interferon-Gamma