

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ



HOSSAM MAGHRABY



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HOSSAM MAGHRABY

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم
قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HOSSAM MAGHRABY



بعض الوثائق

الأصلية تالفة



HOSSAM MAGHRABY



بالرسالة صفحات

لم ترد بالأصل



HOSSAM MAGHRABY

DEPOSITIONAL ENVIRONMENTS OF SOME MIOCENE ROCKS IN NORTHERN WESTERN DESERT, EGYPT

B 1087.

Thesis
submitted to the faculty of Science,
Alexandria University
in Partial fulfillment for
the Degree of Master of Science
(Geology)

By
Ahmed Sadek Mohamed
(B.Sc., Hons.)

Supervised By:

Prof. Dr. Mohamed A. El-Askary
Professor of Geology
Faculty of Science
Alexandria University

Dr. Hanafy M. Holail
Lecturer of Geology
Faculty of Science
Alexandria University

Dr. Mohamed M. Tamish
Lecturer of Geology
Faculty of Science
Alexandria University

1993

ALEXANDRIA UNIVERSITY
FACULTY OF SCIENCE
HIGHER STUDIES

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

ACKNOWLEDGEMENTS

Praise be to Allah, the lord of the universe. Benediction and peace be upon master and leader the prophet Mohamed.

I wish to express my deep feelings of gratitude to the memory of late Prof. M.H. El-Zarka, the former-Dean of the Faculty of Science, Alexandria University and Prof. S.O. Khalil, the head of the Geology Department for their encouragement.

My appreciation and indebtedness are due to Prof. M.A. El-Askary for supervising the present work, moral support, fruitful discussions and his assistance during field and laboratory work and for carefully reading the manuscript. I am deeply indebted and thanks Dr. H.M. Holail and Dr. M.M. Tamish for their help during the field work and laboratory investigations and for their encouragement during the progress of this thesis.

My heartfelt thanks are also recorded to Dr. M.N. Shaaban, Geology Department, Alexandria University for his help in the analysis of stable isotopes in the present work.

I thank sincerely all my colleagues in Alexandria University, especially: A. El-Sabbagh, A. El-Fiky (Faculty of Science) and A. Moustafa (Faculty of Agriculture).

I am grateful to the staff of the Laboratory of the Ameryia Cement Co. for facilities offered during XRF analysis.

The present Thesis is dedicated with my deep feeling of gratitude towards my parents and my family for their continuous wise help and encouragement.

CONTENTS

	Page
Chapter 1	
INTRODUCTION	
1.1 Introduction	1
1.2 Previous Work	2
1.2 Scope of the Present Work	8
Chapter 2	
METHODS OF ANALYSIS	
2.1 Samples Collection	10
2.2 Petrographic Analysis	10
2.3 Mineralogical Analysis	11
2.3.1 Infrared spectroscopic analysis	11
2.3.2 X-Ray diffraction analysis	13
2.3.3 Derivatographic analysis	14
2.4 Chemical Analysis	14
2.4.1 Analysis of carbonate samples	14
2.4.2 Analysis of argillaceous samples	16
2.4.3 Stable isotopes analysis	17
2.5 Statistical Analysis	18
Chapter 3	
STRATIGRAPHY	
3.1 Lithostratigraphic Succession of Gebel El-Takrur (Siwa)	20
3.2 Lithostratigraphic Succession of Gebel El-Gari (Siwa)	24
3.3 Lithostratigraphic Succession of Salum Area	26
3.4 General Remarks	28

Chapter 4

PETROLOGICAL AND GEOCHEMICAL RESULTS

4.1 Petrography	33
4.1.1 Microfacies Associations of Siwa Successions	33
4.1.2 Microfacies Associations of Salum Succession	39
4.1.3 Rock Constituents and Textures	43
4.2 Mineralogy	53
4.2.1 Carbonate mineralogy	53
4.2.2 Clay mineralogy	60
4.2.3 Evaporite minerals	68
4.3 Geochemistry	69
4.3.1 Geochemistry of carbonate rocks	69
4.3.1.1 Major and trace elements	69
4.3.1.2 Stable isotopes	89
4.3.2 Geochemistry of argillaceous rocks	96

Chapter 5

DIAGENESIS OF CARBONATE ROCKS

5.1 Micritization	99
5.2 Micrite Envelopes	100
5.3 Cementation	101
5.4 Aggrading Neomorphism	104
5.5 Dolomitization	106
5.6 Dissolution - Porosity	117

Chapter 6

DEPOSITIONAL ENVIRONMENTS 120**GENERAL SUMMARY AND CONCLUSIONS** 126**REFERENCES** 133**ARABIC SUMMARY**

LIST OF FIGURES

Figure No.	After Page
(1): Location map of the two studied areas (Siwa & Salum)	2
(2): Areal distribution and lithological variations of the Middle Miocene rocks in Northern Western Desert	3
(3): Flow chart showing the analytical methods employed in the present study	9
(4): Location map of Siwa area and the position of the selected two studied sections	19
(5): Generalized geological map of Salum area	19
(6): View of Salum Escarpment and the position of Salum Town	19
(7): Stratigraphic successions of the three studied sections of Siwa and Salum areas	19
(8): View of Gebel El-Gari in Siwa area	28
(9): View of the three hills of Gebel El-Takrur in Siwa area	28
(10): Photograph for the lower part of Salum succession	29
(11): Photograph for the lower part of Siwa succession showing an intercalated shale bed in the carbonate rocks	31
(12): Photograph for the carbonate rocks of G. El-Takrur succession showing an intercalated conglomeratic band	31
(13): Correlation chart of the Miocene strata in the Northern Western Desert, Egypt	32
(14 to 27): Photomicrographs of defined microfacies associations of the studied Siwa carbonate rocks	34-38
(28 to 35): Photomicrographs of defined microfacies associations of the studied Salum carbonate rocks	39-42

Figure No.	AfterPage
(36): Scanning electron micrograph of fine-grained limestone showing the micritic texture	44
(37): Scanning electron micrograph of limestone showing the microsparitic crystal size	44
(38): Photomicrograph of recrystallized limestone showing sparry calcite crystals formed by recrystallization	45
(39): Photomicrograph of fossiliferous limestone showing sparry calcite cement crystals	45
(40): Scanning electron micrograph of coquina bed showing fine-grained dolomite	49
(41): Scanning electron micrograph of euhedral medium-grained (microsparite) dolomite texture	49
(42): Photomicrograph of crystalline euhedral dolomite showing the sucrose texture	50
(43): Photomicrograph of limestone showing partial dolomitization of the rock	50
(44): IR spectra of selected carbonate samples from the studied areas	53
(45): Variation diagram of the carbonate mineralogical composition through the studied stratigraphic successions	54
(46): X-ray diffractograms of selected carbonate samples from Siwa area	54
(47): X-ray diffractograms of selected carbonate samples from Salum area	54
(48): Derivatograms of representative carbonate samples	56
(49): IR spectrum of an analyzed argillaceous sample	60
(50): X-ray diffractogram of a selected argillaceous sample	62

Figure No.	After Page
(51): Derivatograms of representative argillaceous samples	64
(52): Factors ONE and TWO in the studied carbonate rocks	76
(53): Vertical stratigraphic distribution of major and trace elements through G. El-Takrur rock successions	80
(54): Vertical stratigraphic distribution of major and trace elements through G. El-Gari rock successions	80
(55): Vertical stratigraphic distribution of major and trace elements through Salum rock succession	80
(56): Binary relationship between Fe & I.R. contents in the analyzed carbonate samples	82
(57): Binary relationship between Fe & Mn contents in the analyzed carbonate samples	82
(58): Binary relationship between Mg & Sr contents in the analyzed carbonate samples	85
(59): Relationship between $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ values for the Siwa carbonate rocks	92
(60): Stable oxygen and carbon isotopic values of Siwa dolomites compared to isotopic composition of dolomites of other places	92
(61): Photomicrograph of fossiliferous dolomite showing the micritization process	100
(62): Photomicrograph of limestone showing the development of micritic envelopes	100
(63): Photomicrograph showing isopacheous microcrystalline cement	102
(64): Photomicrograph showing equant calcite cement	102
(65): Photomicrograph showing blocky calcite cement	103

Figure No.	After Page
(66): Photomicrograph showing syntaxial overgrowth calcite cement	103
(67): Photomicrograph showing microcrystalline dolomite cement	103
(68 to 71): Photomicrographs of limestones rocks showing the recrystallization of the rock components	105
(72): Photomicrograph of limestone showing the dissolution of shell fragments	118
(73): Photomicrograph of fossiliferous limestone showing the inter-granular porosity	118
(74): Paragenetic sequence of the diagenetic processes which affected the studied sediments	119
(75): Simplified scheme for depositional environments of the studied Middle Miocene sediments	125

LIST OF TABLES

Table No.	Page
(1): IR absorption peaks of the detected minerals in the analyzed rock samples	53
(2) : Thermal analysis results of the carbonate rock samples	57
(3) : Thermal analysis results of the argillaceous rock samples	65
(4) : Chemical data of the analyzed carbonate rocks of the studied sections	72
(5) : Correlation coefficients (r) between pairs of some constituents in the analyzed carbonate rocks.	74
(6) : The rotated factor matrix of the studied carbonate rocks	76
(7) : The range of Ca and Mg contents (with mean values) in the analyzed carbonate rock samples of the studied sections	79
(8) : Average Fe content in the analyzed carbonate rock samples of the studied sections	81
(9) : Average Mn content in the analyzed carbonate rock samples of the studied sections	82
(10): The range and average of Sr content (ppm) in the analyzed carbonate rock samples of the studied sections	84
(11): Average Sr content (ppm) of recent and ancient carbonate rocks compared with the studied Middle Miocene rocks	86
(12): The range and average of Na content (ppm) in the analyzed carbonate rock samples of the studied sections	87
(13): Average Na content (ppm) of recent and ancient carbonate rocks compared with the studied Middle Miocene rocks	88
(14): $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ values of selected samples from Siwa carbonate rocks	92