

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

## جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



# Comparative Study of the morphological and morphometric variations of permanent maxillary molars in a sample of Egyptian population

#### Thesis

Submitted to Faculty of Dentistry Ain Shams University
In partial fulfillment of the requirments for PHD
in oral biology

#### By

#### Ingy Jaber Azab Ahmed El Sakhawey

Assistant Lecturer in oral Biology
Faculty of Dentistry -Ain Shams University
B.D.S (Ain Shams University-2007)
MSD-Oral Biology (Ain Shams University-2015)
Oral Biology Department

## Under supervision of Prof.Dr.Medhat Ahmed El Zainy

Professor of oral Biology Faculty of Dentistry -Ain Shams University

#### Ass.Prof.Dr.Marwa M. Abd El Hameed

Assistant professor of oral Biology Faculty of Dentistry Ain Shams University

> Faculty of Dentistry Ain Shams University 2020

### بسم الله الرحمن الرحيم

# قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا ۗ فَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا عَلَّمْتَنَا ۗ إِنَّكَ أَنْت الْعَلِيمُ الْحَكِيمُ

سورة البقرة- الآية ٣٢

#### Acknowledgement

All praise is to Allah and all thanks. He has guided and enabled me by his mercy to fulfill this thesis, which I hope to be beneficial to people.

I would like to express my deepest gratitude to Prof.Dr.Medhat Ahmed El Zainy, Professor of oral biology department, faculty of dentistry, Ain Shams University for his continuous encouragement, his kind support and constructive advice whenever needed.

Special thanks are extended to Dr. Marwa M. Abd El Hamid, Assistant professor of oral biology department, faculty of dentistry, Ain Shams University who freely gave me her time, effort and experience.

Finally, I am thankful to Dr.Ahmed Halawa, professor and head of oral biology department, and all members of oral biology department, faculty of dentistry, Ain Shams University especially Dr.Hend El Messiry for their help and cooperation.

#### **Dedication**

I would like to dedicate this work

To the soul of my father and my dear mother,

Who made me what I am today,

And of course to my lovely sisters and brothers,

thank you for giving me all time, support and love

that I needed.

### **CONTENTS**

| Title                                           | Page |
|-------------------------------------------------|------|
| Introduction and Background                     | 1    |
| Maxillary molars                                | 4    |
| Occlusal morphology                             | 4    |
| Occlusal morphology of maxillary first molars   | 10   |
| Occlusal morphology of maxillary second molars  | 13   |
| Occlusal morphology maxillary third molars      | 16   |
| Mesio-distal crown width                        | 17   |
| Buccolingual Thickness                          | 19   |
| Root to crown ratio                             | 21   |
| Root and root canal morphology                  | 22   |
| Root canal morphology of maxillary first molar  | 32   |
| Root canal morphology of maxillary second molar | 35   |
| Root canal morphology of maxillarythird molar   | 36   |
| Objectives                                      | 38   |
| Study methodology                               | 39   |
| Data Management                                 | 51   |

| Adverse Event Reporting   |     |
|---------------------------|-----|
| Results                   | 53  |
| Occlusal morphology       | 53  |
| Mesio-distal crown width  | 76  |
| Buccolingual Thickness    | 78  |
| Root to crown ratio       | 83  |
| Number and shape of roots | 85  |
| Root canal morphology     | 96  |
| Discussion                | 120 |
| Summary                   | 142 |
| Conclusions               | 148 |
| Recommendations           | 149 |
| References                | 150 |
| Arabic summary            | -   |

|             | LIST OF FIGURES                                                                      |      |
|-------------|--------------------------------------------------------------------------------------|------|
| Fig.<br>No. | Title                                                                                | Page |
| 1           | Cusp Pattern Descriptions for Maxillary Molars                                       | 6    |
| 2           | The main four types of cusps for maxillary molars                                    | 6    |
| 3           | Hypocone reduction for maxillary molars                                              | 6    |
| 4           | Occlusal view for maxillary molars                                                   | 7    |
| 5           | Different expressions of Carabelli's trait and the Hypocone                          | 8    |
| 6           | Groove pattern of maxillary molars                                                   | 9    |
| 7           | A photograph showing frequency of molar tubercle of maxillary first molar            | 11   |
| 8           | A photograph showing tetracuspid morphology of maxillary second molar                | 15   |
| 9           | A photograph showing tricuspid morphology of maxillary second molar                  | 15   |
| 10          | A photograph showing compression morphology of maxillary second molar                | 16   |
| 11          | A photograph showing the root canal configurations according to Weine FS et al.,1969 | 24   |
| 12          | A photograph showing the root canal configurations according to vertucci             | 25   |
| 13          | Different classifications of root canal system                                       | 30   |
| 14          | A photograph showing maxillary dental cast                                           | 39   |
| 15          | A photograph showing digital caliper                                                 | 40   |

| Fig. | Title                                                                                                | Page |
|------|------------------------------------------------------------------------------------------------------|------|
| 16   | A photograph showing maxillary molars occlusal morphology                                            | 41   |
| 17   | A photograph of the dental study cast showing rhomboidal occlusal outline                            | 42   |
| 18   | A photograph of the dental study cast showing heart shaped occlusal outline.                         | 42   |
| 19   | A photograph of the dental study cast showing oval occlusal outline.                                 | 43   |
| 20   | CBCT showing measurement of R/C                                                                      | 46   |
| 21   | A photograph showing CBCT device                                                                     | 49   |
| 22   | A photograph of a study cast showing M1 with 4 cusps and H groove pattern occlusal morphology        | 53   |
| 23   | A photograph of a study cast showing M1 with 3+ cusps and H groove pattern occlusal morphology       | 54   |
| 24   | A photograph of a study cast showing M1 with 3 cusps and <b>2</b> groove pattern occlusal morphology | 54   |
| 25   | A photograph of a study cast showing M2 with 3 cusps and <b>2</b> groove pattern occlusal morphology | 55   |
| 26   | A photograph of a study cast showing M2 with 4 cusps and H groove pattern occlusal morphology        | 55   |
| 27   | A photograph of a study cast showing M2 with 4 +cusps and H groove pattern occlusal morphology       | 55   |

| Fig.<br>No. | Title                                                                                                      | Page |
|-------------|------------------------------------------------------------------------------------------------------------|------|
| 28          | A photograph of a study cast showing M2 with 3+ cusps and H groove pattern occlusal morphology             | 56   |
| 29          | A photograph of a study cast showing M3 with 3 cusps and <b>2</b> groove pattern occlusal morphology       | 56   |
| 30          | A photograph of a study cast showing M3 with 2 cusps and <b>2</b> groove pattern occlusal morphology       | 57   |
| 31          | Pie chart Cusp number and groove pattern of M1                                                             | 57   |
| 32          | Pie chart Cusp number and groove pattern of M2                                                             | 58   |
| 33          | Pie chart Cusp number and groove pattern of M3.                                                            | 59   |
| 34          | A photograph of a study cast showing M1) and M2 with 4 cusps and H groove pattern.                         | 60   |
| 35          | A photograph of a study cast showing M1 and M2 with 4- cusps and H groove pattern.                         | 60   |
| 36          | A photograph of a study cast showing M1 and M2 with 3 cusps and $\mathcal{U}$ groove pattern.              | 60   |
| 37          | Bar chart % of similarity between M1 and M2 within the same cast regarding cusp number and groove pattern. | 61   |
| 38          | A photograph of a study cast showing M1 and M3                                                             | 62   |
| 39          | A photograph of a study cast showing M2 and M3                                                             | 63   |

| Fig.<br>No. | Title                                                                                                      | Page |
|-------------|------------------------------------------------------------------------------------------------------------|------|
| 40          | Bar chart % of similarity between M2 and M3 within the same cast regarding cusp number and groove pattern. | 64   |
| 41          | Bar chart Molar tubercle (Tubercle of Carabelli) in M1                                                     | 65   |
| 42          | A photograph of a study cast showing M1with Type I molar tubercle (depression)                             | 66   |
| 43          | A photograph of a study cast showing M1with Type II molar tubercle (small prominence)                      | 66   |
| 44          | A photograph of a study cast showing M1 with Type III molar tubercle (big prominence)                      | 66   |
| 45          | A photograph of a study cast showing M1 characterized by absence of molar tubercle                         | 67   |
| 46          | A photograph of a study cast showing M1 with rhomboidal occlusal outline                                   | 67   |
| 47          | A photograph of a study cast showing M1 with heart shaped occlusal outline                                 | 68   |
| 48          | Bar chart showing Occlusal outline of M1                                                                   | 68   |
| 49          | A photograph of a study cast showing M2 with heart shaped occlusal outline                                 | 69   |
| 50          | A photograph of a study cast showing M2 with heart shaped occlusal outline                                 | 69   |
| 51          | Bar chart showing Occlusal outline of M2                                                                   | 70   |

| Fig. | Title                                                                                         | Page |
|------|-----------------------------------------------------------------------------------------------|------|
| 52   | A photograph of a study cast showing M3 with heart                                            | 71   |
|      | shaped occlusal outline                                                                       |      |
| 53   | A photograph of a study cast showing M3 with oval                                             | 71   |
|      | occlusal outline                                                                              |      |
| 54   | Bar chart showing Occlusal outline of M3                                                      | 72   |
| 55   | Bar chart of similarity between M1 and M2 within                                              | 73   |
|      | the same cast regarding occlusal outline.                                                     |      |
| 56   | A photograph of a study cast showing M1 and M3 with rhomboidal occlusal outline.              | 74   |
| 57   | A photograph of a study cast showing M1 and M2 with heart shaped occlusal outline.            | 74   |
| 58   | A photograph of a study cast showing the great difference between M1 and M3 occlusal outlines | 74   |
| 59   | A photograph of a study cast showing M2 and M3 with heart shaped occlusal outline.            | 75   |
| 60   | Bar chart % of similarity between M2 and M3 within the same cast regarding occlusal outline.  | 76   |
| 61   | Bar chart Mesio-distal crown width of the maxillary molars using ANOVA test                   | 77   |
| 62   | Bar chart Bucco-lingual diameter of the maxillary molars using ANOVA test                     | 79   |

| Fig. | Title                                                                | Page |
|------|----------------------------------------------------------------------|------|
| No.  |                                                                      |      |
| 63   | Bar chart Crown module of the maxillary molars using ANOVA test.     | 80   |
| 64   | Bar chart crown index of the maxillary molars using ANOVA test       | 82   |
| 65   | Bar chart Robustness index of the maxillary molars using ANOVA test. | 83   |
| 66   | Bar chart R/C of the maxillary molars using ANOVA test.              | 84   |
| 67   | A photograph showing M1 with three separate roots.                   | 86   |
| 68   | A photograph showing M1 with MB root fused with palatal root.        | 86   |
| 69   | A photograph showing M2 with three separate roots.                   | 87   |
| 70   | A photograph showing M2 with fused buccal roots.                     | 87   |
| 71   | A photograph showing M2 with MB root fused to palatal root.          | 87   |
| 72   | A photograph showing M2 with three fused roots.                      | 88   |
| 73   | A photograph showing M2 with four roots                              | 88   |
| 74   | A photograph showing M3 with three separate roots                    | 88   |
| 75   | A photograph showing M3 with fused buccal roots.                     | 89   |