

بسم الله الرحمن الرحيم



-Call 4000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغبار













بالرسالة صفحات لم ترد بالأصل





Leukocyte - Platelet Rich Fibrin (L-PRF) in Combination with Tunneling Technique in Management of Gingival Recession:

Randomized Clinical Study

Thesis

Submitted to Oral Medicine, Periodontology, Oral Diagnosis and Radiology Department
Faculty of Dentistry - Ain Shams University
in Partial Fulfillment of the Requirements for Master's Degree in
Oral Medicine and Periodontology

Presented by Ebrahim Abdelmohsin Ahmed

B.D.S., Faculty of Oral and Dental Medicine, Cairo University, (2009)

Supervisors

Prof. Dr. Nevine Hassan Kheir El Din

Professor of Oral Medicine, Periodontology and Oral Diagnosis Faculty of Dentistry- Ain Shams University

Ass. Prof. Dr. Ola Mohammed Ezzat

Assistant Professor of Oral Medicine, Periodontology and Oral Diagnosis
Faculty of Dentistry- Ain Shams University

Faculty of Dentistry Ain Shams University 2020





بِسْ لِللَّهِ ٱلدَّّمْ لِٱلدَّالدَّحِيمِ



ظر والله الخطين



سورة طه – الآية (١١٤)



Acknowledgement

First and foremost, all thanks and praise to Allah the most merciful. Without his blessings and guidance, this work would have never existed.

I would like to express my sincere appreciation and gratitude to Prof Dr./ Nevine Hassan Kheir El Din, Professor of Oral Medicine, Periodontology and Oral Diagnosis, Faculty of Dentistry, Ain Shams University in Egypt; who was truthful, faithful, ready to lend a hand in every time and offered invaluable assistance, support and guidance. She taught me how much it is important to be a sincere person before becoming a teacher.

I would like to sincerely thank Assist. Prof. Dr. Ola Mohamed Ezzat, Assistant Professor of Oral Medicine, Periodontology, and Oral Diagnosis, Faculty of Dentistry, Ain Shams University; for her continuous advice, help, encouragement and supervision of the work.

Also, I would like to thank all my dear friends, colleagues for their support and encouragement.

Dedication

The deepest gratitude goes to my beloved family;

Father and Siblings

for their continuous and unlimited support especially in hard times

Special thanks to

My Mother

who believed in me, support me and without her this work would have never seen the light.

LIST OF CONTENTS

	Page
LIST OF ABBREVIATIONS	II
LIST OF FIGURES	IV
LIST OF TABLES	VII
INTRODUCTION	1
REVIEW OF LITERATURE	5
AIM OF THE STUDY	30
SUBJECTS & METHODS	31
RESULTS	51
CASE PRESENTATION	71
DISCUSSION	82
SUMMARY	91
CONCLUSIONS	93
RECOMMENDATIONS	94
REFERENCES	95
ARABIC SUMMARY	-

LIST OF ABBREVIATIONS

Abbreviation	Term
ACD	Acid Citrate Dextrose
AF	Angiogenesis Factor
AFG	Advanced Fibrin Glue
A-PRF	Advanced PRF
ВС	Buffy Coat
bFGF	Fibroblast Growth Factor
CAF	Coronally Advanced Flap
CAL	Clinical Attachment Loss
CD40L	CD40 Ligand
CEJ	Cemento-Enamel Junction
CRC	Complete Root Coverage
CTG	Connective Tissue Graft
DECTG	De-Epithelized Connective Tissue Graft
DPF	Double Papillae Flap
EGF	Endothelial Growth Factor
EMD	Emdogain
GI	Gingival Index
GM	Gingival Margin Level
GT	Gingival Thickness
GTR	Guided Tissue Regeneration
IGF	Insulin-like Growth Factor
I-PRF	Injectable PRF
KTW	Keratinized Tissue Width
L-PRF	Leukocytes - Platelet Rich Fibrin
MGJ	Muco-Gingival Junction
NCCL	Non Carious Cervical Lesion

Abbreviation	Term
PD	Probing Depth
PDGF	Platelet-Derived Growth Factor
PECAM	Platelet and Endothelial Cell Adhesion Molecule
PF4	Platelet Factor 4
PI	Plaque Index
POSEIDO	Periodontology, Oral Surgery, Esthetic and Implant Dentistry Organization
PPP	Platelate Poor Plasma
PRF	Platelet-Rich Fibrin
PRGF	Plasma Rich in Growth Factors
PRP	Platelet-Rich Plasma
RANTES	Regulated on Activation, Normal T-cell Expressed and Secreted
RD	Recession Depth
RW	Recession Width
SCTG	Subepithelial Connective Tissue Graft
TGFβ	Transforming Growth Factor β
TUN	Tunneling
VEGF	Vascular Endothelial Growth Factor
vWF	von Willebrand factor

LIST OF FIGURES

Figure no.	Title	Page
1	Miller's classifications for gingival recession	7
2	Tunnel preparation	35
3	IntraSpin™ Centrifuge; Intra-Lock International, USA	37
4	Tubes inside the Centrifuge	37
5	Separation of RBCS from L-prf	38
6	L-PRF membrane in Xpression box	38
7	L-PRF membrane placed underneath the tunnel	39
8	Outlining the graft at donor site	41
9	De-epithelization of the graft at donor site	41
10	The wound at donor site after graft removal	42
11	Acrylic stent placed on the wound at donor site	42
12	The graft on wet gauze with fatty tissue removed	43
13	DECTG placed underneath the tunnel	43
14	The tunnel sutured in coronal position	44
15	Recording clinical measurements	48
16	Bar chart representing mean PI in each group at baseline and after 6 months	53
17	Bar chart representing mean GI in each group at baseline and after 6 months	54
18	Bar chart representing mean PD in each group at baseline and after 6 months	56
19	Bar chart representing comparison between groups in mean % change of PD throughout the study period	56

Figure no.	Title	Page
20	Bar chart representing mean CAL in each group at baseline and after 6 months	58
21	Bar chart representing comparison between groups in mean % change of CAL throughout the study period	58
22	Bar chart representing mean RD in each group at baseline and after 6 months	60
23	Bar chart representing comparison between groups in mean % change of RD throughout the study period	60
24	Bar chart representing mean RW in each group at baseline and after 6 months	62
25	Bar chart representing comparison between groups in mean % change of RW throughout the study period	62
26	Bar chart representing mean KTW in each group at baseline and after 6 months	64
27	Bar chart representing comparison between groups in mean % change of KTW throughout the study period	64
28	Bar chart representing mean GT in each group at baseline and after 6 months	66
29	Bar chart representing comparison between groups in mean % change of GT throughout the study period	66
30	Bar chart representing satisfaction scores in each question for the study groups	70
31a	(a) Preoperative clinical photograph showing a Miller I multiple recession at the upper right canine, lateral and central incisor	71
31b	Preoperative measurement of (RD)= 3 mm canine, 4 mm lateral incisor, 3 mm centralincisor	71
31c	Intrasulcular incision	72
31d	Preparations of the tunnel	72

Figure no.	Title	Page
31e	L-PRF membrane size covering the recession area before insertion under the tunnel	73
31f	L-PRF membrane inserted under the tunnel and the tunnel is sutured at coronal position with sling suturing technique	73
31g	Preoperative photo versus postoperative photo (after 6 month) in Group I showing reduction in recession depth (RD)	74
31h	Preoperative photo versus postoperative photo (after 6 month) in Group I showing reduction in recession width (RW)	75
32a	Preoperative clinical photograph showing a Miller I multiple recession at the upper right canine, lateral and central incisor	76
32b	Preoperative measurement of (RD)= 5 mm canine, 3 mm lateral incisor,4 mm central incisor	76
32c	Intrasulcular incision and preparations of the tunnel	77
32d	Coronal movement of the tunnel to ensure complete coverage of recession	77
32e	DECTG at the donor site	78
32f	DECTG size covering the recession area before insertion under the tunnel	78
32g	DECTG insertion under the tunnel	79
32h	DECTG inserted under the tunnel and the tunnel is sutured at coronal position with sling suturing technique	79
32i	Preoperative photo versus postoperative photo (after 6 month) in Group II showing reduction in recession depth (RD)	80
32j	Preoperative photo versus postoperative photo (after 6 month) in Group II showing reduction in recession width (RW)	81