

# بسم الله الرحمن الرحيم



-Call 4000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





# جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

# قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغبار













بالرسالة صفحات لم ترد بالأصل



## Staff Nurses' Performance Regarding Safety Measures of High Alert Medications

#### Thesis

Submitted for Partial Fulfillment of the Master Degree in Nursing Science

(Nursing Administration)

#### By

#### Mostafa Gomaa Ahmed

B.S.C. Nursing - Suez Canal University

Faculty of Nursing Ain Shams University 2020

## Staff Nurses' Performance Regarding Safety Measures of High Alert Medications

#### Thesis

Submitted for Partial Fulfillment of the Master Degree in Nursing Science

(Nursing Administration)

#### Supervised by

#### Dr. Hemat Abdel-Azeem Mostafa

Assistant Professor of Nursing Administration Faculty of Nursing – Ain Shams University

#### Dr. Dalia Atef Khalaf

Lecturer of Nursing Administration
Faculty of Nursing – Ain Shams University

Faculty of Nursing Ain Shams University 2020



First and foremost, I feel always indebted to Allah, the Most Beneficent and Merciful, Who gave me the strength to accomplish this work,

Words cannot covey my thanks and appreciation to **Dr. Hemat Abd El Azeem Mostafa,** Assistant Professor of Nursing administration Faculty of Nursing, Ain Shams University, for her fruitful criticism, patience, continuous guidance and valuable advice in every step throughout this work; I'm indebted to her valuable consultation and direction.

I wish to express my gratitude and appreciation to **Dr. Dalia Atef,** Lecturer of Nursing administration Faculty of Nursing, Ain Shams University, for her kind help, generous advice, constructive criticism and time she had devoted to the fulfillment of this work.

I wish to thank all the staff nurses who are appreciated and everyone who shared directly or indirectly in completion of this work.

Finally, I would like to extend my deep gratitude to my mother, and my family for their love, constant help, support and encouragement which made this work possible.

🖎 Mostafa Gomaa Ahmed

## **List of Contents**

| Subject Pa <sub>l</sub>                                       | ge No.             |
|---|--------------------|
| Introduction  | 1                  |
| Aim of the Study  | 6                  |
| Review of Literature  | 7                  |
| - Patient safety  | . 7                |
| Definition of patient safety Factors affecting Patient safety |                    |
| -High alert medication  | . 10               |
| Definition of medication                                      | 11                 |
| -Categories of high alert medications                         | . 15               |
| -Stages of high alert medication process                      | 16                 |
| -Medication errors  | . 18               |
| Definition of errors  | . 19<br>. 19<br>19 |
| -Staff nurses' role regarding safety measures of HAM          | 21                 |
| Staff nurses' role in pre medication administration stage     |                    |
| -Head nurses' role regarding safety measures of HAM           | 37                 |
| Subjects and methods  | 47                 |
| Results   | 57                 |
| Discussion  | 80                 |

# **List of Contents (Continued)**

| Conclusion      | 100   |
|-----------------|-------|
| Recommendations | 101   |
| Summary         | 103   |
| References      | 109   |
| Appendices      | 125   |
| Arabic Summary  | ····· |

#### **List of Abbreviations**

# Abbr. Full-term

**ADE** : Adverse Drug Effects

**FDA** : Food and Drug Administration

**HAM** : High Alert Medication

**ISMP** : Institute for Safe Medication Practices

JCI : Joint Commission International Accreditation

**LASA** Look Alike Sound Alike

MAR Medication Administration Record

**PRN** : Pro Re Nate "As Need"

PS : Patient Safety

**USA** : United State of America

**USP** : United State Pharmacopeia

**WHO** : World Health Organization

#### **List of Tables**

| Table No.          | Title  | Page No.               |
|--------------------|--|------------------------|
|                    | Tables in Review   |                        |
| <b>Table</b> (1):  | Examples of the problematic medication   | names40                |
| <b>Table (2):</b>  | Top 10 Look-alike\ Sound-alike Drug Nar  | ne Pairs41             |
| <b>Table (3):</b>  | List of high alert medication categories   | 43                     |
| <b>Table (4):</b>  | Types of medication errors   | 45                     |
| <b>Table (5):</b>  | List of drug written with Tall man letteri   | ng46                   |
|                    | <b>Tables in Subjects and Methods</b>  |                        |
| <b>Table</b> (6):  | Dimension of nurses' knowledge regardery measure of HAM questionnaire she  |                        |
| <b>Table</b> (7):  | Domains of nurses' practice obsechecklist  |                        |
|                    | Tables in Results  |                        |
| <b>Table (8):</b>  | The studied staff nurses' der characteristics (n=96)   |                        |
| <b>Table (9):</b>  | Number and percentage distribution studied staff nurses according to their at of training courses, experiences on h medication and hospital policies (n=96). | ttendance<br>igh alert |
| <b>Table</b> (10): | Number and percentage distribution of the staff nurses' according to total keregarding to safety measures of him edications (n=96).                          | nowledge<br>igh alert  |
| <b>Table</b> (11): | Number and percentage distribution of the staff nurses according to total practice registres safety measures of high alert medications (a                    | garding to             |
| <b>Table (12):</b> | Relationship between age and gender studied staff nurses and their total knowledge regarding to safety measures alert medications.                           | level of<br>s of high  |

# **List of Tables (Continued)**

| Table No.          | Title   | Page No.                        |
|--------------------|---|---------------------------------|
| <b>Table (13):</b> | Relationship between qualification department of the studied staff nurses' and total knowledge regarding to safety measure high alert medications.  | their<br>es of                  |
| Table (14):        | Relationship between years of experience, traicourses in administration medication and traicourses in administration of HAM of the stustaff nurses and their total level of knowledgered to safety measures of high medications.  | ining<br>Idied<br>edge<br>alert |
| <b>Table</b> (15): | Relationship between age and gender of studied staff nurses' and their total leve practice regarding to safety measures of alert medications.   | l of<br>high                    |
| <b>Table (16):</b> | Relationship between qualification department of the studied staff nurses' and total practice regarding to safety measure high alert medications.   | their<br>s of                   |
| <b>Table (17):</b> | Relationship between years of experied training courses in administration medication training courses in administration of HAM of studied staff nurses and their total practice regarding to safety measures of high medications. | and f the ctice alert           |
| <b>Table (18):</b> | Correlation between the staff nurses' knowledge and their total practice regardin safety measures of high alert medications   | g to                            |
| <b>Table</b> (19): | Correlation matrix between dimensions knowledge regarding to safety measures of alert medications.  | high                            |

# **List of Tables (Continued)**

| Table No.          | <u> Title</u> Pag   | e No. |
|--------------------|---|-------|
| Table (20):        | Correlation matrix between dimensions of practice regarding to safety measures of high alert medications.                 | t     |
| <b>Table (21):</b> | Correlation matrix between dimension of knowledge and practice regarding to safety measures of high alert medications     | ì     |
| <b>Table (22):</b> | Multiple Linear regression model for staff nurses total knowledge regarding to safety measures of high alert medications. | f     |
| <b>Table (23):</b> | Multiple Linear regression model for staff nurses' total practice regarding to safety measures of high alert medications. | ı     |

# **List of Figures**

| Figure No.         | Title   | Page No. |  |
|--------------------|---|----------|--|
| Figures in Review  |   |          |  |
| Figure (1):        | Look -alik TraZODONE and traMAD bottles.  |          |  |
| Figure (2):        | Sound alike Thyroxine and Lanoxin   | 15       |  |
| Figures in Results |   |          |  |
| Figure (3):        | Percentage distribution of the studied surveys total knowledge regarding to same measures of high alert medications (n=96). | ıfety    |  |
| Figure (4):        | Percentage distribution of the studied sonurses' total practice regarding sameasures of high alert medications (n=96)       | fety     |  |