

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

Enhancing Neonatal Nurses' Performance Regarding Early Detection of Neurological Dysfunction among Neonates having Hyperbilirubinemia

Thesis

Submitted for Fulfillment of the Requirement of the Doctorate Degree

in Pediatric Nursing

By

Asmaa Gamal El Said Elsaleih

Master Degree (2014)

Faculty of Nursing /Benha University

Quality Coordinator in Benha Medical Area Al Qaliubia Branch Health Insurance Organization

Faculty of Nursing
Ain Shams University
2018

Enhancing Neonatal Nurses' Performance Regarding Early Detection of Neurological Dysfunction among Neonates having Hyperbilirubinemia

Thesis

Submitted for Fulfillment of the Requirement of the Doctorate Degree

in Pediatric Nursing

Under Supervision of


Prof. Dr. Iman Ibrahim Abd Al-Moneim

Professor of Pediatric Nursing and
Vice Dean of Community Service & Environment Development Affairs
Faculty of Nursing- Ain Shams University

Dr. Madiha Amin Morsy Abou Khalaa

Assistant Professor of Pediatric Nursing Faculty of Nursing - Ain shams University

Faculty of Nursing
Ain Shams University
2018





First of all, all gratitude is due to Allah almighty for blessing this work, until it has reached its end, as a part of generous help, throughout my life.

Really I can hardly find the words to express my gratitude to **Prof. Dr. Iman Ibrahim Abd Al-Moneim**, Professor of Pediatric Nursing and Vice Dean of Community Service & Environment Development Affairs, Faculty of Nursing-Ain Shams University, for her supervision, continuous help, encouragement throughout this work and tremendous effort she has done in the meticulous revision of the whole work. It is a great honor to work under her guidance and supervision.

I would like also to express my sincere appreciation and gratitude to **Dr. Madiha Amin Morsy Abou Khalaa**, Assistant Professor of Pediatric Nursing, Faculty of Nursing - Ain shams University, for her continuous directions and support throughout the whole work.

I would like to extend my thanks to all nurses, in neonatal intensiv care units at Benha University Hospitals, and Specialized Children Hospital in Benha City who have contributed to this thesis.

Last but not least I would like to thank and appreciate my beloved husband for being always encouragement, support and tolerance with me to finish my work.



List of Contents

	Item	Page
•	List of tables	i
•	List of figures	vi
•	List of abbreviations	xi
•	Abstract	xii
•	Introduction & aim of the study	1
•	Review of literature	6
•	Part I: Neonatal hyperbilirubinemia.	6
	- Incidence of neonatal hyperbilirubinemia.	6
	- Bilirubin metabolism.	7
	- Classification of neonatal hyperbilirubinemia.	10
	- Risk factors of hyperbilirubinemia in newborns.	14
•	Part II: Bilirubin-Induced Neurologic Dysfunction	38
	(BIND)	
	- Bilirubin toxicity, Encephalopathy, and Kernicterus	38
	- Clinical Signs of Acute Bilirubin Encephalopathy	39
	- Guidelines for Prevention of neurological toxicity	44
	of neonatal hyperbilirubinemia	40
•	Part III: Nursing Care for Neonates with severe	48
-	hyperbilirubinemia.	62
ŀ	Subjects and Methods	75
-	Results	
•	Discussion	125
•	Conclusion & Recommendation	136
•	Summary	140
•	References	146
•	пренамер	166
•	Arabic summary	

List of Tables

Table in Review

Table	Title			Page	
1	Evaluation	of	acute	bilirubin	42
	encephalopat	hy (BIN	D SCORE)	

Table in Results

Table	Title	Page
1	Number and percentage distribution of the	76
	studied nurses according to their	
	characteristics (N=50).	
2	Number and percentage distribution of the	79
	studied neonates according to their	
	characteristics (N=100).	
3	Number and Percentage distribution of the	86
	studied nurses regarding to knowledge	
	about hyperbilirubinemia pre and post	
	implementation of guidelines (N=50).	
4	Number and percentage distribution of the	88
	studied nurses regarding to knowledge	
	about bilirubin induced neurological	
	dysfunction of newborns with	
	Hyperbilirubinemia pre and post	
	implementation of guidelines (N=50).	

🕏 List of Tables Z

Table	Title	Page
5	Number and Percentage distribution of the	90
	studied nurses regarding to knowledge about BIND tool pre and post	
	implementation of guidelines (N=50).	
6	Number and Percentage distribution of the	92
	studied nurses regarding to knowledge	, -
	about neonatal Hyperbilirubinemia due to	
	mismatch of maternal and neonatal blood	
	in a rhesus factor pre and post	
	implementation of guidelines (N=50).	
7	Number and Percentage distribution of the	95
	studied nurses regarding to knowledge of	
	the nurse about Hyper-bilirubinemia	
	resulting from the mismatch of maternal	
	and infant blood in the blood type pre and	
8	post implementation of guidelines (N=50). Number and Percentage distribution of the	97
O	studied nurses regarding to knowledge	91
	nurse knowledge about phototherapy pre	
	and post implementation of guidelines	
	(N=50).	
9	Number and Percentage distribution of the	100
	studied nurses regarding to knowledge of	
	the nurse about the care of the umbilical of	
	newborn pre and post implementation of	
	guidelines (N=50).	

🕏 List of Tables Z

Table	Title	Page		
10	Number and Percentage distribution of the			
	studied nurses regarding to knowledge of			
	the nurse when blood is changed in			
	neonatal with Hyperbilirubinemia pre and			
	post implementation of guidelines (N=50).			
11	Number and Percentage distribution of the	104		
	studied nurses regarding to knowledge on			
	the care of umbilical catheterization in			
	neonatal with hyper-bilirubinemia pre and			
	post implementation of guidelines (N=50).			
12	Number and Percentage distribution of the	106		
	studied nurses according to their			
	knowledge nurse's knowledge about			
	infection in neonatal with			
	Hyperbilirubinemia pre and post			
12	implementation of guidelines (N=50).	400		
13	Number and Percentage distribution of the	108		
	studied nurses according to their total			
	knowledge pre and post implementation of			
1.4	guidelines (N=50).	100		
14	Mean and standard deviation of nurses	109		
	according to their knowledge pre and post			
15	implementation of guidelines (N=50).	110		
15	Number and Percentage distribution of the studied nurses and researcher according to	110		
	their practice of BIND tool pre and post			
	implementation of guidelines (N=50).			

🕏 List of Tables 🗷

Table	Title	Page
16	Number and Percentage distribution of the	112
	studied nurses and researcher according to	
	their mental status, muscle tone and cry	
	pattern of practice pre and post	
	implementation of guidelines (N=50).	
17	Number and Percentage distribution of the	113
	studied nurses and researcher according to	
	their total level of practice pre and post	
	implementation of guidelines (N=50).	
18	Mean and standard deviation of nurses and	115
	researcher according to their mental status,	
	muscle tone and cry pattern of practice pre	
	and post implementation of guidelines	
	(N=50).	
19	Number and Percentage distribution of the	117
	studied nurses according to their	
	compatibility between nurses and	
	researcher related total practice pre and	
	post implementation of guidelines (N=50).	
20	Relation between nurses total practice	119
	regarding BIND tool and their	
	demographic characteristics (N=50).	
21	Relation between nurses knowledge	121
	regarding post total knowledge score and	
	their demographic characteristics (N=50).	
22	Correlation between studied nurse's	122
	practices and their knowledge.	

🕏 List of Tables Z

Table	Title	Page
23	Correlation between studied nurse's	123
	practices and their knowledge.	
24	Correlation between studied nurse's	124
	practices and knowledge according to their	
	demographic data.	

List of Figures

Figure in Review

Fig.	Title	Page
1	Hour-Specific Nomogram	16
2	Normal bilirubin mrtabolism and bilirubin	26
	metabolism during phototherapy	
3	Guidelines for phototherapy in hospitalized	27
	infants of 35 or more week's gestation	
4	Newborn on fiberoptic "bili" Mattress and	28
	under phototherapy lights	
5	Important factors in the efficacy of	29
	phototherapy	
6	Exchange transfusion	32
7	Marked retocollis & opisthotonos in ababy	40
	with kernicterus	

Figure in Results

Fig.	Title	Page
1	Percentage distribution of the nursing	77
	according to their age (years).	
2	Percentage distribution of the nursing	77
	according to their years of experience.	
3	Percentage distribution of the nursing	78
	according to their educational level.	

🕏 List of Figures Z

Fig.	Title	Page
4	Percentage distribution of the nursing	78
	according to their work place.	
5	Percentage distribution of the studied	80
	newborn according to sex of newborn.	
6	Percentage distribution of the studied	80
	newborn according to gestational age.	
7	Percentage distribution of the studied	81
	newborn according to age.	
8	Percentage distribution of the studied	81
	newborn according to their birth type.	
9	Percentage distribution of the studied	82
	newborn according to feeding type.	
10	Percentage distribution of the studied	82
	newborn by their maternal blood group.	
11	Percentage distribution of the studied	83
	newborn according to blood group.	
12	Percentage distribution of the studied	83
	newborn according to RH.	
13	Percentage distribution of the studied	84
	newborn according to total bilirubin.	
14	Percentage distribution of the studied	84
	newborn according to comb's direct test.	
15	Percentage distribution of the studied	85
	newborn according to CRP.	