



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكرو فيلم

بسم الله الرحمن الرحيم



HANAA ALY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY



AIN SHAMS UNIVERSITY

FACULTY OF ENGINEERING

ELECTRICAL POWER AND MACHINES DEPARTMENT

Techno-Economical Evaluation of Hybrid Renewable Energy Sources in power systems

A Thesis

Submitted in Partial Fulfillment of the Requirements of
The Degree of Master of Science in Electrical Engineering

Presented By

Fathy Alaa El Din Fathy Sabet Ghonima

B.Sc Elec.Power and Mach. Dept., Faculty of engineering, Assuit University 2010

Supervised by

Prof Dr: / Tarek Saad Abdel-Salam

Elec.Power and Mach. Dept., Faculty of Engineering, Ain Shams University

Prof Dr: / Mohamoud Abd Hamid Mustafa

Elec.Power and Mach. Dept., Faculty of Engineering, Ain Shams University

Dr:/ Mohamed Ezzat Abdel Rahman

Elec.Power and Mach. Dep., Faculty of Engineering, Ain Shams University

Cairo 2020

Examiners Committee

Name, Title and Affiliation

Signature

1-Prof. Dr. Tarek Saad Abdel-Salam

Professor – Electrical Power and Machines Dept.

Faculty of Engineering

Ain Shams University

2- Prof. Dr. Noha Hany El-Amary

Professor – Electrical and Control Depart.,

Faculty of Engineering

Arab Academy for Science, Technology &
Maritime Transport (AASTMT)

3-Prof. Dr. Hany Mohamed Hasanien

Professor – Electrical Power and Machines Dept.

Faculty of Engineering

Ain Shams University

Supervisor Committee

Name, Title and Affiliation

Signature

1-Prof. Dr. Tarek Saad Abdel-Salam

Professor – Electrical Power and Machines Dept.

Faculty of Engineering

Ain Shams University

2-Prof. Dr. Mohamoud Abd Hamid Mustafa

Professor – Electrical Power and Machines Dept.

Faculty of Engineering

Ain Shams University

3-Dr. Mohamed Ezzat Abdel Rahman

Assistant Professor – Electrical Power and Machines Dept.

Faculty of Engineering

Ain Shams University

STATEMENT

This Thesis is submitted to Ain Shams University in partial fulfillment of the requirements of Master of Science degree in Electrical Engineering.

The work in this thesis has been carried out by the author at the Department of Electrical Power and Machines, Ain Shams University. No part of this thesis has been submitted for a degree or qualification at any other university or institution.

Name: Fathy Alaa El-Din Fathy Sabet Ghonima

Signature: Fathy Alaa Ghonima

Date: / /

Researcher Data

Name: Fathy Alaa El-din Fathy Sabet Ghonima

Place of Birth: Assuit

Last Academic degree: Bachelor of Electrical Engineering

Field of specialization: Electrical Power and Machines

University issued the degree: Assuit University

Data of issued degree: June 2010

Job : Maintenance Engineer

TABLE OF CONTENTS

Contents

Table of contents-----	I
List of Figures-----	IV
List of Tables-----	VI
Acknowledgement-----	VII
Abstract-----	VIII
Chapter I Literature Review-----	1
1.1 General-----	1
1.2 Objective Of Thesis-----	1
1.3 Primary energy supply and Electricity consumption in Egypt-----	2
1.4 Renewable energy resources in Egypt-----	3
1.5 Presentation of Study Area-----	5
1.6 System constraints-----	8
Chapter II Hybrid system -----	9
2 Hybrid system-----	9
2.1 Wind power plant-----	10
2.1.1 Principle of wind power-----	10
2.1.2 Wind Turbine Components-----	11
2.1.3 Types of Wind Turbines-----	11
2.1.3.A. Horizontal Axis Wind Turbines-----	12
2.1.3.B Vertical Axis Wind Turbines-----	12
2.1.4 Weibull Distribution Curve-----	13
2.1.5 Power Curve of Wind Turbine -----	16
2.1.6 Wind Turbine Power Characteristics-----	16
2.2 Solar Power Plant-----	18
2.2.1 Modeling of PV Arrays-----	18
2.2.1.A model The double exponential model of photovoltaic cell-----	18
2.2.2 Current-Voltage Curve , Power-Voltage Curve -----	19
2.3 Diesel Power Plant-----	21
2.3.1 Rotation speed of synchronous generator-----	21
2.3.2 Internal generated voltage of a synchronous generator-----	22
2.3.3 Equivalent circuit of a synchronous generator-----	22
2.3.4 Final Equivalent circuit of a synchronous generator-----	26
2.4 Fuel Cell Stack-----	26
2.4.1 V-I characteristics of fuel cells-----	28
2.4.2 the fuel cell stack model-----	31
2.4.2.A simplified model-----	31
2.4.2.B Detailed model-----	32
Chapter III Optimization methods-----	34
3.1 Genetic Algorithm-----	34
3.1.1 Genetic Algorithm Selection, Recombination & Mutation-----	34
3.1.2 Steps of Genetic Algorithm-----	36
3.1.3 Flow chart of Genetic Algorithm-----	37
3.1.4 GA Advantages-----	37
3.1.5 GA Disadvantages-----	38
3.2 Partial swarm optimization-----	38
3.2.1 PSO parameters-----	39
3.2.2 Steps of PSO-----	41
3.2.3 PSO advantages -----	41

3.2.4 PSO disadvantages	42
3.2.5 Flow chart of PSO	42
Chapter IV Economic evaluation	43
4.1 Overview	43
4.2 hybrid system composition benefits	43
4.3 Analysis of cost	44
4.4 Economical Evaluation	44
4.5 Cost estimation	46
4.6 Levelised Cost of Energy (LCOE)	46
4.7 Cost estimation Functions	47
4.8 Hybrid System power constrains	48
4.9 Economic Load Dispatch	49
4.9.A ELD Introduction	49
4.9.B Formulation of Economic Load Dispatch problem	50
4.9.C Objective Function	51
4.10 Equality and Inequality Constraints	51
4.10.A. Active power balance equation	51
4.10.B, Minimum and maximum power limits	51
4.11 Conclusion of Load dispatch	52
Chapter V Technical evaluation	54
5.1 Introduction	54
5.2 load Flow study	55
5.3 Bus classification	57
5.3.A Slack Bus	57
5.3.B Generator bus (PV)	57
5.3.C Load Bus (PQ)	57
5.4 Power Flow Analysis Methods	58
5.5 Gauss-Seidel Method	59
5.5.I Features of the Gauss-Seidel Method	60
5.6 Newton Raphson Method	60
5.6.I Features of the Newton Raphson method	62
5.7 Fast Decoupled Method	63
5.7.I Features of Fast Decoupled method	64
5.8 Generation Reliability	64
5.9 Availability and Forced Outage Ratio	65
5.10 .Loss of Load Probability Index (LOLP)	67
5.11 Loss of Load Expectation Index (LOLE)	69
5.12 Expected Energy Not Supplied Index (EENS)	69
Chapter VI Simulation Results	71
6-1 Matlab simulation of Hybrid power system	71
6.1.1 Wind Power Plant	71
6.1.2 Solar Power Plant	73
6.1.3 Diesel Power Plant	75
6.1.4 Fuel cell stack	77
6.1.5 Load Area	79
6.2 Economical Evaluation of Hybrid Renewable Energy Sources in power systems	80
6.2.1 Cost Estimation	80
6.2.2 Load Economic Dispatch	82
6.2.2.A. ELD Without Fuel cell stack	82
6.2.2.B. ELD With Fuel cell stack	85
6.3 Technical Evaluation of Hybrid Renewable Energy Sources in power systems	88

6.3.1 Load Flow study Results-----	88
6.3.1.A. Load Flow study using Matlab via PSAT-----	88
6.3.1.B Load flow by using Newton Raphson Matlab code-----	92
6.3.1.B.1 Bus Admittance is 5×5 Matrix in IEEE 5 buses-----	92
6.3.1.B.2 The updated state variables after the (1)-th iteration-----	93
6.3.1.B.3 The updated state variables after the (70)-th iteration-----	94
6.3.1.B.4 The updated state variables after the (71)-th iteration-----	95
6.3.2 Generating Reliability Indices Results-----	98
Chapter VII Conclusions & Future Work -----	104
7.1 Conclusion-----	104
7.2 Recommendation-----	105
7.3 Future Work -----	107
References-----	108

LIST OF FIGURES

Figure 1-1 Total primary energy supply in 2014/15-----	2
Figure 1-2 Electricity consumption by sector-----	2
Figure 1-3 Wind-generated electricity from 2004/05 to 2015/16-----	3
Figure 1-4 Egypt's wind atlas-----	4
Figure 1-5 Egypt's Solar Atlas-----	5
Figure 1-6: Study site location Hurghada on Egypt-----	6
Figure 1-7 load curve of study area-----	6
Figure 1-8 Hybrid System Evaluation-----	7
Figure 2-1 A schematic diagram of hybrid system-----	9
Figure 2-2 Wind turbine Components-----	11
Figure 2-3 Horizontal Axis Wind Turbines-----	12
Figure 2-4 Vertical Axis Wind Turbines-----	12
Figure 2-5 Wind speed frame on the Weibull distribution-----	13
Figure 2-6 weibull probability density function and cumulative weibull probability density function-----	15
Figure 2-7 chart show Power Curve of wind turbine-----	16
Figure 2-8 Wind Turbine Power Characteristics-----	17
Figure 2-9 Wind Turbine Power Characteristics in every season in study site-----	17
Figure 2-10 PV Array structure-----	18
Figure 2-11 The double exponential model of photovoltaic cell-----	19
Figure 2-12 I-V and P-V for PV array-----	20
Figure 2-13 Synchronous generator construction-----	21
Figure 2-14 Armature reaction-----	23
Figure 2-15 Equivalent circuit of a synchronous generator-----	23
Figure 2-16 Equivalent circuit of a synchronous generator-----	24
Figure 2-17 Synchronous generator connection types-----	25
Figure 2-18 Final Equivalent circuit of a synchronous generator-----	26
Figure 2-19 Fuel cell stack-----	27
Figure 2-20 Fuel cell stack parameters used in hybrid system-----	27
Figure 2-21 Schematic of PEMFC stacks: (a) 4-bolt-clamping, (b) 6-bolt-clamping.-----	28
Figure 2-22 PEM fuel cell voltage-current characteristic-----	28
Figure 2-23 V-I and P-V characteristics-----	31
Figure 2-24 Equivalent dynamic circuit model of a PEM fuel cell -----	31
Figure 2-25 Small signal equivalent circuit model of a PEM fuel cell-----	32
Figure 3-1 Chromosome of Genetic Algorithm-----	35
Figure 3-2 Flow chart of Genetic Algorithm-----	37
Figure 3-3 Partial Swarm Optimization method inspiration-----	38
Figure 3-4 Partial Swarm Optimization sequence -----	39
Figure 3-5 Flow chart of Partial Swarm Optimization-----	42
Figure 4-1 Flow chart of economic load dispatch-----	53
Figure 5-1 Inputs and outputs of load flow analysis-----	56
Figure 5-2 Generating system reliability-----	65
Figure 5-3 Estimation of LOLP-----	68
Figure 6-1 Matlab Simulink wind turbine model-----	72
Figure 6-2 Wind turbine characteristic-----	72
Figure 6-3 Matlab Simulink photovoltaic array model-----	73
Figure 6-4 photovoltaic array characteristic-----	74
Figure 6-5 Matlab Simulink Diesel Generator model-----	75

Figure 6-6 Matlab Simulink Fuel cell stack model-----	77
Figure 6-7 Fuel cell characteristic-----	78
Figure 6-8 Fuel cell Specifications-----	78
Figure 6-9 Matlab Simulink Load Area model-----	79
Figure 6-10 load curve of study area. -----	79
Figure 6-11 load economic dispatch without using a fuel cell stack-----	85
Figure 6-12 load economic dispatch with using a fuel cell stack-----	88
Figure 6-13 hybrid system PSAT model-----	89
Figure 6-14 hybrid system in IEEE five buses-----	92
Figure 6-15 Hybrid system load duration curve-----	98
Figure 6-16 Chart of Loss of Load Probability Results-----	102
Figure 6-17 Chart of Loss of Load Expectation Results-----	102
Figure 6-18 Chart of Expected Energy Not Supplied Results-----	103

LIST OF TABLES

Table1-1 The variations of wind speed, solar radiation and temperature in study site-----	8
Table 2-1 Weibull constants c and k by two methods-----	15
Table 3-1 Genetic Algorithm: (GA) optimization parameters-----	36
Table 3-2 Partial Swarm Optimization (PSO) optimization parameters-----	41
Table 4.1 Requirements of LCOE cost function-----	48
Table 4.2 Economic load dispatch hybrid system topologies study cases-----	50
Table 5-1 Bus Type classification-----	58
Table 5-2 Probability calculation methodology for reliability indices-----	66
Table 5-3 Probability calculation methodology for reliability indices for used hybrid system-----	67
Table 6-1 Wind Turbine Specifications-----	73
Table 6-2 Photovoltaic Array Specifications-----	74
Table 6-3 Diesel Generator Specifications-----	76
Table 6-4 the requirements of LCOE cost function-----	80
Table 6-5 LCOE Results by using both partial swarm optimization PSO and Genetic algorithm GA in every season -----	81
Table 6-6 ELD Results for CASE ONE (PV+WT+DG) -----	82
Table 6-7 ELD Results for CASE TWO (PV+WT) -----	83
Table 6-8 ELD Results for CASE THREE (PV+DG) -----	83
Table 6-9 ELD Results for CASE FOUR (WT+DG) -----	84
Table 6-10 ELD Results for CASE FIVE (PV+WT+DG+FUELCELL) -----	85
Table 6-11 ELD Results for CASE SIX (PV+WT+FUELCELL) -----	86
Table 6-12 ELD Results for CASE SEVEN (PV+DG+FUELCELL) -----	86
Table 6-13 ELD Results for CASE EIGHT (WT+DG+FUELCELL) -----	87
Table 6-14 MATLAB Simulink toolbox PSAT bus Results-----	89
Table 6-15 Transmission Lines power flow Results-----	90
Table 6-16 IEEE five buses Transmission Lines data-----	91
Table 6-17 the updated state variables in the (1)-th iteration-----	93
Table 6-18 the updated state variables in the (70)-th iteration-----	94
Table 6-19 the updated state variables in the (71)-th iteration-----	95
Table 6-20 Netwon Raphson method Transmission Lines power flow results-----	96
Table 6-21 Netwon Raphson method Transmission Lines power injection results-----	96
Table 6-22 Netwon Raphson method bus power mismatch-----	97
Table 6-23 Netwon Raphson method line loss-----	97
Table 6-24 Force Outage Rate (FOR) in every season-----	99
Table 6-25 Results of probability generating system at study cases in every season-----	100
Table 6-26 Results of Probability reliability indices in every season-----	101