

بسم الله الرحمن الرحيم



-Call 4000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغبار













بالرسالة صفحات لم ترد بالأصل





The Effect of Green Coffee Aqueous Extract on Parotid Salivary Gland of Streptozotocin Induced Diabetic Albino Rats

(Histological and Immunohistochemical study)

Thesis Submitted in partial fulfillment for Master Degree in Oral Biology

By Yasmin Mohamed Hasan Elghazawy

(B.D.S), 2013
Faculty of Oral and Dental medicine
Future University

Supervisors


Prof. Dr. Medhat A. El-Zainy


Professor of Oral Biology
Faculty of Dentistry
Ain Shams University

Dr. Rabab Hassan Ali

Lecturer of Oral Biology Faculty of Dentistry Ain Shams University

Faculty of Dentistry
Ain Shams University
2020





Acknowledgment

All praise and thanks is to ALLAH the most merciful and graceful as he has guided and enabled me by his mercy to fulfill this thesis, which I hope to be helpful to people.

I would like to express my sincere appreciation to Prof. Dr.Medhat A. El-Zainy, professor of Oral Biology, Faculty of Dentistry, Ain Shams University and to Prof. Dr.Souzi Farid Shinaishin, God have mercy on her, professor of Oral Biology, Faculty of Dentistry, Ain Shams University for their encouragement, kind support and constructive advice whenever needed.

Profound thanks are extended to Dr.Rabab Hassan Ali, lecturer of Oral Biology, Faculty of Dentistry, Ain Shams University for supervising this work, her outstanding help step by step in all its stages, her patience to follow closely its part and for her constant encouragement and support.

I am also thankful to all members of Oral Biology Department, Faculty of Dentistry, Ain Shams University for their kind help and cooperation.

I cannot forget the continuous support, encouragement and pieces of advices from all my dear members at Oral Biology department, Faculty of Oral and Dental medicine, Future University, throughout my thesis journey.

Finally, I would like to express my special thanks to Dr. Sherif Gamal, specialist at chemistry research labs at Future University for his help during the preparation of the materials that are used during the experiment.



Dedication

I would like to dedicate this work to

My precious family especially my beloved parents, who made me what I am today, their blessing and prayers are the key for my success, I really thank them whole heartedly.

My dear lovely sisters, Mai and Sara Elghazawy, thank you for your support, encouragement and unstoppable motivation.

My dear friends and colleagues, thanks for your presence beside whenever I need.

And last but not least, I dedicate this work to the kind soul of my great mentor Prof.Dr.Souzi Farid Shinaishin, God have mercy on her.



Contents

	Pg.
Introduction	1
Review of literature	3
Salivary gland	
 Parotid salivary gland in human 	3
 Parotid salivary gland in rats 	4
Diabetes mellitus	6
 Etiological classification 	7
 General complications of diabetes 	8
 Oral complications of diabetes 	10
 Effect of DM on salivary glands 	11
 Induction of DM 	15
 Treatment of DM 	17
Green coffee beans	17
Objectives	23
Materials and methods	
Results	
 H&E results 	32
 Immunohistochemical results 	47
 Statistical analysis 	57
Discussion	67
Conclusions	78
Recommendations	79
Summary	
References	
Arabic summary	

List of figures

Fig	Title	Pg.
No.		8
1	A photomicrograph of PG of the control group showing serous acini and ID (H&E original	33
	magnification x400).	
2	A photomicrograph of PG of the control group showing SD (H&E original magnification x400).	33
3	A photomicrograph of PG of the control group	34
	showing ED (H&E original magnification x400).	
4	A photomicrograph of PG of subgroup (IIA) showing	36
	serous acini and ID (H&E original magnification	
	x400).	
5	A photomicrograph of PG of subgroup (IIA) showing	36
	SD (H&E original magnification x400).	
6	A photomicrograph of PG of subgroup (IIA) showing	37
	ED (H&E original magnification x400).	
7	A photomicrograph of PG of subgroup (IIB) showing	39
	serous acini and ID (H&E original magnification	
	x400).	
8	A photomicrograph of PG of subgroup (IIB) showing	40
	SD (H&E original magnification x400).	
9	A photomicrograph of PG of subgroup (IIB) showing	40
	ED (H&E original magnification x400).	
10	A photomicrograph of PG of subgroup (IIIA) showing	42
	serous acini and ID (H&E original magnification	
44	x400).	40
11	A photomicrograph of PG of subgroup (IIIA) showing	42
10	SD (H&E original magnification x400).	42
12	A photomicrograph of PG of subgroup (IIIA) showing	43
12	ED (H&E original magnification x400).	15
13	A photomicrograph of PG of subgroup (IIIB) showing	45
	serous acini and ID (H&E original magnification	
	x400).	

1.4	A .1. (4.5
14	A photomicrograph of PG of subgroup (IIIB) showing	45
	SD (H&E original magnification x400).	
15	A photomicrograph of PG of subgroup (IIIB) showing	46
	ED (H&E original magnification x400).	
16	A photomicrograph of PG of the control group	48
	showing serous acini, ID and SD (anti-active caspase-	
	3 antibody x400).	
17	A photomicrograph of PG of the control group	48
	showing ED (anti-active caspase-3 antibody x400).	
18	A photomicrograph of PG of subgroup (IIA) showing	49
	serous acini and ID (anti-active caspase-3 antibody	
	x400).	
19	A photomicrograph of PG of subgroup (IIA) showing	50
	SD (anti-active caspase-3 antibody x400).	
20	A photomicrograph of PG of subgroup (IIA) showing	50
	ED (anti-active caspase-3 antibody x400).	
21	A photomicrograph of PG of subgroup (IIB) showing	51
	serous acini and ID (anti-active caspase-3 antibody	
	x400).	
22	A photomicrograph of PG of subgroup (IIB) showing	52
	SD (anti-active caspase-3 antibody x400).	
23	A photomicrograph of PG of subgroup (IIB) showing	52
	ED (anti-active caspase-3 antibody x400).	
24	A photomicrograph of PG of subgroup (IIIA) showing	53
	serous acini and ID (anti-active caspase-3 antibody	
	x400).	
25	A photomicrograph of PG of subgroup (IIIA) showing	54
	SD (anti-active caspase-3 antibody x400).	
26	A photomicrograph of PG of subgroup (IIIA) showing	54
	ED (anti-active caspase-3 antibody x400).	
27	A photomicrograph of PG of subgroup (IIIB) showing	55
	serous acini, ID and SD (anti-active caspase-3	
	antibody x400).	
	antibody x400).	

28	A photomicrograph of PG of subgroup (IIIB) showing	56
	ED (anti-active caspase-3 antibody x400).	
29	Box plot representing median and range values for	58
	caspase- 3 area% in the three groups after 1 week.	
30	Box plot representing median and range values for caspase -3 area% in the three groups after 2 weeks.	59
31	Line chart representing median changes in caspase-3 area% within each group.	60
32	Box plot representing median and range values for	62
	interacinar space in the three groups after 1 week.	
33	Box plot representing median and range values for	62
	interacinar space in the three groups after 2 weeks.	
34	Line chart representing changes in median interacinar space within each group.	64
35	Scatter diagram representing direct correlation between caspase-3 area% and interacinar space after 1 week.	65
36	Scatter diagram representing direct correlation between caspase-3 area% and interacinar space after 2 week.	66