

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY

Efficacy of Neutrophil Lymphocyte Stress Factor in Diagnosis of Sepsis and Prediction of Mortality in Septic Patients Admitted to the ICU

Thesis

Submitted for partial fulfillment of Master degree in General Intensive Care

By

Mahmoud Alaa Eldin Mohamed El-sayed M.B.B.Ch (Alexandria University, 2012)

Under Supervision of

Prof. Dr. Amr Mohamed El-said Kamel

Professor of Anesthesia, Intensive Care and Pain Management Faculty of Medicine, Ain Shams University

Dr. Fady Adib Abd El-malek

Lecturer of Anesthesia, Intensive Care and Pain Management Faculty of Medicine, Ain Shams University

Dr. Mohamed Said Shorbagy

Lecturer of Anesthesia, Intensive Care and Pain Management Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
2020



Acknowledgments

First and foremost, I feel always indebted to Allah, the Most Beneficent and Merciful who gave me the strength to accomplish this work,

My deepest gratitude to my supervisor, **Prof. Dr. Amr Mohamed El-Said Kamel,** Professor of Anesthesia, Intensive
Care and Pain Management, Faculty of Medicine, Ain Shams
University, for his valuable guidance and expert supervision, in
addition to his great deal of support and encouragement. I really have
the honor to complete this work under his supervision.

I would like to express my great and deep appreciation and thanks to **Dr. Fady Adib Abd El-malek**, Lecturer of Anesthesia, Intensive Care and Pain Management, Faculty of Medicine, Ain Shams University, for his meticulous supervision, and his patience in reviewing and correcting this work.

I must express my deepest thanks to my **Dr. Mohamed Said Shorbagy,** Lecturer of Anesthesia, Intensive Care and Pain Management, Faculty of Medicine, Ain Shams University, for guiding me throughout this work and for granting me much of his time. I greatly appreciate his efforts.

Special thanks to my **Parents**, my **Wife** and all my **Family** members for their continuous encouragement, enduring me and standing by me.

Mahmoud Alaa El-Din

List of Contents

Subject	Page No.
List of Abbreviations	i
List of Tables	iii
List of Figures	v
Introduction	1
Aim of the Work	3
Review of Literature	4
Epidemiology	5
Pathogenesis of Sepsis	17
Pathophysiology of Sepsis (Organ System Involvement in Sepsis)	25
Diagnosis of Sepsis	41
Prognosis of Sepsis and Septic Shock	64
Patients and Methods	71
Results	77
Discussion	111
Limitations of the study	120
Conclusion	121
Summary	122
References	126
Appendices	I
Arabic Summary	<u> —</u>

List of Abbreviations

Abbr. Full-term **APACHEII** Acute Physiology And Chronic Health Evaluation II APS Acute Physiology Score ARDS Acute Respiratory Distress Syndrome : Anti-Thrombin III ATIII **CAP** : Community Acquired Pneumonia **CARS** : Compensatory Anti-inflammatory Response Syndrome : Cardiac Output CO **CRP** : C Reactive Protein **CVP** : Central Venous Pressure : Early Goal Directed Therapy **EGDT** : Emergency Room ER **ESICM** : European Society of Intensive Care Medicine : Hospital Acquired Pneumonia **HAP** : HeamatoCrit **HCT ICU** : Intensive Care Unit II. : Interleukin LPS : Lipopolysaccharides : Mean Arterial Pressure **MAP MODS** : Multiple Organ Dysfunction Syndrome Neutrophil Lymphocyte Ratio **NLR** : Neutrophil Lymphocyte Stress Factor **NLSF PCT** : Procalcitonin Prediction, Insult, Response, Organ **PIRO** dysfunction : Ouick SOFA qSOFA Simplified Acute Physiology Score II **SAPSII**

SBP : Systemic Blood Pressure

SD : Standard Deviation

SE : Septic Enchephalopathy

SIRS : Systemic Inflammatory Response

Syndrome

SOFA : Sequential Organ Failure Assessment

SVR : Systemic Vascular Resistance

TF: Tissue Factor

TFPI: Tissue Factor Pathway Inhibitor

TLR : Toll Like ReceptorTM : Thrombomodulin

TNF: Tissue Necrosis Factor

List of Tables

Table No.	Title	Page No.
Table (1):	Most common primary focus of inf	fection6
Table (2):	Causative organisms in sepsis	7
Table (3):	Clinical characteristics.	77
Table (4):	Original comorbidities	79
Table (5):	Sites of infection in group I	80
Table (6):	Causes of ICU admission in group	II80
Table (7):	Microbiological culture results septic group.	
Table (8):	Hemodynamic variables on admission.	
Table (9):	Results of laboratory tests on admi	ssion 84
Table (10):	Sepsis markers on admission	86
Table (11):	APACHE II and SOFA scoradmission	
Table (12):	Mortality of patients in the ICU v days.	
Table (13):	ICU data, ICU severity scores and of laboratory tests for patients with relative to mortality in the ICU v days.	n sepsis vithin 5
Table (14):	Evolution of NLSF over 5 day per the septic patients group	
Table (15):	Evolution of CRP over 5 day perio septic patients group	

Table (16):	Evolution of Procalcitonin over 5 day period in the septic patients group95
Table (17):	Evolution of SOFA score in the septic patients group
Table (18):	Inflammatory markers for patients with sepsis relative to mortality in the ICU within 5 days
Table (19):	Comparison between Group I: Septic patients and Group II: Non-septic patients as regards inflammatory markers cut-off values
Table (20):	Inflammatory markers cut-off values for patients with sepsis relative to mortality in the ICU within 5 days
Table (21):	Correlation between inflammatory markers NLSF, CRP and procalcitonin with ICU data, ICU severity scores and results of laboratory tests using Pearson Correlation Coefficient in septic patients group

List of Figures

Figure No	o. Title	Page No.
Figure (1):	Clinical criteria for identifying with sepsis and septic shock	-
Figure (2):	Synopsis of potential und mechanisms in septic my dysfunction.	ocardial
Figure (3):	Neutrophil effector mechanisms	57
Figure (4):	Stages of lymphocyte maturation	59
Figure (5):	Bar chart between Group I: Septic and Group II: Non-septic patiregards age (years).	ents as
Figure (6):	Bar chart between Group I: Septic and Group II: Non-septic patiregards sex.	ients as
Figure (7):	Bar chart between Group I: Septic and Group II: Non-septic pati regards mean arterial blood pressur rate and respiratory rate.	ents as re, heart
Figure (8):	Bar chart between Group I: Septic and Group II: Non-septic patiregards temperature	ients as
Figure (9):	Bar chart between Group I: Septic and Group II: Non-septic patiregards WBCs, PH and HCO ³	ients as
Figure (10):	Box plot between Group I: Septic and Group II: Non-septic patiregards NLSF.	ents as

Figure (11):	Box plot between Group I: Septic patients and Group II: Non-septic patients as regards CRP.	87
Figure (12):	Box plot between Group I: Septic patients and Group II: Non-septic patients as regards procalcitonin.	88
Figure (13):	Bar chart between Group I: Septic patients and Group II: Non-septic patients as regards APACHE II score	90
Figure (14):	Bar chart between Group I: Septic patients and Group II: Non-septic patients as regards SOFA score.	90
Figure (15):	Bar chart between Group I: Septic patients and Group II: Non-septic patients as regards mortality of patients in the ICU within 5 days.	91
Figure (16):	Evolution of NLSF in the septic patients group.	93
Figure (17):	Evolution of CRP in the septic patients group.	94
Figure (18):	Evolution of Procalcitonin in the septic patients group.	95
Figure (19):	Evolution of SOFA score in the septic patients group.	96
Figure (20):	Box plot between non-survivors and survivors as regards NLSF in septic group.	97
Figure (21):	Box plot between non-survivors and survivors as regards CRP in septic group	98

Figure (22):	Box plot between non-survivors and survivors as regards procalcitonin in septic group
Figure (23):	Bar chart between Group I: Septic patients and Group II: Non-septic patients as regards inflammatory markers cut-off values
Figure (24):	Bar chart of inflammatory markers cut-off values for patients with sepsis relative to mortality in the ICU within 5 days
Figure (25):	Receiver-operating characteristic (ROC) curve for prediction of sepsis using the NLSF, CRP and Preocalcitonin
Figure (26):	Receiver-operating characteristic (ROC) curve for prediction of mortality in the ICU within 5 days using the NLSF, CRP and Procalcitonin
Figure (27):	Scatter plot between NLSF with heart rate in the septic group
Figure (28):	Scatter plot between NLSF with WBC in the septic group
Figure (29):	Scatter plot between NLSF with ABG (PH) in the septic group 106
Figure (30):	Scatter plot between NLSF with ABG (HCO ³) in the septic group
Figure (31):	Scatter plot between CRP with mean arterial blood pressure in the septic group 107
Figure (32):	Scatter plot between CRP with heart rate in the septic group

Figure (33):	Scatter plot between CRP with WBC in the septic group
Figure (34):	Scatter plot between CRP with APACHE II score in the septic group
Figure (35):	Scatter plot between CRP with SOFA score in the septic group
Figure (36):	Scatter plot between procalcitonin with mean arterial blood pressure in the septic group
Figure (37):	Scatter plot between procalcitonin with ABG (HCO ³) in the septic group110
Figure (38):	Scatter plot between procalcitonin with APACHE II score in the septic group 110