

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

## بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

## جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY







### Characterization of The Decellularized Male Rabbit Kidney as a Three- Dimensional Natural Scaffold for Tissue Engineering.

#### A Histological Study

A THESIS FOR PARTIAL FULFILMENT OF MASTER'S DEGREE IN BASIC MEDICAL SCIENCE (HISTOLOGY AND CELL BIOLOGY)

Submitted By

#### **Ayat Abdelnaby Elsayed Abdelaziz**

MBBCh, Demonstrator of Histology and Cell Biology Faculty of Medicine, Ain Shams University

### Under supervision of **Prof. Dr. Naglaa Medhat Abou-Rabia**

Professor of Histology and cell biology Faculty of Medicine, Ain Shams University

#### Prof. Dr. Gehan Khalaf Megahed


Professor of Histology and cell biology Faculty of Medicine, Ain Shams University

#### Assistant. Prof. Dr. Sara Abdelgawad Elsebay

Assistant professor of Histology and cell biology Faculty of Medicine, Ain Shams University

> Histology and Cell Biology Department Faculty of Medicine, Ain Shams University Cairo, Egypt 2020-2021











Praise be to **Allah**, Lord of the worlds, and prayers and peace be upon the most honorable of all creation, our master **Muhammad**. Peace be upon all the honorable prophets and messengers of **Allah**.

I would like to express my profound gratitude and respect to **Professor Dr. Naglaa Medhat Abou-Rabia** for her kindness, gentle advice, and consistent encouragement. Her continuous supervision and guidance throughout the course of this work were incomparable. Her sincere and meticulous scientific instructions aimed at perfection of this work. It was such a great honor to learn from such a great pioneer of histology.

I am also obliged to express my thanks and gratefulness to **Professor Dr. Gehan Khalaf Megahed** for her kind care, continuous valuable supervision, and constant help. Her kind constructive encouraging words kept me going and her senser reliable guidance overcame every obstacle at every step of this work.

I wish to introduce my deepest respect, appreciation and thanks to Assistant Professor Dr. Sara Abdel Gawad Elsebay for her continuous support, kindness, patience, and guidance. Her beautiful smile and gentle words made every step easier. Her experience and knowledge gave every problem a wonderful solution. I had the utmost privilege to learn from her and to lead by her example in both work and life.

Ayat Abdelnaby

I wish to express my appreciation and respect to the team of the Stem Cell Research Lab of our beloved department. They offer help and guidance to every young researcher. Also, I would like to acknowledge the help offered to me by the team of the Medical Research Centre Ain Shams University, the team of the electron microscopy unit, faculty of science, Ain Shams University, the team of the research lab, histology department, El-Azhar University, and the team of the regional center for mycology and biotechnology, El-Azhar University.

Ayat Abdelnaby

# List of Contents

Title	Page no.
List of abbreviations	vii
List of tables	xi
List of figures	xiii
List of histograms	XV
Abstract	1
Introduction	3
Aim of the work	6
Review of literature	7
Materials and methods	46
Results	90
Discussion	23
Summary	249
Conclusion and recommendations	25
References	254
Arabic summary	

# List of Abbreviations



<b>3D</b>	Three-dimensional
ANOVA	Analysis of variance
CHAPS	3-[(3-cholamidopropyl) dimethylammonio]-1- propanesulfonate
CKD	Chronic Kidney Disease
CMC	Critical micelle concentration
CO <sub>2</sub>	Carbon dioxide
CPD	The critical point drier
DAB	Diaminobenzidine tetrahydrochloride
DAMPs	Damage associated molecular pattern molecules
DAPI	4`,6-diamidino-2-phenylindole
DCTs	Distal convoluted tubules
dECM	Decellularized extracellular matrix
ECM	Extracellular matrix
EDTA	Ethylenediaminetetraacetic acid

EGTA	Ethylene glycol-bis tetraacetic acid
ESRD	End stage renal disease
FGF	Fibroblast growth factor
GAGs	Glycosaminoglycans
GBM	Glomerular basement membrane
GFR	Glomerular filtration rate
HCl	Hydrochloric acid
hESCs	Human embryonic stem cells
ННР	High hydrostatic pressure
KDIGO	The Kidney Disease: Improving Global Outcomes
NaOH	Sodium hydroxide
NZWR	New Zealand white rabbits
P	Probability of chance
PAA	Peracetic acid
PAS	Periodic acid Schiff's
PBS	Phosphate buffered saline
PCR	Polymerase chain reaction
PCTs	Proximal convoluted tubules
PDGF	Platelet derived growth factor
	1

PLGA	Poly-lactic-co-glycolic acid
RRT	Renal replacement therapy
SDC	Sodium deoxycholate
SD	Standard deviation
SDS	Sodium dodecyl sulfate
SEM	Scanning electron microscope
TEM	Transmission electron microscope
TGF-ß	Tissue growth factor-ß
VEGF	Vascular endothelial growth factor
VEGF	Vascular endothelial growth factor

#### **Measurement units**

Unit	Title
°C	Celsius
Cm	Centimeter
Gm	Gram
H	Hour
IU/mL	International unit/ milliliter

KDa	Kilodalton
M	Molarity
mg/kg	Milligram per kilogram
mg/mL	Milligram per milliliter
mL/min	Milliliter per minute
mmHg	Millimeter of mercury
MPa	Megapascal
w/v	Weight/ volume
Mm	Micrometer

# List of Tables



Table no.	Title	Page no.
I	specificity of the techniques for the detection of carbohydrates and glycoconjugates	63
1	The recorded weight data of kidneys of group II before freezing/thawing (a), after freezing/thawing (b) and after decellularization (c).	90
2	Mean (mean ± standard deviation) weight of kidneys of group II (decellularization group) before freezing/thawing (a), after freezing/thawing (b) and after decellularization (c).	218
3	Mean area percentage (mean ± standard deviation) of collagen fibers in both renal cortex and medulla of both control group I and decellularization group II.	219
4	Mean area percentage (mean ± standard deviation) of reticular fibers in both renal cortex and medulla of both control group I and decellularization group II.	221
5	Mean area percentage (mean ± standard deviation) of elastic fibers in internal elastic laminae of arcuate arteries of both control group I and decellularization group II.	223
6	<b>M</b> ean optical density (mean ± standard deviation) of glycoproteins in both renal	225

	cortex and medulla of both control group I and decellularization group II.	
7	Mean optical density (mean ± standard deviation) of glycosaminoglycans in both renal cortex and medulla of both control group I and decellularization group II.	227
8	Mean optical density (mean ± standard deviation) of laminins in both renal cortex and medulla of both control group I and decellularization group II.	229
9	Mean optical density (mean ± standard deviation) of fibronectin in both renal cortex and medulla of both control group I and decellularization group II.	231
10	Mean optical density (mean ± standard deviation) of collagen IV in both renal cortex and medulla of both control group I and decellularization group II.	233
11	Mean (mean ± standard deviation) thickness of GBMs of both control group I and decellularization group II.	235

# List of Figures

Figure no.	Title	Chapter	Page no.
I	A transverse section of rabbit kidney at the hilum.	Review of the Literature	17
II	Tissue engineering triad.	Review of the Literature	22
III	The molecular composition of the renal ECM in different ECM compartments	Review of the Literature	26
IV	A photograph of a male NZWR purchased from a nearby local market.	Materials and methods	51
V	A photograph showing that the intestine was moved away to identify the left kidney.	Materials and methods	52
VI	A photograph showing the left renal artery identified, separated from the left renal vein, then cannulated with a cannula secured by a silk suture.	Materials and methods	53
VII	A photograph showing a cannulated left kidney carefully placed in an empty petri dish, weighed using the electronic scale.	Materials and methods	54
VIII	A photograph showing the decellularization device assembled by connecting the	Materials and methods	55