

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY



Role of Lung Ultrasound In Assessment Of Recruitment Maneuvers In Ventilated Preterms with Respiratory Distress Syndrome and Its Correlation with tracheal IL-6 Level

Thesis

Submitted For Partial Fulfillment of MD Degree in Pediatrics

By

Dina Reda Fikry Kamel

M.B, B.Ch. (2011) MSc (2016) Faculty of Medicine, Ain Shams University

Under Supervision of

Prof. Hisham Abdel Samie Awad

Professor of Paediatrics Faculty of medicine- Ain Shams University

Prof. Fman Mahmoud Fouda

Professor of Paediatrics Faculty of medicine- Ain Shams University

Assist. Prof. Nancy Mohamed Abu Shady

Associate Professor of Paediatrics Faculty of medicine- Ain Shams University

Consultant Dr. Nivan Taha Ahmed

Consultant of Diagnostic Radiology Faculty of Medicine- Ain Shams University

Dr. Mohamed Omar Abd El Aal Dawoud

Lecturer of Paediatrics Faculty of Medicine- Ain Shams University

> Faculty of Medicine Ain Shams University 2021

Acknowledgment

First thanks to **GOD** to whom I relate any success in achieving any work in my life.

I wish to express my deepest thanks, gratitude and appreciation to **Prof/ Hisham Abdel Samie Awad,** Professor of Pediatrics, Ain Shams University for his meticulous supervision, kind guidance, valuable instructions and generous help. It is a great honor to work under his guidance and supervision.

I would also like to express my sincere appreciation and gratitude to **Prof. Eman Mahmoud Fouda;** Professor of pediatrics, faculty of medicine, Ain Shams University, for her continuous directions and sincere support.

Special thanks for **Prof.** Maney Mohamed Abu Shady and **Prof.** Mivan Taha Ahmed for their generous assistance and valuable guidance throughout the study.

Thanks are in order to **Dr. Mohamed Omar Abd El Aal Dawoud;** Lecturer of pediatrics for his earnest efforts and support throughout the whole work.

I would like to thank the NICU staff members at the Obstetric Hospital for their generous help. I would like to express my hearty thanks to all my family especially my husband for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients and their families who participated in this study.

Dina Reda

List of Contents

Title Pa	ige No.
List of Tables Error! Bookmark not	defined.
List of Figures Error! Bookmark not	defined.
List of Abbreviations Error! Bookmark not	defined.
Introduction	1
Aim of the Work	5
Review of Literature	
Respiratory Distress Syndrome (RDS)	6
Lung Ultrasonography	30
Lung Recruitment Maneuvers and Ultrasound C	
Inflammatory Mediators	72
Patients and Methods	75
Results	89
Discussion	122
Summary	136
Conclusion	140
Recommendations	141
References	143
Arabic Summary	

List of Tables

Table No.	Title Pag	je No.
Table (1):	Surfactant preparations	97
Table (1):		
1 abie (2):	LUS findings in normal and abnorma	
Table (3):	Ultrasound Reaeration Score	
Table (4):	RDS according Downes Score	
• •	_	
Table (5): Table (6):	Lung injury score (Murray score)	
` ′	Tollner septic sore	
Table (7):	Demographic data in the two studie	
Table (0).	groups	
Table (8):	Anthropometric measurements in the tw studied groups	
Table (9):	Incidence of PDA in the two studies	
Table (9):	groups and inotropic support	
Table (10):	Showing feeding status in the studie	
1 able (10).	groups, feeding intolerance along wit	
	development of NEC	
Table (11):	Showing RDS score and need for	
_ (,	surfactant administration among stud	
	groups	-
Table (12):	Comparing CXR grades among stud	
	groups before and after RM	-
Table (13):	Comparing initial LUS grades amon	g
	study groups	_
Table (14):	Comparing CXR and LUS grades before	æ
	and after recruitment maneuver in group l	[1 00
Table (15):	Comparing CXR grades before and after RI	M
	in group II.	102
Table (16):	Logistic regression analysis and receive	er
	operating characteristic curve for LU	
	score before RM as a prognostic marker for	
	patients morbidity	103

List of Tables Cont...

Table No.	Title	Page	No.
Table (17):	Showing the reaeration score (calc from changes in LUS scores befor after RM) in group I	e and	103
Table (18):	Showing loss of aeration score in patients who required surfadministration after RM	actant	104
Table (19):	Comparing the reaeration score after and after surfactant therapy in ground		104
Table (20):	Showing lung injury score among groups before and after RM	-	106
Table (21):	Showing percent of change in lung score between both study groups		106
Table (22):	Showing mean airway pressure among study groups before and after		107
Table (23):	Showing percent of change in airway pressure (MAP) between study groups	both	108
Table (24):	Showing tidal volume (TV) among groups before and after RM	-	108
Table (25):	Showing percent of change in tidal v (TV) between both study groups		109
Table (26):	Showing FiO ₂ among study groups and after RM	before	
Table (27):	Showing percent of change in between both study groups	Fio2	
Table (28):	Showing oxygen saturation (So2) a study groups before and after RM		110
Table (29):	Showing percent of change in So2 be both study groups	tween	
Table (30):	Showing PaO2/FiO2 ratio among groups before and after RM	study	

List of Cables Cont...

Table No.	Title	Page No.
Table (31):	Showing percent of change in PaO ratio between both study groups	
Table (32):	Showing IL-6 level among study a before and after RM	
Table (33):	Showing percent of change in IL-6 between both study groups	
Table (34):	Showing the duration of or requirement, duration of invasive non-invasive ventilation, total num NICU admission days and acquiring onset sepsis among both study group	e and aber of ng late
Table (35):	Shows the incidence of complication mortality among both study groups.	
Table (36):	Showing correlation of reaeration so different parameters in group I	
Table (37):	Showing reaeration score and correlation to different parameasured before and after RM	meters

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Chest X-ray with radiological asses	
Figure (2):	The seashore sign (lung sliding)	33
Figure (3):	The normal lung	
Figure (4):	The bat sign	34
Figure (5):	(a) 'Bat sign' (upper part of the and 'Seashore sign' (lower part image). (b) A-lines. Equid horizontal and echogenic lines distributed by the plantal line.	of the listant, stal to
Figure (6):	the pleural lineTransversal scan of the lung	with
	evidence of numerous B-lines	37
Figure (7):	Superior (A) and inferior (B) lung fi a newborn with respiratory d	listress
E: (0)	syndrome	
Figure (8):	Chest sonography grades	
Figure (9):	The quad sign and the sinusoic (pleural effusion)	
Figure (10):	Pleural empyema	
Figure (11):	'Jellyfish sign' and 'Sinusoid Sign	
Figure (12):	Left lateral longitudinal view of costophrenic angle with a pleural evisualized as an anechoic space betwee parietal pleura and the now non-a	of the effusion een the apposed
Figure (13):	visceral pleural (lung line)	e view ffusion n and ynamic

Fig. No.	Title	Page No.
	m 1 1 :	40
Figure (14):	The shred sign	
Figure (15):	Typical ultrasound appearance	
E' (10)	pneumonia in pediatric age	
Figure (16):	The stratosphere sign (pneumothors	
Figure (17):	The lung point (pneumothorax)	
Figure (18):	Bar code sign in M mode in pneumo	thorax45
Figure (19):	Seashore sign normal lungs	46
Figure (20):	Seashore sign, Lung point, Barcode	sign46
Figure (21):	Lung point in a patient with pneumo	thorax47
Figure (22):	Flow chart on diagnosing pneumoth	orax47
Figure (23):	Pneumonia	49
Figure (24):	Lung rockets (interstitial syndrome)50
Figure (25):	Transient tachypnea of newborn (T lung ultrasonography showing pleus abnormalities, disappearance of A and interstitial syndrome	ral line A-lines,
Figure (26):	Longitudinal scan revealing a clear difference between upper and lowe fields in transient tachypnea newborn (TTN) ("double lung point"	r sharp er lung of the
Figure (27):	Meconium aspiration syndrome (M lung ultrasonography showing pleus abnormalities, disappearance of A lung consolidation with air broncho and pleural effusion	AS) on ral line A-lines, ograms,
Figure (28):	Respiratory distress syndrome (RDS	
_		
Figure (29):	RDS: chest X-ray showing gra	

Fig. No.	Title Page	No.
Figure (30):	A: Lung ultrasound shows pleural line thickening or coarse, subpleural lung consolidation with air bronchograms (the area within the white circle, echogenic bright lines or bright spots within the region are air bronchograms), interstitial syndrome and disappearing A-lines. B: Chest <i>x</i> -ray shows grade II respiratory distress syndrome	56
Figure (31):	A: Lung ultrasound shows significant lung consolidation with air bronchograms, interstitial syndrome, irregular or coarse appearance of the pleural line, A-line disappearance and little pleural effusion in the right chest. B: Chest x-ray shows grade III respiratory distress syndrome	56
Figure (32):	A: Lung ultrasound shows a large area of consolidation with air bronchograms (the area within the white circle), irregular or coarse appearance of the pleural line, and A-line disappearance. B: Chest x-ray shows grade IV respiratory distress	
Figure (33):	syndrome	57
	bilateral lungs	57
Figure (34):	Algorithm 1	58
Figure (35):	Algorithm 2	59
Figure (36):	Identification of the intercostal space	60
• •	•	

Fig. No.	Title P	age No.
Figure (37):	Inability of the US to different between subpleural consolidat stemming from: pneumonia (left image), hemorrhage (right image)	tions age), and
Figure (38):	Algorithm to assess recruitre maneuver by ultrasound	nent
Figure (39):	Illustration of positive end-expiration pressure (PEEP) induced recruitment detected by ultrasound	lung
Figure (40):	Showing CXR grades and LUS before in both groups.	RM
Figure (41):	Showing CXR grades and LUS before in group I.	RM
Figure (42):	Showing CXR grades and LUS before in group II.	
Figure (43):	Receiver operating characteristic c (ROC) for reaeration score as a programarker.	ostic
Figure (44):	Showing the positive correlation between Reaeration score and duration of oxyrequirements in group I	ween ygen
Figure (45):	Showing the positive correlation between Reaeration score and duration of inva-	ween asive
Figure (46):	Showing the positive correlation between reaeration score and duration of N	ween ICU
Figure (47):	admission days in group I. Showing the statistically significant positive correlation between reaera score and lung injury score before RI group I.	cant ation M in

Fig. No.	Title	Page No.
Figure (48):	Showing the statistically positive correlation between	reaeration
Figure (49):	score and Fio2 before RM in gro Showing the statistically negative correlation between score and PaO2/FiO2 ratio be	significant reaeration
Figure (50):	group I	significant reaeration

List of Abbreviations

Abb.	Full term
BAL	Bronchoalveolar Lavage
	Bronchopulmonary Dysplasia
	Cesarean Section
	Caffeine for Apnea of Prematurity
	Continuous positive airway pressure
	Chest Radiography
	C-Reactive Protein
CT	Computed Tomography
	Dipalmitoyl Phosphatidylcholine
	Exhaled-Breath Condensate
FiO2	Fractionated Inspired Oxygen
	Gestational Age
<i>GDM</i>	Gestational Diabetes Mellites
GHTN	Gestational Hypertension
	Hemoglobin
HF	High-Flow
	High-Frequency Oscillatory Ventilation
<i>IL-6</i>	Interleukin-6
INSURE	Intubation for Surfactant Administration and then Extubated to Ncpap
<i>IR</i>	Ionizing Radiation
<i>IUGR</i>	Intrauterine Growth Restriction
<i>IVH</i>	Intraventricular Hemorrhage
<i>LRM</i>	Lung Recruitment Maneuver
<i>LUS</i>	Lung Ultrasonography
<i>MABP</i>	Mean Arterial Blood Pressure
<i>MAP</i>	Mean Airway Pressure
<i>MAS</i>	Meconium Aspiration Syndrome
<i>MOD</i>	Mode of Delivery