

# بسم الله الرحمن الرحيم









شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





## جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغيار







بعض الوثائق

الأصلية تالفة







بالرسالة صفحات


لم ترد بالأصل



## ACCELERATING CHEESE RIPENING WITH BACTERIAL PROTEINASES

By

### ALI ABDEL- AZIZ ALI



A thesis submitted in partial fulfillment

of

the requirements for the degree of

### **DOCTOR OF PHILOSOPHY**

637.3 A.A M

لد به معاومات الجامعية به المساه الم

Agricultural Science (Dairy Science and Technology)

> Department of Food Science Faculty of Agriculture Ain Shams University

4795 4

1994



### **Approval Sheet**

#### **ACCELERATING CHEESE RIPENING WITH BACTERIAL PROTEINASES**

### By ALI ABDEL- AZIZ ALI

B. Sc. Agric. (Dairying), 1981; Ain Shams University
M. Sc. Agric. (Dairying), 1987, Ain Shams University

This thesis for Ph.D degree in Dairy Science has been approved by :

Professor of Dairy Science and Technology, and Dean of Faculty of Agric., Ain Shams University, Cairo, Egypt. (Supervisor)

Date of Examination: 2/2/1994

Prof. Dr. Abdou E. Shehata

## ACCELERATING CHEESE RIPENING WITH BACTERIAL PROTEINASES

### BA

### ALI ABDEL- AZIZ ALI

B. Sc. Agric. (Dairying), 1981, Ain Shams University M. Sc. Agric. (Dairying), 1987, Ain Shams University

### Under the supervision of:

Prof. Dr. Abdou E. Shehata

Professor of Dairy Science and Technology, and Dean, Faculty of Agric., Ain Shams University

Prof. Dr. Abdel- Moneim E. Hagras

Professor of Dairy Science and Technology, Faculty of Agric., Ain Shams University

Prof. Dr. T. E. Shehata

Professor of Food Microbiology, and Director of the office of International programs, University of Maryland

#### **Abstract**

Two different proteases of B. subtilis ATCC 35854 and P. fluorescens strain P 27 were recovered, purified and characterized. Results showed that the two proteases were heat-stable, neutral and metalloenzymes. The two purified proteases were involved in Ras cheese slurry using different concentrations. The best concentration (2 units/10 g curd) of

the two proteases were incorporated into Ras cheese either free or in DRV liposomes. Using DRV in Ras cheese had a better quality and saved about 50 % of the ripening period.

### <u>Keay words</u>

Accelerating - Cheese - Ripening - Proteases - Heat-stable - Bacterial - Slurry - Liposomes - DRV liposomes - Ras cheese

## **ACKNOWLEDGMENTS**

I would like to express sincere appreciation to my Major Professor Dr. A. E. Shehata, Professor of Dairy Science, and Dean of faculty of Agriculture, Ain Shams University, for his guidance. It has been a pleasure to be his student. Gratitude is also expressed to Dr. A. E. A. Hagrass, Professor of Dairy Science, Ain Shams University, and Dr. T. E. Shehata, Professor of Food Science, and Director of the Office of International Programs, University of Maryland, USA, members of my committee, for their suggestions and helpful criticism.

I would like also, to thank Dr. E. M. Sybert, Manager of Biotechnology Program, University of Maryland and Mr. Tom M. Davis, Laboratory Director of Environmental Systems Service, Maryland, USA, for the use of their laboratory facilities.

A special thanks is extended to all the staff members of Food Science Department, Ain Shams University, for their encouragement.

CONTENTS

Q

1		Page
Í	INTRODUCTION	1
	REVIEW OF LITERATURE	7
	I- Characterization of bacterial proteases	7
-	II- Accelerated ripening of cheese	. 21
	A- Use of bacterial proteases for	
•	accelerated cheese ripening	24
	1- Utilization of bacterial proteases for	
f Gr	accelerated ripening of cheese slurry	24
	2- Utilization of microbial proteases for	
	accelerated ripening of cheese	29
	B- Acceleration by enzymes entrapped in liposomes	36.
	MATERIALS AND METHODS	41
	Materials	41
<u>~</u>	Methods	42
·*	I- Production, purification and characterization	
	of proteases	42
	A- Selection and maintenance of cultures	42
	B- Enzyme production	43
	C- Measurement of enzyme activity	44
	D- Determination of protein	46
t <sub>i</sub>	E- Enzyme purification	46
<b>~</b> ;	F- Characterization of enzyme	50

	Pag
II- Application of the ample proteases in Ras	
cheese slurry	5
A- cheesemaking	5
1- Ras cheese manufacture	5.
2- Preparation of Ras cheese slurry	5
B- Analysis of slurries	5
1- Moisture	5
1- Fat	5
1- Salt	5.
1- pH	5
2- Soluble nitrogen/Total nitrogen (SN/TN)	5
3- Protein breakdown	5
4- Sensory evaluation	5.
III - Use of liposomes for bacterial proteases	
addition to accelerate ripening of Ras cheese	5!
A- Cheesemaking	5!
B- Preparation of liposomes	5
C- Estimation of enzyme entrapment in liposomes	5 '
D- Cheese sampling	5
E- Analysis of Ras cheese	5
1- Chemical analysis	5
a- Moisture, fat, salt, pH, acidity and SN/TN	58
b- Determination of free amino acids	5

c- Free fatty acids determination

\_

	Page		
d- Determination of cheese protein degradatio	n 61		
2- Scoring the cheese	62		
3- Statistical analysis	62		
RESULTS AND DISCUSSIONS			
I- Production, purification and characterization			
of proteases	63		
II - Utilization of bacterial proteases for	•		
accelerated ripening of Ras cheese slurry	93		
III- Use of liposomes for proteases addition			
to accelerate ripening of cheese	126		
SUMMARY AND CONCLUSION	177		
REFERENCES	184		

### LIST OF TABLES

Table Nr.		Page	
	1	Alternative modes of proteinase addition to cheese	4
	2	Percent of retention of different types of liposomes in cheese	5
	3	Protein standards for gel electrophoresis	49
	4	Recovery and purification of proteases of B. subtilis (ATCC 35854)	65
	5	Recovery and purification of proteases of P. fluorescens (P 27)	66
	6	Heat-stability of purified proteases of B. subtilis (ATCC35854) and P. fluorescens (P27)	76
	7	Effect of the temperature on the activity of purified proteases of B. subtilis (ATCC 35854) and P. fluorescens (P 27)	79
	8	Activation energy of purified proteases of B. subtilis (ATCC 35854) and P. fluorescens (P27)	79
9	€	Effect of pH on the activity of purified proteases of B. subtilis (ATCC35854) and P. fluorescens (P27)	84
1	LO	Effect of cations and chelating agent on the activity of purified proteases of <i>B. subtilis</i> (ATCC 35854) and <i>P. fluorescens</i> (P 27)	89
1	.1	Moisture content of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	94
1	.2	Analysis of variance for the effect of type of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the moisture content of Ras cheese slurries	95
1	3	Fat / dry matter (FDM) content of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	98

٥

Ç

14 Analysis of variance for the effect of type	
of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the FDM content of Ras cheese slurries	99
15 Salt in water phase of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	103
16 Analysis of variance for the effect of type of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the salt in water phase of Ras cheese slurries	104
17 pH values of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	108
Analysis of variance for the effect of type of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the pH values of Ras cheese slurries	109
19 Soluble nitrogen as percentage of total nitrogen (SN/TN) of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	113
20 Analysis of variance for the effect of type of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the SN/TN of Ras cheese slurries	114
21 Trichloroacetic acid soluble products (TCA-SN) of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	118
Analysis of variance for the effect of type of enzymes (E), incubation period (D) and concentrations of enzyme added (U) on the TCA-SN of Ras cheese slurries	119
23 Sensory evaluation of Ras cheese slurries manufactured with different concentrations of purified bacterial proteases during incubation at 30°C for 7 days	123