

بسم الله الرحمن الرحيم



-Call 4000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغبار







Health Education Program for Improving Quality of Life of Older Adults Suffering from Chronic Constipation

Thesis

Submitted in Partial Fulfillment of the Requirement of the Doctorate Degree

In

Nursing Science
Community Health Nursing

 $\mathcal{B}y$

Azza Saied Ahmed Zaied

(B. Sc. N. - M. Sc. N. 2004)

Community Health Nursing Faculty of Nursing Ain Shams University

2017

Health Education Program for Improving Quality of Life of Older Adults Suffering from Chronic Constipation

Thesis

Submitted in Partial Fulfillment of the Requirement of the Doctorate Degree

In

Nursing Science
Community Health Nursing

Supervised by

Dr. Sabah Abdel Mobdy Radwan

Professor of Community Health Nursing

Faculty of Nursing

Ain Shams University

Dr. Magda Abd-EL-Sattar Ahmed

Professor of Community Health Nursing
Faculty of Nursing
Ain Shams University

Dr. Nadia Hamed Farahat

Professor of Community Health Nursing

Faculty of Nursing

Ain Shams University

Community Health Nursing Faculty of Nursing Ain Shams University

2017



Acknowledgement

First, and foremost, my deepest gratitude and thanks should be offered to "ALLAH", the most Kind and most Merciful, for giving me the strength to complete this work.

I acknowledge with much gratitude to **Dr. Sabah Abdel Mobdy Radwan**, Professor of Community

Health Nursing, Faculty of Nursing – Ain Shams University, for
her great supervision and unlimited help to provide all facilities
to accomplish this work.

I would like to express my sincere gratitude to **Dr. Magda Abd-EL-Sattar Ahmed,** Assistant Professor of Community Health Nursing, Faculty of Nursing – Ain Shams University, for her continuous support and guidance for me to present this work. I'm really honored to work under her generous supervision.

I acknowledge with much gratitude to **Dr. Nadia Hamed Farahat**, Assistant Professor of Community

Health Nursing, Faculty of Nursing – Ain Shams University, for
her encouragement and great help in this work.

Last but not least, thanks to my Parents and my Family for helping me to finish this work.

Azza Saied Ahmed Zaied

List of Contents

Subject		Page No.
List of Table	S	i
List of Figure	es	vii
List of Abbro	eviations	xi
Abstract	••••••	xii
Introduction		1
Aim of the st	udy	9
Review of Li	terature	
Part I:	Overview about Aging Process and Digestive System	10
Part-II:	Overview about Chronic Constipation	n 40
Part-III	I: Role of Community Health Nurse is Improving Quality of Life of Older Adults with Chronic Constipations	
Subject and 1	Methods	99
	•••••	
Discussion	••••••	176
Conclusion a	and Recommendations	207
Summary	••••••	209
References	••••••	220
Appendices	••••••	I
Protocol		—
Arabic Sumr	nary	<u> —</u>

List of Tables

Eable V	lo. Eitle Page	No.
Tables in I	Review of Literature:	
Table (1):	Proposed physiologic colonic changes in the elderly	14
Table (2):	Risk factors for the development of constipation in the elderly in different care settings	25
Table (3):	WHO domains of quality of life	30
Table (4):	Rome III Diagnostic Criteria for Functional Constipation	43
Table (5):	Diseases and conditions that can cause constipation	50
Table (6):	Examples of medications that can cause constipation	51
Table (7):	Lifestyle factors that may contribute to constipation	52
Table (8):	Red Flag (Alarm features) of constipation	59
Table (9):	Fiber Daily Requirements	63
Table (10):	Types and sources of soluble and insoluble fiber	63
Table (11):	Foods High in Fibre	64
Table (12):	Examples of Fibre counter	65
Table (13):	Adequate fluid intake	67

Table (14):	Global Recommendations on Physical Activity for Health	<u>5</u> 9
Table (15):	Features of laxatives used in older adults7	6
Table (16):	Laxatives to avoid or use with caution for older adults	'7
Table (17):	Stepwise approach for constipation management in older adults	'9
Table (18):	Assessment of constipation according to nursing process	2
Table (19):	Therapeutic intervention for constipation according to nursing process)5

List of Tables

Eable C	No. Title	₽age No.
Tables in	Results:	
Table (1):	Distribution of the studied sample act to presence of constipation (No.=192)	_
Table (2):	Distribution of studied sample accoinclusion criteria Rome III (No.=58).	_
Table (3):	Distribution of studied sample according their socio-demographic characteristics (No.=58)	cteristics
Table (4):	Distribution of the studied sample act to their past and current medical (No.=58)	history
Table (5):	Distribution of the studied sample act to their history of the use of med (No.=58)	dications
Table (6):	Distribution of the studied sample act to their hospitalization and control (No.=58)	peration
Table (7):	Distribution of the studied sample act to their digestive system problems (N	•
Table (8):	Distribution of the studied sample act to their history of constipation (No.=58)	problem
Table (9):	Distribution of the studied sample act to their awareness (Pre No.=58/Post post health education program	No.=57)

Table (10):	Distribution of the studied sample according to their total awareness score (Pre No.=58/Post No.=57) post health education program	136
Table (11):	Distribution of the studied sample according to their source of information (Pre No.=58/Post No.=57) post health education program	138
Table (12):	Distribution of the studied sample according to their total score of constipation symptoms (PAC-SYM) (Pre No.=58/Post No.=57) post health education program	139
Table (13):	Distribution of the studied sample according to their total score of Quality of Life (PAC-QOL) (Pre No.=58/Post No.=57) post health education program	141
Table (14):	Distribution of the studied sample according to Bristol Stool chart/scale (Pre No.=58/Post No.=57) post health education program	143
Table (15):	Distribution of the studied sample according to their daily nutritional pattern (Pre No.=58/Post No.=57) post health education program	145
Table (16):	Distribution of the studied sample according to their suitable weekly consumption of nutritional components (Pre No.=58, Post No.=57) post health education program	147
Table (17):	Distribution of the studied sample according to their daily consumption of water and caffeine (Pre No.=58, Post No.=57) post health education program	150

Table (18):	Distribution of the studied sample according to their adherence to physical exercise practicing (Pre No.=58, Post No.=57) post health education program.	152
Table (19):	Distribution of the studied sample according to their laxatives usage (Pre No.=58, Post No.=57) post health education program	155
Table (20):	Distribution of the studied sample according to their smoking (Pre No.=58, Post No.=57) Post Health Education Program	158
Table (21):	Distribution of the studied sample according to their stress exposure related to chronic constipation (Pre No.=58/Post No.=57) post health education program.	160
Table (22):	Distribution of the studied sample according to their rest and sleep pattern (Pre No.=58/Post No.=57) post health education program	162
Table (23):	Distribution of the studied sample according to their toilet healthy habits usage (Pre No.=58/Post No.=57) post health education program	163
Table (24):	Distribution of the studied sample according to their compliance to medical follow up (Pre No.=58/Post No.=57) post health education program	168
Table (25):	Geriatric home assessment	169
Table (26):	Relation between Total Awareness of Studied Samples and their Age, Gender, and Education Level (Post No. = 57)	171

Table (27):	Relation Between Total Awareness of Studied Sample and their Patient Assessment of Constipation Quality of Life (PAC-QOL) Discomfort Subscales (Physical, Psychosocial, and Worries & Concents) (Post No. = 57)	172
Table (28):	Relation Between Total Awareness of Studied Sample and their Total Patient Assessment of Constipation Quality of Life (PAC-QOL) Discomfort and Satisfction Subscale (Post No. = 57)	173
Table (29):	Relation Between Total Patient Assessment of Constipation Quality of Life (PAC-QOL) Score of Studied Sample and their Patient Assessment of Constipation Symptoms (PAC-SYM) (Post No. = 57)	174
Table (30):	Relation Between Total Awareness of Studied Sample and their Total Consumption of Nutritional Components (Post No. = 57)	175

List of Figures

Figure `	No. Gitle Page N	O.
Figures	in Review of Literature:	
Fig. (1):	Digestive System Component (Gastrointestinal Tract, GIT)	11
Fig. (2):	Normal anatomy and physiology of the pelvic floor in the sagittal plane at rest, during normal defecation and during dyssynergic defecation.	20
Fig. (3):	Dynamics of defecation	21
Fig. (4):	Chronic Constipation	23
Fig. (5):	The Quality of Life Model	32
Fig. (6):	The Bristol Stool Form Scale	45
Fig. (7):	Potential Causes of Secondary Constipation	52
Fig. (8):	Differentiate between the setting position and squqtting position	72
Fig. (9):	The correct position for defecation	73
Fig. (10):	Management of Constipation (Non- pharma-cological Interventions)	74
Fig. (11):	Stepwise approach for constipation management in older adults	80
Fig. (12):	Modified Food Guide Pyramid for Older Adults	81
Fig. (13):	The Modified Nursing Process	88