

بسم الله الرحمن الرحيم



-Call 4000





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغبار



Relationship between smoking and clinical, inflammatory and radiographic parameters in patients with ankylosing spondylitis

A Thesis

Submitted for partial fulfillment of Master degree in Rheumatology

By

Mennat Allah Mohammed Nabil

M.B.B.Ch., Faculty of Medicine, Ain Shams University

Under Supervision of

Prof. Dr. Hanan Mohamed Farouk

Professor of Internal Medicine and Rheumatology Faculty of Medicine, Ain Shams University

Prof. Dr. Maryam Ahmed Abdel-Rahman

Professor of Internal Medicine and Rheumatology Faculty of Medicine, Ain Shams University

Dr. Rasha Mohamed Hassan

Lecturer of Internal Medicine and Rheumatology Faculty of Medicine, Ain Shams University

Faculty of Medicine Ain Shams University 2021



سورة البقرة الآية: ٣٢

Acknowledgments

First and foremost, I feel always indebted to Allah, the **Most Beneficent** and **Merciful**, Who gave me the strength to accomplish this work,

My deepest gratitude to **Prof. Dr. Hanan Mohamed Farouk,** Professor of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University, for her valuable guidance and expert supervision, in addition to his great deal of support and encouragement. I really have the honor to complete this work under her supervision.

I would like to express my great and deep appreciation and thanks to **Prof. Dr. Maryam Ahmed Abdel-Rahman**, Professor of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University, for her meticulous supervision, and her patience in reviewing and correcting this work.

I can't forget to thank with all appreciation **Dr. Rasha Mohamed Hassan**, Lecturer of Internal Medicine and
Rheumatology, Faculty of Medicine, Ain Shams University, for
the efforts and time she has devoted to accomplish this work.

Special thanks to my **Parents** and all my **Family** members for their continuous encouragement, enduring me and standing by me.

Mennat Allah Mohammed Nabil

List of Contents

Subject	Page No.
List of Abbreviations	i
List of Tables	iii
List of Figures	v
Introduction	ix
Aim of the Work	3
Review of Literature	
Axial spondyloarthritis (axSpA)	4
Smoking	76
Ankylosing Spondylitis and Smoking	99
Patients and Methods	107
Results	113
Discussion	137
Summary	146
Conclusions	152
Recommendations	153
References	154
Arabic Summary	<u> </u>

List of Abbreviations

Abbr. Full-term

AAU : Acute Anterior Uveitis

ACR : American College of Rheumatology

ANA : Anti Nuclear Antibody

Anti-TNF: Anti-Tumor Necrosis Factor-alpha

AP : Anteroposterior

APC : Antigen-presenting cell

APR : Apremilast

AS : Ankylosing spondylitis

ASAS : Assessment of Spondyloarthritis International

Society classification criteria for axial

spondyloarthritis

ASDAS : Ankylosing Spondylitis Disease Activity Score

axSpA : Axial spondyloarthritis

BASDAI: Bath Ankylosing Spondylitis Disease Activity Index

BASFI: Bath Ankylosing Spondylitis Functional Index

BME : Bone marrow oedema

CBC : Complete blood count

COPD : Chronic obstructive pulmonary diseases

COX : Cyclo-oxygenase

CRP : C-reactive protein

csARD : Conventional synthetic antirheumatic drugs;

csDMARDs: Conventional synthetic DMARDS

DIP : Distal interphalangeal

DISH: Diffuse idiopathic skeletal hyperostosis syndrome

DMARDs: Disease modifying antirheumatic drugs

DXA : Dual x-ray absorptiometry

EAMs : Extra- articular manifestations

EntA : Enteropathic arthritis

ER : Endoplasmic reticulum

ERAP : Endoplamic reticulum aminopeptidases

ESR : Erythrocyte sedimentation rate

EULAR : European League Against Rheumatism

FABER: Flexion Abduction External rotation

GC : Glucocorticoid

GM-CSF: Granulocyte-macrophage colony stimulating factors

GWAS : Genome wide association studies

HB: Hemoglobin

HLA-B27: Human leucocyte antigen-B27

HRCT: high-resolution computed tomography

IBD : Inflammatory bowel disease

IBP : Inflammatory back pain

ICAM-1: Intercellular adhesion molecule 1

IFN-g: Interferon-g

IL-17 : Interleukin-17

IL-22 : Interleukin-22

IL-23 : Interleukin-23

IL23R : IL-23 receptor

IXE : Ixekizumab

JAS : Juvenile Ankylosing Spondylitis

LEF : Leflunomide

mNY : Modified New York criteria

MRI : Magnetic resonance image

MRI : Magnetic resonance imaging

mSASSS : Modified Stoke Ankylosing Spondylitis Spine Score

MTX : Methotrexate

Nr-axSpA: Non radiographic axial spondyloarthritis

NRS : Numerical rating scale

NSAIDs: Non Steroidal Antiinflammatory Drugs

OMERACT: Outcome Measures in Rheumatology Clinical Trials

PAM : Pamidronate

PICO: Population, intervention, comparison, and outcomes

PNF : Proprioceptive neuromuscular facilitation

PsA : Psoriatic arthritis

R-axSpA : Radiographic axSpA

ReA : Reactive arthritis

RF : Rheumatoid Factor

SAARDs : Slow acting antirheumatic drugs

SEC : Secukinumab

SI : Joint sacroiliac joint

SpA : Spondyloarthritis

SSZ : Sulfasalazine

STIR : Short tau inversion recovery

sTNFR : Soluble TNF receptor

T1W: T1-weighted sequence

TENS: Transcutaneous electrical nerve stimulation

Th17 : T helper cells-17

THL: Thalidomide

TNF-\alpha: Tumor necrosis factor a

TNFi: Tumor necrosis factor inhibitor

TOF : Tofacitinib

UPR : Unfolded protein response

uSpA : Undifferentiated spondyloarthritis

UV : UltraViolet

VAS : Visual analogue scale

VCs: Vertebral corners

WHO: World health organization

List of Tables

Table N	o. Title	Page No.
Table (1):	Clinical and epidemiologic features spondyloarthritis. DIP, distal interphala IBD, inflammatory bowel disease	ngeal;
Table (2):	Description of the mSASSS scoring system	32
Table (3):	2016 New York revised criteria for too diagnosis of Ankylosing Spondylitis	
Table (4):	Demographic data of ankylosing spond patients (smokers and non-smokers)	
Table (5):	Smoking history of the AS study groups	114
Table (6):	Relevant clinical data of AS study groups:	115
Table (7):	Comparison between smokers and non sm AS patients regarding demographic data	
Table (8):	Comparison between smokers and non-sm AS groups regarding clinical data:	
Table (9):	Comparison between males and female regards disease activity indices and radiole assessment	ogical
Table (10):	Correlation between disease activity indices other parameters in AS groups	
Table (11):	Correlation between Smoking Index for C Smokers (Pack/Year) with other parameter the AS study groups.	ers in
Table (12):	Correlation between radiological assessmen other parameters in the total AS study group	

List of Figures

Figure 1	No. Title	Page No.
Figure (1):	Proposed pathogenic mechanisms in Autoreactive CD8+ T cells may recognic arthritogenic peptides displayed by HLA-E the APC surface.	ze the 327 on
Figure (2):	Plain anteroposterior radiograph sh bilateral sacroiliac joint sclerosis in a patier ankylosing spondylitis	nt with
Figure (3):	Signs of sacroiliitis on radiographs. The show three different patients with digrades of sacroiliitis	fferent
Figure (4):	Anteroposterior radiographs of the pelvis sh complete ankylosis of both sacroiliac join syndesmophyte formation in the lower l vertebrae.	ts and umbar
Figure (5):	Lumbosacral spine radiograph shasymmetric bridging osteophytes in a pwith diffuse idiopathic skeletal hypero (DISH)	patient ostosis
Figure (6):	A 26- year- old man with axSpA	28
Figure (7):	A 53- year- old man with axSpA, demons multiple bridging syndesmophytes (white a leading to bony ankylosis of vertebral segm	rrows)
Figure (8):	The Modified Stoke Ankylosing Spon Spine Score (mSASSS)	•
Figure (9): 1	Bamboo spine in ankylosing spondylitis	33
Figure (10):	MRI of a patient with active sacroiliitis	35
Figure (11):	A three-dimensional reconstruction of a th spine MRI.	
Figure (12):	Modified New York criteria for AS	37

Figure (13):	X-Ray grading of sacroiliac joints.	38
Figure (14	4): ASAS classification criteria for axial spondyloarthrits SpA	40
Figure (15)	spondyloarthrits SpA	41
Figure (16):	The Ankylosing Spondylitis Disease Activity Score (ASDAS):	51
Figure (17):	Algorithm based on the ASAS-EULAR recommendations for the management of axial spondyloarthritis	63
Figure (18):	Summary of the main recommendations for the treatment of patients with A, active ankylosing spondylitis and B, stable ankylosing spondylitis	74
Figure (19):	Annual deaths from smoking, United States	77
Figure (20):	Chemical compounds in cigarette smoke	78
Figure (21):	The effect of quitting smoking.	81
Figure (22)	Relative risk of lung cancer, according to duration and intensity of smoking, men	83
Figure (23):	Lung function FEV1 in relation to ages according to the state of smoking.	84
Figure (24)	: Mechanisms by which smoking contributes to autoimmunity.	94
Figure (25):	Classification of AS patients included in this study according to smoking history.	114
Figure (26):	Sacroiliitis grade in AS patients included in this study.	118
Figure (27):	Comparison between smokers and non smokers AS patients regarding clinical examination.	122
Figure (28):	Comparison between smokers and non smokers AS patients regarding disease activity indices	123
Figure (29):	Comparison between smokers and non smokers AS groups regarding Sacroilitis Grade	123

Figure (30):	Comparison between smokers and non smokers AS patients as regards mSASSS	24
Figure (31):	Comparison between smokers and non-smokers AS groups as regards [nflammatory markers (ESR and CRP)	25
Figure (32):	Comparison between males and females AS patients as regards to disease activity indices	27
Figure (33):	c Correlation between BASDAI with ESR,CRP and mSASSS in the total AS patients	30
Figure (34):	Correlation between BASFI with ESR,CRP and mSASSS in the total AS patients	31
Figure (35):	Correlation between ASDAS with ESR and mSASSS in the total AS patients	32
Figure (36):	Correlation between smoking index with BASFI, ASDAS, chest expansion and mSASSS in AS patients	34
Figure (37):	Correlation between mSASSS with age,ESR,CRP and occiput to wall distance in AS patients.	36