



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

بسم الله الرحمن الرحيم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



كلية العلوم – قسم الكيمياء

**Phytochemical and biological studies of *Chenopodium quinoa*
introduced to Egypt**

Thesis Submitted by

Shaymaa Magdy Mohamed Bata

M.Sc. (Chemistry) 2013

For the requirement of Ph.D. Degree of Science in Chemistry

Prof. Dr. Mohamed Ali Hassan

Professor of Organic Chemistry, Chemistry Department, Faculty of Science,
Ain Shams University

Prof. Dr. Ali Khalil Ali

Professor of Organic Chemistry, Chemistry Department, Faculty of Science,
Ain Shams University

Prof. Dr. Faiza Mohamed Hammouda

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

Prof. Dr. Khaled Ahmed Shams

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

Prof. Dr. Rasmia Ali Hassan

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

To

Department of Chemistry

Faculty of Science, Ain Shams University

2021



كلية العلوم – قسم الكيمياء

**Phytochemical and biological studies of *Chenopodium quinoa*
introduced to Egypt**

By

Shaymaa Magdy Mohamed Bata

Thesis Advisors

Approved

Prof. Dr. Mohamed Ali Hassan

Professor of Organic Chemistry, Chemistry Department, Faculty of Science,
Ain Shams University

Prof. Dr. Ali Khalil Ali

Professor of Organic Chemistry, Chemistry Department, Faculty of Science,
Ain Shams University

Prof. Dr. Faiza Mohamed Hammouda

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

Prof. Dr. Khaled Ahmed Shams

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

Prof. Dr. Rasmia Ali Hassan

Professor of Chemistry of Medicinal Plants, Chemistry of Medicinal Plants
Department, National Research Centre

Head of Chemistry Department

Prof. Dr. Ayman Ayoub Abdel-Shafi

**This work was financially supported through the project
titled
“Initiative for sustainable use and marketing support of
Egyptian medicinal and aromatic plants”
(2015-2018), ID: (5), between
National Research Centre (NRC) in agreement with the
National
Service Projects Organization (NSPO) and Funded by
Academy of Scientific Research and Technology, Egypt.**

List of Contents

Contents	Page No.
1. Review of Literature.....	1
1.1. Taxonomy.....	1
1.1.1. Family Chenopoiaceae.....	1
1.1.2. Genus Chenopodium L.....	1
1.1.3. <i>Chenopodium quinoa</i>	2
1.2. Chemical studies.....	4
1.2.1. Nutritional composition.....	4
1.2.2. Saponins.....	7
1.2.3. Phenolic compounds.....	39
1.2.4. Ecdysteroids.....	58
1.2.5. Coumarin.....	66
1.2.6. Lipids from <i>Chenopodium quinoa</i>	68
1.3. Biological studies and uses.....	70
2. Material, Methods and Apparatus.....	78
2.1. Material.....	78
2.1.1. Plant material.....	78
2.1.2. Solvents.....	78
2.1.3. Chemicals for phytochemical screening of <i>Chenopodium quiona</i> seeds.....	79

2.1.4. Chemicals used for the estimation of total phenolic and total flavonoid content.....	79
2.1.5. Drugs and reagents for biological activities.....	79
2.1.6. Biochemical kits for biological activities.....	79
2.1.7. Materials for cytotoxic activity.....	80
2.1.8. Materials for antioxidant activity.....	80
2.1.8.1. Experimental animals.....	80
2.1.9. Materials for chromatography.....	80
2.1.9.1 Adsorbents.....	80
2.1.9.2. Developing solvent systems.....	80
2.1.9.3. Spray reagents for chromatography.....	81
2.1.9.4. Shift reagents used for ultraviolet spectral analysis.....	81
2.2. Apparatus and Equipments.....	81
2.2.1. Chromatographic equipment.....	81
2.2.2. Innovated extraction techniques.....	82
2.2.2.1. Microwave-assisted extraction.....	82
2.2.2.2. Ultrasonic processor UP 400 S.....	82
2.2.3. High performance liquid chromatography for isolation.....	83
2.2.4. HPLC for estimation of flavonoids compounds.....	84
2.2.5. Spectral Analysis.....	84
2.2.5.1. Proton magnetic resonance (¹ H-NMR) spectroscopy.....	84

2.2.5.2. ¹³ C-NMR spectroscopy.....	84
2.2.5.3. Ultraviolet spectral analysis.....	84
2.2.5.4. Mass Spectrometry.....	85
2.2.6. GLC for unsaponifiable matter.....	85
2.2.7. GLC for fatty acids as methyl esters (FAMES).....	85
2.3. Methods.....	86
2.3.1. <i>Chenopodium Quinoa</i> seed extraction.....	86
2.3.2. <i>Chenopodium quinoa</i> leaves extraction.....	88
2.3.3. Preliminary phytochemical studies	88
2.3.4. Proximate analysis.....	90
2.3.5. Assay of macro- and microelements.....	90
2.3.6. Lipid constituents of <i>Chenopodium quinoa</i>	91
2.3.6.1. Preparation of the lipoidal matter.....	91
2.3.6.2. Saponification of acetone-soluble fraction.....	91
2.3.6.3. Preparation of total fatty acids.....	91
2.3.6.4. Preparation of fatty fcids methyl esters.....	92
2.3.7. Extraction using innovative techniques and traditional methods.....	92
2.3.7.1. Extraction using traditional methods.....	92
2.3.7.1.1. Extraction using reflux.....	92
2.3.7.1.2. Extraction by maceration.....	92
2.3.7.2. Extraction using innovative techniques.....	92
2.3.7.2.1. Extraction using MAE.....	92

2.3.7.2.2. Extraction using UAE.....	93
2.3.8. Paper chromatography.....	94
2.3.9. Thin layer chromatography.....	94
2.3.10. Column chromatography.....	94
2.3.11. Preparative TLC for flavonoid fractionation.....	94
2.3.12. Determination of total phenolic content.....	94
2.3.13. Determination of total flavonoid content.....	95
2.3.14. Evaluation of cytotoxic activity of different extracts and fractions.....	95
2.3.15. Determination of median lethal dose (LD ₅₀).....	96
2.3.16. Determination of Antioxidant activity.....	96
2.3.17. Investigation of hepatoprotective activity.....	97
3. Result and dissection.....	101
3.1. Preliminary Phytochemical Studies.....	101
3.2. Proximate Analyses of <i>Chenopodium quinoa</i> seeds.....	102
3.3. Determination of micro- and macro elements.....	102
3.4. Comparison of traditional and the innovated extraction techniques.....	103

3.5. Investigation of Lipid Constituents.....	107
3.5.1. Investigation of unsaponifiable matter of <i>Chenopodium quinoa</i> seeds.....	107
3.5.2. Investigation of of fatty acid as (methyl esters) of <i>Chenopodium quinoa</i> seeds.....	110
3.6. Investigation of Phenolics of <i>Chenopodium quinoa</i> seeds.....	112
3.6.1. Quantitative estimation of total phenolic content (TPC) and total flavonoid content (TFC).....	112
3.6.1.1. Extraction of TPC and TFC.....	112
3.6.1.2. Assay of TPC.....	112
3.6.1.3. Assay of TFC.....	113
3.6.2. Extraction of <i>Chenopodium quinoa</i> seeds.....	114
3.6.3. Investigation of Phenolic content of <i>Chenopodium quinoa</i> seeds.....	114
3.6.3.1. Column chromatographic fractionation of butanol fraction (Column 1).....	114
3.6.3.2. Column chromatographic fractionation of group number 4 from column 1 (Column 2).....	115
3.6.3.3. Column chromatographic fractionation of group number 3 from column 2.....	117
3.6.3.4. HPLC purification of group no. 3 from column 3.....	118
3.6.3.4.1. Identification of compound 1.....	119

3.6.3.4.1. 1. Mass spectrum of compound 1.....	120
3.6.3.4.1.2. NMR data of compound 1.....	122
3.6.3.4.2. Identification of compound 2.....	134
3.6.3.4.2.1. UV absorption spectra of compound 2.....	134
3.6.3.4.2.2. Mass spectrum of compound 2.....	137
3.6.3.4.2.3. NMR data of compound 2.....	138
3.6.3.4.3. Identification of compound 3.....	142
3.6.3.4.3.1. Mass spectrum of compound 3.....	142
3.6.3.4.3.2. NMR data of compound 3.....	144
3.6.3.5. Isolation of compound 4.....	148
3.6.3.5.1. Identification of compound 4.....	150
3.6.3.5.1.1. NMR data of compound 4.....	150
3.6.4. Chromatographic analysis using HPLC for <i>Chenopodium quinoa</i> leaves at different stages.....	161
3.6.5. Extraction of <i>Chenopodium quinoa</i> leaves.....	166
3.6.6. Isolation and identification of compounds 5, 6, 7 and 8.....	166
3.6.6.1. Column Chromatographic Fractionation of Ethyl acetate fraction of <i>Chenopodium quinoa</i> leaves (Column 4).....	166

3.6.6.1.1. Isolation and Identification of compound 5.....	167
3.6.6.1.1.1. Mass spectrum of compound 5.....	167
3.6.6.1.1.2. NMR data of compound compound 5.....	169
3.6.6.1.2. Isolation and Identification of compound 6.....	174
3.6.6.1.2.1. NMR data of compound 6.....	174
3.6.6.1.3. Isolation and identification of compounds 7 and 8.....	180
3.6.6.1.3.1. Identification of compound 7.....	180
3.6.6.1.3.1.1. Mass spectrum of compound 7.....	181
3.6.6.1.3.1.2. NMR data of compound 7.....	182
3.6.6.1.3.2. Identification of compound 8.....	186
3.6.6.1.3.2.1. UV absorption spectra of compound 8.....	186
3.6.6.1.3.2.2. NMR data of compound 8.....	189
4. Bioactivit Studies.....	194
4.1. Evaluation of <i>in vitro</i> anti-proliferative activity	194
4.2. Determination of median lethal dose (LD50).....	198
4.3. <i>In vivo</i> antioxidant activity.....	198
4.4. <i>In vivo</i> hepatoprotective activity.....	201
4.5. Histological results of liver.....	206

5. Products.....	217
6. General Summary.....	218
7. References.....	225
8. Arabic Summary.....	

List of Figures	page No.
Fig (1): Cultivation of <i>Chenopodium quinoa</i> plant in Wadi Alsheh Farm.....	78
Fig (2): CEM-MARS-microwave.....	82
Fig (3): Ultrasonic Processor UP 400.....	83
Fig (4): Agilent HPLC 1200.....	83
Fig (5): GLC Analysis of unsaponifiable fractions of <i>Chenopodium quinoa</i> seeds.....	109
Fig (6): GLC Analysis of fatty acid methyl ester of <i>Chenopodium quinoa</i> seeds.....	111
Fig (7): Standard calibration curve of gallic acid.....	112
Fig (8): Standard calibration curve of catechin.....	113
Fig (9): TLC plate of butanol fraction of <i>chenopodium quinoa</i> seeds using polyamide, developed with solvent A and sprayed with reagent B.....	115
Fig (10): TLC plate of column 2 using polyamide, developed with solvent B and sprayed with reagent B	116
Fig (11): TLC plate of column 2 using polyamide, developed with solvent C and sprayed with reagent B.....	116
Fig (12): TLC plate of column 3 using polyamide, developed with solvent C and sprayed with reagent B	117
Fig (13): TLC plate of group no. 3 from column 3 eluted with solvent C.....	118
Fig (14): HPLC chromatogram of group no 3 (injection vol = 20 µl)....	119
Fig (15): TLC of compound 1 eluted with solvent system C.....	120