


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



جامعة عين شمس

التوثيق الإلكتروني والميكرو فيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحتفظ هذه الأقراص المدمجة بعيدا عن الغبار





Extradural Anterior Clinoidectomy in Surgical Management of Clinoidal Meningiomas

Thesis

*Submitted for partial fulfilment of M.D. Degree in
Neurosurgery*

Presented by

Ashraf Mohsen Ahmed Mohamed Ibrahim

*M.B., B.Ch., MSc. Neurosurgery
Faculty of Medicine, Ain Shams University*

Supervised by

Prof. Dr. Khaled Mohamed Elbahi

*Professor of Neurosurgery
Faculty of Medicine - Ain Shams University*

Dr. Hatem Adel Said Sabry

*Assistant Professor of Neurosurgery
Faculty of Medicine - Ain Shams University*

Dr. Ibrahim Abdelmohsen Abdelnaiem Ismaiel

*Lecturer of Neurosurgery
Faculty of Medicine - Ain Shams University*

Faculty of Medicine
Ain Shams University

2021

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قالوا

سبحانك لا علم لنا
إلا ما علمتنا إنك أنت
العليم الحكيم

صدق الله العظيم

سورة البقرة الآية: ٣٢

Acknowledgment

*First and foremost, I feel always indebted to **ALLAH**, the Most Kind and Most Merciful.*

*I'd like to express my deep appreciation and thanks to **Prof. Dr. Ismail Sabry**, Professor and Head of Neurosurgery Department - Faculty of Medicine- Ain Shams University for his tremendous efforts in improving our learning experience under his supervision and guidance.*

*I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Khaled Elbahy**, Professor of Neurosurgery - Faculty of Medicine- Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement. He is a tremendous mentor for me, without his diligence, persistence, and ambitious vision, the completion of this work won't be possible.*

*I am also delighted to express my deepest gratitude and thanks to **Dr. Hatem Sabry**, Assistant Professor of Neurosurgery, Faculty of Medicine, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.*

*I wish to introduce my deep respect and thanks to **Dr. Ibrahim Abdelmohsen**, Lecturer of Neurosurgery, Faculty of Medicine, Ain Shams University, for his kindness, supervision and cooperation in this work.*

I'd like to express my sincere gratitude to all our professors in Ain Shams Neurosurgery department for their continuous efforts and collaborations in building up our experiences and developing our minds as neurosurgeons.

A special thanks to my family. Words cannot express how grateful I am to my mother and father, for all the sacrifices that you've made on my behalf. Your prayer for me was what sustained me thus far.

Last but not least, my sincere thanks and appreciation to all patients participated in this study.

Ashraf Ibrahim

List of Contents

| Title | Page No. |
|---|----------|
| List of Tables | i |
| List of Figures | iii |
| List of Abbreviations..... | viii |
| Introduction..... | 1 |
| Aim of the Work..... | 4 |
| Surgical Anatomy | 5 |
| Pathology and Molecular Biology | 32 |
| Management of Clinoidal Meningiomas | 41 |
| Morphometric Analysis of the Anterior clinoid process dimensions and its anatomical variations..... | 72 |
| Clinical Study..... | 103 |
| Summary | 166 |
| References | 168 |
| Arabic Summary..... | 1 |

List of Tables

| Table No. | Title | Page No. |
|--------------------|--|----------|
| Table (1): | According to Abuzayed et al., the pneumatization of the ACP can be classified into 4 types | 13 |
| Table (2): | Mikami et al. had proposed a classification according to the route of pneumatization | 13 |
| Table (3): | Anatomical variations of the optic strut: ⁽²¹⁾ | 17 |
| Table (4): | The anatomical triangles of the CS and middle cranial fossa:..... | 30 |
| Table (5): | WHO grading system | 33 |
| Table (6): | Al-Mefty's classification according to the site of origin..... | 36 |
| Table (7): | Based on fixed bony landmarks, the ACP is divided into 4 zones with relevant meningeal covering..... | 38 |
| Table (8): | New classification of clinoidal meningiomas according to its meningeal anatomy | 39 |
| Table (9): | Demographic data of examined cases:..... | 77 |
| Table (10): | Statistical analysis of different ACP dimensions:..... | 78 |
| Table (11): | Incidence of CCF in 200 sides, with Rt and Lt description: | 80 |
| Table (12): | Incidence of IOB: | 83 |
| Table (13): | Incidence of ACP pneumatization: | 85 |
| Table (14): | Types of pneumatization of ACPs: | 88 |
| Table (15): | The degree of ACP pneumatization: | 89 |
| Table (16): | The distance between the ACP apex and ICA segments: | 90 |
| Table (17): | Previous studies reported the dimensions of the ACP | 94 |
| Table (18): | Incidence of CCF in different populations..... | 97 |
| Table (19): | Incidence of IOB in the previous studies | 98 |

List of Tables (Cont...)

| Table No. | Title | Page No. |
|--------------------|--|----------|
| Table (20): | Demographic data and clinical characteristics:..... | 125 |
| Table (21): | Radiological and surgical data:..... | 127 |
| Table (22) | Intraoperative data:..... | 129 |
| Table (23): | Analysis of pre & postoperative visual condition:..... | 130 |
| Table (24): | Histopathological WHO tumor classification:..... | 131 |
| Table (25): | Immediate and permanent postoperative complications: | 132 |
| Table (26): | Analysis of the preoperative visual acuity: | 134 |
| Table (27): | Analysis of the extent of tumor resection:..... | 135 |
| Table (28): | Analysis of the postoperative complications:..... | 136 |
| Table (29): | Analysis of oculomotor nerve palsy:..... | 137 |
| Table (30): | Type I vs Type II clinoidal meningiomas:..... | 139 |
| Table (31): | Visual outcome in Type I and II groups:..... | 140 |

List of Figures

| Fig. No. | Title | Page No. |
|---------------------|--|----------|
| Figure (1): | An overview of the anterior and middle cranial base bony anatomy | 6 |
| Figure (2): | Coronal view of the sphenoid bone from (E) anterior to (H) posterior coronal cuts..... | 8 |
| Figure (3): | Detailed demonstration of the relations between the sphenoid bone and the orbit..... | 9 |
| Figure (4): | An overview of the ACP anatomy, the optic canal and optic strut are demonstrated in (A, B, C), interclinoid osseous bridges and carotico-clinoid foramen in (D), the carotid canal, sulcus and groove are shown in (E, F) | 11 |
| Figure (5): | Anatomical view of the carotoclinoid foramen (CCF) | 12 |
| Figure (6): | Reconstructed coronal and 3D CT scans demonstrating type I (A), type II (B), type III (C) pneumatization of the ACP according to Mikami Classification..... | 14 |
| Figure (7): | Bony relations of the optic canal, (I) medial view to the optic canal, (J) lateral view to the optic canal | 15 |
| Figure (8): | The most common location is the sulcal type, followed by the post-sulcal type | 17 |
| Figure (9): | Illustration of the microanatomy of the left clinoidal space after anterior clinoidectomy, the ICA segment between the two rings is called the clinoidal carotid segment..... | 20 |
| Figure (10): | Illustration of the CS anatomy; venous drainage of the cavernous sinus is shown in (A), (B) superior view of the CS dural covering, (C) shows the content of the cavernous sinus..... | 22 |
| Figure (11): | Microanatomical dissection of the cavernous sinus from lateral (A) to medial (F), in (C) the red arrow points to the oculomotor nerve which pierces the CS roof at the yellow arrow..... | 23 |
| Figure (12): | Microanatomy of the carotid collar, the clinoidal segment of ICA, (G, H) before ACP removal, (I) after anterior clinoidectomy, the carotid collar is shown on (I, K), the membrane between the ICA and oculomotor nerve attached to lower ring is called the carotid-oculomotor membrane (I), dotted line in (J) represents the CS | 26 |
| Figure (13): | Classification presented by Gibo et al. in 1981 | 28 |
| Figure (14): | Scheme classifications of ICA segments..... | 29 |

List of Figures (Cont...)

| Fig. No. | Title | Page No. |
|---------------------|--|----------|
| Figure (15): | Microanatomy of the CS and middle fossa triangles..... | 31 |
| Figure (16): | Bony anatomy of the anterior clinoid process region..... | 37 |
| Figure (17): | Illustrations show the anatomical origin of different types of clinoidal meningiomas based on the meningeal anatomy of the anterior clinoid process..... | 40 |
| Figure (18): | Axial and coronal gadolinium T1-weighted MRI of a clinoidal meningioma showing the epicenter of the tumor at the level of the left anterior clinoid process..... | 45 |
| Figure (19): | Axial contrasted CT of the same case shown above, ICA angiogram shows the arterial blush of the proximal ICA to supply the tumor and the ethmoidal branches arising from the ophthalmic artery | 45 |
| Figure (20): | Illustration shows the surgical position and skin incision, neurophysiological face electrodes are placed | 48 |
| Figure (21): | Illustrations and cadaveric dissection show the three methods of scalp flap elevation | 50 |
| Figure (22): | Illustration shows the layers of the superficial and deep temporal fascia | 52 |
| Figure (23): | Illustration of the orbito-zygomatic modifications | 54 |
| Figure (24): | Illustration shows the different methods of OZ osteotomy, one-piece, two-piece, or three-piece methods | 55 |
| Figure (25): | Intraoperative stepwise detachment of the MOB | 58 |
| Figure (26): | a-d intraoperative drilling of the optic canal roof..... | 60 |
| Figure (27): | Intraoperative extradural anterior clinoidectomy | 62 |
| Figure (28): | Cadaveric dissection and stepwise anterior clinoidectomy | 62 |
| Figure (29): | Illustrative anatomy centered on the ACP before (a) and after anterior clinoidectomy (B), it shows the amount of bone that is drilled during the stepwise procedures as described..... | 63 |
| Figure (30): | Intradural view of the meningioma of the anterior clinoid process (a) thinning the optic nerve (ON) | 65 |
| Figure (31): | Dimension s of the ACP..... | 79 |
| Figure (32): | Measurement of the distance between the ACP apex and optic strut (OS), ACP apex and superior orbital fissure (SOF)..... | 79 |

| | | |
|---------------------|--|----|
| Figure (33): | Multi-slice CT angiography demonstrate unilateral complete CCF in axial and coronal view. | 81 |
|---------------------|--|----|

List of Figures (Cont...)

| Fig. No. | Title | Page No. |
|---------------------|---|----------|
| Figure (34): | CT thin cuts coronal view shows bilateral complete CCF. | 81 |
| Figure (35): | Bilateral interclinoidal osseous bridges between ACP and PCP. | 84 |
| Figure (36): | Multi-slice CT scan shows interclinoidal osseous bridges, complete CCF and complete IOB as demonstrated by arrows. | 84 |
| Figure (37): | Unilateral left ACP pneumatization via the optic strut from the sphenoid sinus..... | 86 |
| Figure (38): | Bilateral ACP pneumatization via the Anterior root. | 86 |
| Figure (39): | ACP pneumatization via the optic strut and the anterior root. | 87 |
| Figure (40): | Bilateral ACP pneumatization..... | 87 |
| Figure (41): | Distance measured between the Apex of the ACP..... | 91 |
| Figure (42): | Head fixation and positioning after induction of general anaesthesia..... | 113 |
| Figure (43): | Intraoperative image demonstrating the MacCarty 8 shaped keyhole | 114 |
| Figure (44): | FTOZ osteotomy bone flap elevation as one piece using Craniotome and Drill..... | 115 |
| Figure (45): | Extradural bone drilling of the sphenoid ridge..... | 117 |
| Figure (46): | Removal of the ACP tip (shark tooth) after ACP drilling. | 117 |
| Figure (47): | The optic strut is drilled out exposing the Dolenc triangle (<i>Dolenc T.</i>)..... | 118 |
| Figure (48): | The tumor was extending in the optic canal beyond the falciform ligament | 118 |
| Figure (49): | Encasement of the internal carotid artery (<i>ICA</i>) and middle cerebral artery (<i>MCA</i>) by the tumor. | 119 |
| Figure (50): | Careful dissection of the tumor aided by mobilization of the <i>ICA</i> through releasing the distal dural ring (<i>DDR</i>). | 119 |
| Figure (51): | Extradural ACP drilling showed a pneumatized ACP indicated by yellow arrow. | 120 |
| Figure (52): | Preoperative (a, b) and postoperative (c, d) helical multi-slice CT bone window showing the extent of bone drilling to the ACP and OS. | 120 |

| | | |
|---------------------|---|-----|
| Figure (53): | Intraoperative dural closure (a) using pericranium flap and fat, fixing the bone flap (b) using miniplates and screws. | 121 |
|---------------------|---|-----|

List of Figures (Cont...)

| Fig. No. | Title | Page No. |
|---------------------|---|----------|
| Figure (54): | Preoperative imaging of case 1 (Type II left ACM) | 142 |
| Figure (55): | Postoperative imaging of case 1 (Type II left ACM) | 144 |
| Figure (56): | Preoperative contrasted MRI of case 2 (right Type II ACM) | 146 |
| Figure (57): | Preoperative CT bone window of case 2, right ACP and sphenoid ridge hyperostosis was shown in axial cuts (A) and (B) in comparison to the left side. | 146 |
| Figure (58): | Immediate postoperative CT brain of case 2 after EAC..... | 147 |
| Figure (59): | Postoperative MRI of case 2 after 6 months, no recurrence. | 147 |
| Figure (60): | Preoperative MRI contrasted imaging of case 3 (right Type I ACM)..... | 149 |
| Figure (61): | Pre- and postoperative CT brain of case 3..... | 150 |
| Figure (62): | Postoperative MRI with contrast of case 3..... | 151 |
| Figure (63): | Post-Gamma Knife (SRS) MRI brain with contrast of case 3 after 2 years | 152 |
| Figure (64): | Preoperative MRI contrasted imaging of case 4 (left Type I ACM) | 154 |
| Figure (65): | Postoperative CT brain (A) and bone window (B) of case 4, extradural anterior clinoidectomy was performed on the left side as shown in (B). | 155 |
| Figure (66): | Postoperative MRI brain with contrast of case 4..... | 155 |

