

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

# جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

# **Entheseal Involvement in Patients with Rheumatoid Arthritis**

Thesis

For Partial Fulfillment of M.D. Degree in Internal Medicine

By

#### Asmaa Mortada Abd Ellah Hasan

M.B, B.Ch, M.Sc Faculty of Medicine, Ain Shams University

Under Supervision of

#### Prof. Dr. Adel Mahmoud Ali Elsayed

Professor of Internal Medicine and Rheumatology Faculty of Medicine- Ain-Shams University

#### Prof. Dr. Reem Abdel-Monaem Habeeb

Professor of Internal Medicine and Rheumatology Faculty of Medicine- Ain-Shams University

#### Prof. Dr. Maryam Ahmed AbdulRahman

Professor of Internal Medicine and Rheumatology Faculty of Medicine- Ain-Shams University

#### Ass. Prof. Dr. Rasha Mahmoud Mohamed

Assistant Professor of Internal Medicine and Rheumatology Faculty of Medicine- Ain-Shams University

#### Dr. Safaa Abd Elsalam Aly

Lecturer of Internal Medicine and Rheumatology Faculty of Medicine- Ain-Shams University

Faculty of Medicine- Ain-Shams University 2021



سورة البقرة الآية: ٣٢

### Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Adel Mahmoud**Ali Elsayed, Professor of Internal Medicine and Rheumatology - Faculty of Medicine- Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Prof. Dr. Reem Abdel-Monaem Habeeb**, Professor of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Prof. Dr. Maryam Ahmed Abdul Rahman**, Professor of Internal
Medicine and Rheumatology, Faculty of Medicine, Ain
Shams University, for her great help, active
participation and guidance.

I wish to introduce my deep respect and thanks to **Dr. Safaa Abd Elsalam Aly and Dr. Rasha Mahmoud Mohamed,** Lecturers of Internal Medicine and Rheumatology, Faculty of Medicine, Ain Shams University, for their kindness, supervision and cooperation in this work.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Asmaa Mortada Abd Ellah Hasan

## List of Contents

Title	Page No.
Tist of Tables	1
List of Figures	
Tist of Abbreviations	ν
Introduction	
Aim of the study	4
Review of Literature	
Rheumatoid Arthritis	5
Enthesitis	49
Patients and methods	66
Results	73
Discussion	98
Summary	108
Conclusion	
Recommendations	113
References	114
Arabic Summary	

# List of Tables

Table No	o. Title F	age No.
Table 1:	ACR /EULAR 2010 classification criteria for R	A34
Table 2:	RA clinical disease activity indices	
Table 3:	Conventional synthetic DMARDs used rheumatoid arthritis treatment	l for
Table 4:	Biological DMARDs for rheumatoid a treatment	
Table 5:	Various systemic medical disorders manifestin enthesopathy	_
Table 6:	Demographic data of the RA patients:	73
Table 7:	Relevant clinical data of RA patients	74
Table 8:	Parameters of disease activity of RA patients	74
Table 9:	Current medications of the RA patients	76
Table 10:	Relevant laboratory data of 100 RA patients	77
Table 11:	Distribution of entheseal affection in RA patien	ts 78
Table 12:	Average thickness of lower limb entheses	80
Table 13:	GUESS score in 100 RA patients	81
Table 14:	Frequency of clinical enthesitis and en involvement by ultrasonography around knew ankles in 100 RA patients	es and
Table 15:	Number and percentage of entheses affected i knees and ankles in total of 1000 entheses	n both
Table 16:	Comparison between the 3 groups reg demographic data	
Table 17:	Comparison between the 3 groups regarding of data	
Table 18:	Comparison between the 3 groups regarding activity parameters	
Table 19:	Comparison between the 3 groups reglaboratory data	_

## List of Tables (Cont...)

Table No	o. Title	Page No.
Table 20:	Comparison between the 3 groups as DMARDs	_
Table 21:	Comparison between the 4 RA groups demographic data	
Table 22:	Comparison between the 4 RA groups clinical data	-
Table 23:	Comparison between the 4 RA groups DMARDs use	
Table 24:	Comparison between the 4 RA groups laboratory data	
Table 25:	Comparison between the 4 RA groups regard GUESS score	•
Table 26:	Correlation between clinical data, disease act laboratory parameters of the 100 RA patie GUESS score	ents with
Table 27:	Linear regression analysis for the factors GUESS score	•

## List of Figures

Fig. No.	Title Page	No.
Figure 1:	Adaptive and Innate Immune Processes within the Joint in Rheumatoid Arthritis.	13
Figure 2:	Diagram showing the costimulation-dependent interactions among dendritic cells, T cells, and B cells	15
Figure 3:	RA hand deformities	
Figure 4:	Patient's feet deformed by rheumatoid arthritis	
Figure 5:	RT knee effusion in RA	
Figure 6:	Serial MRI scans.	
Figure 7:	Visual analogue scale	
Figure 8:	Algorithm based on the 2019 EULAR recommendations on rheumatoid arthritis management	
Figure 9:	Enthesis	
Figure 10:	Anatomical sites for assessment of enthesitis in ERA and JA	52
Figure 11:	A, Arrows indicate the most common sites of tenderness associated with enthesitis at the insertions of the quadriceps muscles into the patella and the attachments of the patellar ligament to the patella and tibial tuberosity	
Figure 12:	Rheumatoid Nodules	
Figure 13:	Enthesitis	
Figure 14:	Normal enthesis by ultrasonography (US)	
Figure 15:	Ultrasound (US) aspect of the enthesitis of the Achilles tendon in grey scale	
Figure 16:	Ultrasound (US) aspect of the enthesitis of the Achilles tendon in grey scale and power Doppler	
Figure 17:	Distribution of disease activity (DAS) among patients.	75

### List of Figures (Cont...)

Fig. No.	Title Page	No.
Figure 18:	Current medications of 100 RA patients	76
Figure 19:	Distribution of entheseal affection per total examined entheses in 100 RA patients	
Figure 20:	Distribution of entheseal affection per 1000 examined entheses in 100 RA patients	79
Figure 21:	Total GUESS score in 100 patients	81
Figure 22:	Clinical enthesitis and entheses involved by US in both knees and ankles.	83
Figure 23:	Difference between the 3 GUESS groups regarding Age.	85
Figure 24:	Difference between the 4 RA DAS groups regarding total cholesterol and triglycerides (TGs).	
Figure 25:	Comparison between the 4 RA DAS groups as regards total GUESS score	93
Figure 26:	Correlation between GUESS score and HAQ score	95
Figure 27:	Correlation between GUESS score and Age	
Figure 28:	Correlation between GUESS score and ESR	

# List of Abbreviations

Abb.	Full term
ACPA	Anti-citrullinated protein-antibodies
	American college of Rheumatology
	Anti-cyclic citrullinated peptide antibodies
	Antigen presenting cells
	Clinical Disease Activity Index
	C-Reactive Protein
	Conventional synthetic chemical compounds.
	Disease Activity Score
	Diffuse idiopathic skeletal hyperostosis
	Disease-modifying antirheumatic drugs
	Extra-articular manifestations
ELISA	Enzyme-linked immunosorbent assay
	Enthesitis related arthritis
<i>ESR</i>	Erythrocyte Sedimentation Rate
EULAR	European League Against Rheumatism
<i>GUESS</i>	Glasgow Ultrasound Enthesitis Scoring
	System
<i>HAQ</i>	$Health\ Assessment\ Question naire$
HAQ-DI	Health Assessment Questionnaire Disability
	Index
HLA	Human Leukocyte Antigen
<i>HRT</i>	Hormone replacement therapy
<i>IC</i>	Immune complex
ICAM-1	Intercellular adhesion molecule-1
<i>ICs</i>	Imm muno complexes
<i>IL</i>	Interleukin
	Interstitial Lung Disease
<i>IV</i>	Intravenous
<i>JAK</i>	Janus kinase

#### List of Abbreviations (Cont...)

Abb.	Full term
JAS	Juvenile ankylosing spondylitis
MASEI	Madrid Sonogarhic Enthesitis Index
<i>MCP</i>	Met a carpophal angeal
<i>MMPs</i>	Matrix metallo-proteases
MRI	Magnetic resonance imaging
<i>MTX</i>	Methotrexate
No	Number
NSAIDs	Non-steroidal anti-inflammatory drugs
	Osteoprotegerin
PAD 4	Peptidyl arginine deiminase, type IV.
<i>PAF</i>	Platelet activating factor
PD	Power Doppler
PIP	Proximal interphalangeal
<i>PNGD</i>	Palisaded neutrophilic granulomatous dermatitis
<i>PSA</i>	Psoriatic Arthritis
PTPN22	Protein tyrosine phosphatase non-receptor type 22
<i>RA</i>	Rheumatoid arthritis
RANKL	Receptor activator of nuclear factor kB ligand
<i>RF</i>	Rheumatoid factor
<i>RND</i>	$ Rheumatoid\ neutrophilic\ dermatos is$
	Synovitis, acne, pustulosis, hyperostosis, osteitis (SAPHO) syndrome
SC	Subcutaneous
SDAI	Simplified Disease Activity Index
SDAI	Simplified Disease Activity Index
sDMARDs	Synthetic chemical compounds

#### List of Abbreviations (Cont...)

Abb.	Full term
SE	Shared-epitope
<i>SJC</i>	$Swollen\ joints\ count$
<i>SPA</i>	Spondy loar thropathy
<i>SPSS</i>	Statistical package for social science
sSS	Secondary Sjögren's syndrome
STAT	Signal Transducer and Activator of
	Transcription
<i>Th</i>	$T$ -helper $cell$
<i>TJC</i>	Tender joints count
<i>TNF</i>	Tumor necrosis factor
TNFAIP	Tumor Necrosis Factor, Alpha-Induced Protein
<i>TRAF</i>	TNF receptor-associated factor
<i>ULN</i>	upper limit of normal
<i>US</i>	Ultrasonography
<i>VAS</i>	Visual analogue scale

#### Introduction

heumatoid arthritis (RA) is an autoimmune disease characterized by chronic inflammation of synovial tissue that leads to damage of cartilage and bone, resulting in irreversible joint destruction (*Smigielska-Czepiel et al.*, 2014).

RA is also characterized by abnormal proliferation of synoviocytes, leukocyte infiltration, and angiogenesis (*Park et al., 2014*). Epidemiological studies show that RA affects 1% of the population worldwide (*Rojas-Villarraga et al., 2009*).

RA is typically a distal, symmetrical, small joint polyarthritis, most commonly involving the metacarpophalangeal (MCP) and proximal interphalangeal joints of the fingers (PIJ), interphalangeal joints of the thumbs, the wrists, and metatarsophalangeal joints of the toes (MTP). Other joints of the upper and lower limbs, such as the elbows, shoulders, ankles, and knees are also commonly affected. The involvement of tempro-mandibular and sterno-clavicular joint and cervical spine is relatively uncommon (*Smolen et al.*, 2016).

Musculoskeletal manifestations include tenosynovitis (defined as inflammation of the tendon and its enveloping tendon sheath) and carpal tunnel syndrome (*Maini*, 2003).