

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

## بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

## جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



# The Role of Diffusion Weighted MRI in Differentiation of Intra-axial Cystic Brain Lesions

#### Thesis

Submitted for Partial Fulfilment of Master Degree in **Diagnostic Radiology** 

By

#### Amna Abdulwahhab Hayder

M.B.B.Ch. Basrah University-Iraq

Under Supervision of

#### Prof. Dr. Yasser Abd El Azim

Professor of Diagnostic Radiology Faculty of Medicine, Ain Shams University

#### **Dr. Eman Ahmed Fouad Darwish**

Lecturer of Diagnostic Radiology Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University 2021



سورة البقرة الآية: ٣٢

#### Acknowledgments

First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.

I wish to express my deepest thanks, gratitude and appreciation to **Prof. Dr. Wasser Abd El**Azim, Professor of Diagnostic Radiology, Faculty of Medicine, Ain Shams University, for his meticulous supervision, kind guidance, valuable instructions and generous help.

Special thanks are due to **Dr. Eman Ahmed Found Darwish**, Lecturer of Diagnostic

Radiology, Faculty of Medicine, Ain Shams

University, for her sincere efforts, fruitful

encouragement.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Amna Abdulwahhab Hayder

#### Tist of Contents

| Title                  | Page No. |
|------------------------|----------|
| List of Tables         | 5        |
| List of Figures        | 8        |
| List of Abbreviations  | 13       |
| Introduction           | 1 -      |
| Aim of the Work        | 4        |
| Review of Literature   | 5        |
| Patients and Methods   | 78       |
| Results                | 82       |
| Illustrative Cases     | 109      |
| Discussion             | 117      |
| Summary and Conclusion | 126      |
| References             | 129      |
| Arabic Summary         |          |

#### Tist of Tables

| Table No  | o. Title   | Page No.      |
|-----------|--|---------------|
| Table 1:  | The signal intensities of brain tissuand T2WI  |               |
| Table 2:  | Classification of cysts  | 45            |
| Table 3:  | Key characteristics of IDH-wildtype mutant glioblastomas   |               |
| Table 4:  | Descriptive data of whole study popu   | ılation age82 |
| Table 5:  | Number and percent of whole study sex  |               |
| Table 6:  | Descriptive data of the size of all SO   | L84           |
| Table 7:  | Descriptive data of ADC value in study SOL.  |               |
| Table 8:  | Description of patients age among other malignant lesions  |               |
| Table 9:  | Description of lesions size among a other malignant lesions  |               |
| Table 10: | Description of quantitative ADC value among abscess and all malign in the lesion center (C ADC & C NAI | nant lesions  |
| Table 11: | Description of quantitative ADC value among abscess and all malign in the lesion wall (W ADC & W NAD   | nant lesions  |
| Table 12: | Description of quantitative ADC value among abscess and all malign in the peri-lesion edema (E ADC & E | nant lesions  |
| Table 13: | Description of quantitative NWM among abscess and all malignation (NWM ADC)                            | nt patients   |

#### Tist of Tables cont...

| Table No  | o. Title   | Page No.  |    |
|-----------|--|---|----|
| Table 14: | The cut off value, sensitivities, specifies predictive values (PPV) and predictive values (NPV) of the cut off value ADC and NADC in SOL center differentiation of the abscess from group. | negative<br>lues of the<br>for the<br>malignant | 3  |
| Table 15: | Composition between the AUC of C-AI NADC ROC curve   |   | 5  |
| Table 16: | Descriptive data of different SOL size.  | 97  | 7  |
| Table 17: | Significant Post hoc test* between Mets size   |   | 3  |
| Table 18: | Description of C ADC value among lesions   |   | )2 |
| Table 19: | Significant Post hoc test* between 0 lymphoma  |   | )2 |
| Table 20: | Description of W ADC value among lesions   |   | 03 |
| Table 21: | Significant Post hoc test* between lymphoma  |   | 03 |
| Table 22: | Description of C NADC value among lesions  |   | 04 |
| Table 23: | Significant Post hoc test* between 6 lymphoma  |   | )4 |
| Table 24: | Description of E ADC value among lesions   |   | )5 |
| Table 25: | Description of E NADC value among lesions  | -   | 05 |

#### Tist of Tables cont...

| Table No  | . Title  | Page No.                                |
|-----------|--|---|
| Table 26: | Description of NWM ADC quantita  |   |
| Table 27: | The cut off value, sensitivities, spositive predictive values (PPV) and predictive values (NPV) of the cut of the ADC and NADC in SOL cent differentiation of GBM and lymphomatical sensitivities, spositivities, sposit | d negative ff values of ter for the     |
| Table 28: | Composition between the AUC of C ANADC ROC curve for GBM and lesions   | lymphoma                                |
| Table 29: | The cut off value, sensitivity, positive predictive value (PPV) an predictive value (NPV) of the SOL was off value for the differentiation of and lymphoma   | d negative<br>all ADC cut<br>metastasis |

#### List of Figures

| Fig. No.   | Title                                | Page No.  |
|------------|--------------------------------------|-----------|
| Figure 1:  | Calvaria                             | 5         |
| Figure 2:  | Superior view of the skull           |           |
| Figure 3:  | Cranial meninges, superior corona    |           |
| Figure 4:  | The dural folds                      |           |
| Figure 5:  | Mid sagittal diagram showin          |           |
| 1184100    | cisterns                             |           |
| Figure 6:  | Cerebral hemisphere lobes            |           |
| Figure 7:  | Diagram depicting the lateral asp    |           |
| 8          | different lobes of the brain a       |           |
|            | respective gyri                      |           |
| Figure 8:  | Diagram showing the different        |           |
| C          | white matter tracts in the coronal   | · -       |
| Figure 9:  | Horizontal section of the brain      | exposing  |
| _          | the basal ganglia                    | 18        |
| Figure 10: | Brain ventricles, lateral and m      |           |
|            | views                                | 20        |
| Figure 11: | Diencephalon and it's relat          | tions to  |
|            | surrounding structures               | 22        |
| Figure 12: | Diagram showing the boundaries       | es of the |
|            | hypothalamus and its relations       | 23        |
| Figure 13: | Diagram showing the pineal glan      | d and its |
|            | important relations                  |           |
| Figure 14: | Diagrammatic representation          |           |
|            | cerebellum and its connections       |           |
|            | branstem                             | 25        |
| Figure 15: | Diagrammatic representation of b     |           |
|            | and associated cranial nerves        |           |
| Figure 16: | The image showing the three          |           |
|            | cereberal artery territories fitting | _         |
|            | like a jigsaw puzzle as they su      |           |
| T3. 4=     | hemispheres                          |           |
| Figure 17: | The image showing the penetrati      |           |
|            | territories in axial planes          | 28        |

| Fig. No.   | Title   | Page No.  |
|------------|---|-----------|
| E: 10      | Name of American of the control of            | 1         |
| Figure 18: | Normal Anatomy of the cerebra system          |           |
| Figure 19: | Diagram of 4 axial slices depicting           |           |
| rigure io. | venous drainage patterns of the               |           |
|            | areas of the brain                            |           |
| Figure 20: | Diagram representing the main                 | posterior |
|            | fossa veins                                   |           |
| Figure 21: | Axial T2WI of the brain at the le             |           |
|            | corona radiate                                |           |
| Figure 22: | Axial T2WI of the brain at the le             |           |
|            | basal ganglia                                 |           |
| Figure 23: | Axial T2WI of the brain at the le             |           |
| T' 04      | cerebral peduncles                            |           |
| Figure 24: | Axial T2WI of the brain at the le             |           |
| Figure 05. | pons<br>Coronal T2 MRI at level of third v    |           |
| Figure 25: | Annotated Mid-Sagittal T2WI of                |           |
| Figure 26: | showing both supra and infra                  |           |
|            | structures                                    |           |
| Figure 27: | Normal adult brain of 40-years                |           |
| 1194102    | without neurological deficits                 |           |
| Figure 28: | Cystic changes in the choroid plex            |           |
| Figure 29: | Schematic illustration shows                  |           |
| J          | molecule movement                             |           |
| Figure 30: | Simplified pulse diagram of a                 | spin-echo |
|            | diffusion-weighted image sequenc              | e 65      |
| Figure 31: | Pulse sequence diagrams illustra              |           |
|            | diffusion-weighted sequence incorp            |           |
|            | symmetric motion-probing gradie               | -         |
|            | into a single-shot SE T2-weighted so          | -         |
| Figure 32: | Brain DWI images using 3 did                  |           |
|            | values (0, 1000, and 3000 s/mm <sup>2</sup> ) | 67        |

| Fig. No.   | Title  | Page No.              |
|------------|--|-----------------------|
| Figure 33: | T2 shine-through in a 35-year-<br>with multiple sclerosis and weak                           |                       |
| Figure 34: | lower extremities  | 78<br>emale with      |
| Figure 35: | reversible encephalopathy syndr<br>T2 blackout from susceptibility                           | ome74<br>artifacts in |
|            | acute hemorrhage (deoxyhemogintracellular met-hemoglobin) in a male with left-sided weakness | a74-year-old          |
| Figure 36: | Susceptibility artifact  | 76                    |
| Figure 37: | Pie chart showing the percent of females in this study.                                      | 83                    |
| Figure 38: | Pie chart showing the percent this study   |                       |
| Figure 39: | Bar chart showing the number<br>and females among abscess and                                | r of males            |
| Figure 40: | lesions  | ition of W            |
| Figure 41: | and all malignant lesions  | ution of C            |
| Figure 42: | and all malignant lesions  | ution of C            |
| Figure 43: | and all malignant lesions  | 88<br>ution of W      |
| Figure 44: | ADC QL signal intensity amorand all malignant lesions  | 89                    |
| -          | DWI QL signal intensity amorand all malignant lesions  | ng abscess            |

| Fig. No.   | Title   | Page No.                               |
|------------|---|--|
| Figure 45: | Bar chart showing the distribution ADC QL signal intensity amount and all malignant lesions                         | ong abscess                            |
| Figure 46: | Receiver operating characteristi  |  |
| Figure 47: | Bar chart shows the patients' among all SOL   | age mean                               |
| Figure 48: | Bar chart showing the number and females among different SC   |  |
| Figure 49: | Bar chart showing the distrik<br>DWI signal intensity among all   |  |
| Figure 50: | Bar chart showing the distrib<br>DWI signal intensity among all   |  |
| Figure 51: | Bar chart showing the distrib<br>ADC signal intensity among all   |  |
| Figure 52: | Bar chart showing the distrib<br>ADC QL signal intensity among  |  |
| Figure 53: | Bar chart showing the distrib<br>DWI QL signal intensity among  |  |
| Figure 54: | Bar chart showing the distrik<br>ADC QL signal intensity among  |  |
| Figure 55: | Receiver operating characters. The specificity and sensitivit ADC and NADC values of SOI differentiation of GBM and | y of using<br>L center for<br>lymphoma |
|            | were compared   |  |
| Figure 56: | Receiver operating characters The specificity and sensitivity of ADC value for differentiation of                   | of SOL wall<br>f metastasis            |
| Figure 57: | and lymphomaGlioblastoma 1, a) Axial T2 WI, post-Gd DTPA, c) Axial DWI, d   | b) Axial T1<br>Axial ADC               |
|            | map   | 109                                    |

| Fig. No.   | Title  | Page No.                              |
|------------|--|---------------------------------------|
| Figure 58: | Glioblastoma 2, a) Axial T2 WI, post-Gd DTPA, c) Axial DWI, d)           |                                       |
| Figure 59: | Metastasis 1, a) Axial T2 WI, b<br>post-Gd DTPA, c) Axial DWI, d)<br>map | o) Axial T1                           |
| Figure 60: | Metastasis 2, a) Axial T2 WI, b<br>post-Gd DTPA, c) Axial DWI, d)        | o) Axial T1                           |
| Figure 61: | Abscess 1, a) Axial T2 WI, b) Axi<br>Gd DTPA, c) Axial DWI, d) A         | al T1 post-<br>Axial ADC              |
| Figure 62: | Abscess 2, a) Axial T2 WI, b) Axi<br>Gd DTPA, c) Axial DWI, d) A         | ial T1 post-                          |
| Figure 63: | Lymphoma 1, a) Axial T2 WI, b<br>post-Gd DTPA, c) Axial DWI, d)<br>map   | o) Axial T1                           |
| Figure 64: | Lymphoma 2, a) Axial T2 WI, b<br>post-Gd DTPA, c) Axial DWI, d)<br>map   | o) Axial T1<br>Axial ADC              |
|            | I  | · · · · · · · · · · · · · · · · · · · |