

سامية محمد مصطفى



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة



سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات لم ترد بالأصل



THE EXPRESSION OF NF-KAPPA B IN MYCOSIS FUNGOIDES BEFORE AND AFTER PHOTOCHEMOTHERAPY

Thesis

Submitted for Partial Fulfillment of M.D. Degree in Dermatology

By

TAREK AHMED EMARA
M.Sc.Dermatology and Venereology

Supervised by

PROF. DR. GALAL ABD EL-MAKSOUH EL-ENANY
Professor of Dermatology
Faculty of Medicine – Cairo University

PROF.DR. SAFAA MOSTAFA EL-KARAKSI
Professor of Clinical Pathology
Faculty of Medicine – Cairo University

DR.NAHLA SHOUKRY HUNTER
Lecturer of Dermatology
Faculty of Medicine – Cairo University

*Faculty of Medicine
Cairo University
2004*

B

10-05

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

جامعة القاهرة / كلية الطب
الدراسات العليا

محضر
اجتماع لجنة الحكم على الرسالة المقدمة من
الطبيب / طارق أحمد عمارة
توظنة للحصول على درجة الماجستير / الدكتوراه
في الامراض الجلدية

=====

تحت عنوان : باللغة الانجليزية :

: باللغة العربية : العامل النوى - كاياب في سرطان الفطر الفطراتي
قبل وبعد العلاج الضوئي *

- بناء على موافقة الجامعة بتاريخ / / ٢٠٠٠ تم تشكيل لجنة الفحص والمناقشة
للرسالة المذكورة أعلاه على النحو التالي :-
١. السيد الاستاذ الدكتور / جلال عبدالقصور العناني - أستاذ (مغرغ) بالقسم من المشرفين
 ٢. / عزة احمد محمد - أستاذ الباثولوجيا الاكلينيكية بالكلية
مفتحن داخلي
 ٣. / مصطفى محمد كامل عيانة - أستاذ الامراض الجلدية ممثن خارجي
والتاسلية بكلية طب قناة السويس

بعد فحص الرسالة بواسطة كل عضو منفردا وكتابة تقارير منفردة لكل منهم انعقدت اللجنة
مجتمعة في يوم الثلاثاء بتاريخ ٢٠٠٤ / ٦ / ٢٢ بقسم الامراض الجلدية ج العيادة الخارجية
بكلية الطب - جامعة القاهرة وذلك لمناقشة الطالب في جلسة علنية في موضوع الرسالة والنتائج
التي توصل اليها وكذلك الأسس العلمية التي قام عليها البحث .

قرار اللجنة : قبول الرسالة

توقيعات أعضاء اللجنة :-

المشرف الممتحن

جلال العناني

(٢٠٠٤ جلال العناني)

عصام

الممتحن الداخلي

عزة احمد محمد

(٢٠٠٤ عزة احمد محمد)

الممتحن الخارجي

مصطفى محمد كامل عيانة

(٢٠٠٤ مصطفى محمد كامل عيانة)

ABSTRACT

Mycosis fungoides represents the commonest form of cutaneous T-cell lymphoma (CTCL), which is a monoclonal neoplastic disorder of T-helper cell lineage. Constitutive activation of NF- κ B in CTCL cell lines has been suggested to play a role in survival and apoptosis resistance of neoplastic T lymphocytes. The aim of this work was to investigate the constitutive expression of NF- κ B in cases of mycosis fungoides before and after PUVA. The results of the study have shown that constitutive expression of NF- κ B is a characteristic feature of mycosis fungoides and that PUVA downregulated NF- κ B in mycosis fungoides patients.

Key Words: NF-kappa B- Mycosis fungoides- PUVA.

[The main body of the page contains extremely faint, illegible text, likely bleed-through from the reverse side of the document.]

1/1

Acknowledgment

I wish to express my deepest appreciation to Prof. Dr. Galal EL-Enany, Professor of Dermatology, Cairo University. He stood by me, and offered me his unfailing support. He was the brilliant professor who gave me the benefit of his experience and the wisdom which came with that. With these things, he encouraged me through all stages of this work.

Great thanks to Prof. Dr. Safaa EL-Karaksi, Professor of Clinical Pathology, Cairo University, for guiding me on the right path, and giving me her expert advice, invaluable assistance and tremendous help.

I am indebted to Dr. Nahla Hunter, Lecturer of Dermatology, Cairo University, for her continual support, concern and wise advice, and for always going the extra mile.

Special thanks goes to Dr. Sherine Mahmoud, Lecturer of Clinical Pathology, Cairo University, without her this work would never be existing.

I would like to acknowledge all my Professors and all the staff members of Dermatology Department, Cairo University for their kindness, help and friendly attitude.

A very warm thanks goes to my dear colleague residents in the Dermatology Department, Cairo University.

And last but not least, thanks to all people included in this study for their kindness and cooperation.

