

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



Efficacy and Safety of Different Modalities for Treatment of Erectile Dysfunction on Chronic Renal Failure Patients

A Thesis
Submitted for Fulfillment of Master Degree
in Urology

Presented By

Mina Nageh Zakher

M.B.B.Ch.

Faculty of Medicine, Ain Shams University

Under Supervision of **Prof. Dr. Abd El Fattah Agour**

Professor of Urology Faculty of Medicine, Ain Shams University

Dr. Ahmed Tawfick Hassan

Assistant Professor of Urology Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
2021

Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Abd El Fattah**Agour, Professor of Urology - Faculty of MedicineAin Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Dr. Ahmed Tawfick****Thassan*, Assistant Professor of Urology, Faculty of Medicine, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Mina Nageh Zakher

Tist of Contents

Title	Page No.
List of Tables	i
List of Abbreviations	iv
Introduction	1
Aim of the Work	3
Review of Literature	
Anatomy of the Penis	4
Hemodynamics and Mechanism of Erection and Detun	nescence 14
Pathophysiology of Erectile Dysfunction	17
Prevalence of ED in CKD Patients	30
Causes of Erectile Dysfunction in CKD Patients	32
Medical Treatment modalities for erectile dysfunction	in chronic
kidney disease patients	38
Patients and Methods	44
Results	47
Discussion	73
Summary	81
References	86
Arabic Summary	

Tist of Tables

Table No.	Title	Page	No.
Table (1):	Shows classification of causes of ED		17
Table (2):	Shows Possible Causes of ED in CKD Patier	nts	37
Table (3):	Descriptive data regarding age, haemoo	dialysis	
	years, DM and serum creatinine		47
Table (4):	Follow up with IIEF pre and post administratible drug.		
Table (5):	Follow up with EHS pre and post administra		
	the drug.		50
Table (6):	Showed side effects appeared in the used d	_	
	the study		52
Table (7):	Distribution of drug used with age hemodialysis years, DM and serum creatining		53
Table (8):	Relation of drug used with IIEF pre an		
	administration of the drug		56
Table (9):	Relation of drug used with EHS pre an	d post	
	administration of the drug		57
Table (10):	Relation of drug used with difference	e and	
	percentage change in IIEF.		58
Table (11):	Relation of drug used with difference	e and	
	percentage change in EHS		60
Table (12):	Showed the side effects observed with each	h drug	
	used in the study.		62
Table (13):	Correlation between IIEF score pre and post w	ith age,	
	HD years and serum creatinine of the studied p	atients.	63
Table (14):	Correlation between EHS score pre and po	st with	
	age, HD duration and serum creatinine		
	studied patients.	•••••	67
Table (15):	The percentage change in IIEF and in EHS		
	age, haemodialysis years and S.Cr		
Table (16):	Relation between DM and the studied scores administration of drug and their percentage of		

Tist of Figures

Fig. No.	Title	Page No.
Figure (1):	Shows male reproductive system	4
Figure (2):	Shows arterial supply of the penis	
Figure (3):	Shows venous drainage of the penis	8
Figure (4):	Shows microscopic anatomy.	10
Figure (5):	Shows axial cut in the penis	11
Figure (6):	Shows percentage of diabetic patients in the samp	ole size 47
Figure (7):	Shows follow up with IIEF	49
Figure (8):	Shows follow up with EHS	51
Figure (9):	Shows mean age of every group in the study.	55
Figure (10):	Shows the diabetic patients in every group	55
Figure (11):	Shows relation between drug used with IIEF pre a	and post 56
Figure (12):	Shows relation between drug used with EHS pro	e and post 57
Figure (13):	Shows the difference in the improvement i	n IIEF
	between the drugs used in the study	59
Figure (14):	Shows the percentage change in the improver	ment in
	IIEF between the drugs used in the study	59
Figure (15):	Shows the difference in the improvement is	n EHS
	between the drugs used in the study	61
Figure (16):	Shows the percentage change in the improver	ment in
	EHS between the drugs used in the study	61
Figure (17):	Correlation of IIEF pre administration of the	· ·
	and age of the studied patients	63
Figure (18):	Correlation of IIEF pre administration of the and HD years of the studied patients	_

Tist of Figures (Cont...)

Fig.	No.	Title	Page	No.
Figu	re (19):	Correlation of IIEF pre administration of th	e drug	
		and serum creatinine of the studied patients		64
Figu	re (20):	Correlation between age and IIEF score	e post	
		administration of the treatment		65
Figu	re (21):	Correlation between haemodialysis years and	d IIEF	
		score post administration of the treatment		65
Figu	re (22):	Correlation between s.cr. and IIEF score	e post	
		administration of the treatment		66
Figu	re (23):	Correlation between age and EHS scor	e pre	
		administration of the treatment		67
Figu	re (24):	Correlation between s.cr. and EHS scor	re pre	
		administration of the treatment		68
Figu	re (25):	Shows the negative correlation between ag	ge and	
		EHS score post administration of the treatmen	t	68
Figu	re (26):	Correlation between haemodialysis years an	d EHS	
Ü		score post administration of the treatment		69
Figu	re (27):	Correlation between s.cr. and EHS score		
O	, ,	administration of the treatment	•	69
Figu	re (28):	Correlation between age and percentage change is		
		Correlation between haemodialysis years		
ı ıgu	LU (<i>27)</i> •	percentage change in IIEF.		71
		percentage change in HET.	•••••	/ 1

Tist of Abbreviations

Abb.	Full term
CKD	. Chronic kidney disease.
	Chronic renal failure.
	. Cardiovascular disease.
DM	Diabetes mellitus.
<i>ED</i>	Erectile dysfunction.
	Erection Hardness Scale.
EPCs	. Endothelial progenitor cells.
EPO	
ESRD	. End stage renal disease.
FSH	Follicle stimulating hormone.
HD	. Haemodialysis.
HRQOL	. Health related quality of life.
<i>HS</i>	. Highly significant.
<i>IHD</i>	Ischaemic heart disease.
<i>IIEF</i>	International Index of Erectile Function.
<i>LH</i>	Luteinizing hormone.
<i>MPOA</i>	. Medical preoptic area.
<i>NANC</i>	Non adrenergic non cholinergic.
<i>NO</i>	Nitric oxide.
<i>NS</i>	Non significant.
PDE5	. Phosphodiesterase type 5.
PG E1	Prostaglandin E1.
PG E2	. Prostaglandin E2.
<i>PTH</i>	. Parathyroid hormone.
S	. Significant.
S.Cr	Serum creatinine.
VECs	. Vascular endothelial cells.