

سامية محمد مصطفى



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم



سامية محمد مصطفى



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



سامية محمد مصطفى



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



سامية محمد مصطفى



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة




سامية محمد مصطفى



شبكة المعلومات الجامعية



بالرسالة صفحات لم ترد بالأصل



**NEUROPROTECTIVE EFFECTS OF
VARIOUS DRUGS
AGAINST NEURONAL DAMAGE**

THESIS

Presented by

HANAN SALAH EL-DIN EL-ABHAR

Assistant Lecturer of Pharmacology

Faculty of Pharmacy, Cairo University

SUBMITTED FOR THE DEGREE

OF Dr. OF PHILOSOPHY IN

PHARMACEUTICAL SCIENCES

(PHARMACOLOGY)

FACULTY OF PHARMACY

CAIRO UNIVERSITY

1995

B

10-70



UNDER THE SUPERVISION OF

Prof. Dr. Samir F. Saad

Professor of Pharmacology and
Head of Pharmacology Department
Faculty of Pharmacy
Cairo University

Prof. Dr. M. T. Khayyal

Professor of Pharmacology
Faculty of Pharmacy
Cairo University

Prof. Dr. Dr. J. Krieglstein


Professor of Pharmacology
and Director of Institute for Pharmacology and Toxicology
Philipps University
Marburg, Germany

APPROVAL SHEET


Approved:

Committee in Charge:


(1)

Jaed, JF. 

(2)



(3)



Date: / / 1995.

To My Family,

For The Precious Years Taken From Family Life

ACKNOWLEDGEMENT

I wish to express my deepest appreciation and sincere thanks to Professor Dr. Samir F. Saud, Head of Pharmacology Department, Faculty of Pharmacy, Cairo University, for his kind supervision, encouragement, useful comments and guidance throughout the preparation of this work.

It is a pleasure to acknowledge with sincere thanks and appreciation, the kind help afforded to me by Professor Dr. M. T. Khayyal, Professor of Pharmacology, Faculty of Pharmacy, Cairo University. For him I am indebted, for his keen supervision, valuable assistance, for the precious time he devoted to me and for his forbearance through the burdensome process of proof-reading and revising. For him again I am obliged for his outstanding guidance and expert advice.

I am also greatly indebted to Professor Dr. Dr. Josef Krieglstein, Director of the Institute for Pharmacology and Toxicology, Philipps University, Marburg, Germany, for his enthusiastic supervision, valuable advice, encouragement and useful comments on the planning of the experiments, which were the corner stone in the practical part of this thesis. I would like to thank him also for providing me kindly with all the facilities that helped me to accomplish this work.

My special appreciation is also presented to Professor Dr. Hans-Dieter Mennel, Professor of Neuropathology, Department of Neuropathology, Philipps University, Marburg, Germany, for his kind help in carrying out the histopathological examinations.

My cordial thanks are extended to all my colleagues and staff members, with special reference to the technical division in the Institute for Pharmacology and Toxicology, Philipps University, Marburg, Germany, for their unforgettable cooperation and help, which made my stay in Marburg a thoroughly enjoyable and fruitful one.

Contents	Pages
1- Aim of Work	1
2- Introduction	3
- Factors involved in ischaemia	5
- Neuroprotective agents in ischaemia	26
3- Materials and methods	34
4- Results	53
5- Discussion	89
6- Summary	110
7- References	113
8- Arabic summary	

List of Figures

	Pages
1- The major features of cell Ca^{2+} metabolism as exemplified by events which very likely occur in many neurones	7
2- Diagram illustrating how activation of glutamate receptors open cation channels	11
3- The NMDA-receptor complex	13
4- The glutamate release and its uptake process	14
5- Schaematic diagram summarizing why glutamate uptake fails during brain anoxia	16
6- Diagram illustrating primary effects of depolarization, receptor activation and secondary effect of an increased intracellular Ca^{2+} concentration	21
7- Principle pathway leading to production of arachidonic acid metabolites and lipid mediators, following stimulation of phospholipase A_2 or C	22
8- Serotonin pathways in rat brain	23
9- Metabolic pathway of paroxetine	29
10- Illustration of the site of removal of the temporalis muscle and the position of craniotomy in the MCA-O model in the rat	39
11- Demonstrates the MCA, its branches, and sites of occlusion	39
12- Schematic diagram for the infarcted areas at different coronal levels	42
13- Steps followed in the MCA-O method in the mouse	44
14- Effect of CRE-319 on the infarct volume, 48 hrs after MCA-O in the rat CRE-319 was given 1 hr before or immediately after MCA-O	54
15- Effect of CRE-319 on the infarct volume, 48 hrs after MCA-O in the rat. CRE-319 was given 1 & 2 hrs after MCA-O	55
16- Effect of CRE-319 on the infarct area, 48 hrs after MCA-O in the mouse. CRE-319 was given either immediately or 1/2 hr after MCA-O.	56
17- Effect of CRE-319 on the infarct area, 48 hrs after MCA-O in the mouse. CRE-319 was given either 1 or 2 hrs after MCA-O	57
18- Effect of CRE-319, paroxetine and their combination on the infarct area, 48 hrs after MCA-O in the mouse.....	58
19- Effect of bilobalide on the infarct volume, 48 hrs after MCA-O in the rat Bilobalide was given in 2 forms in a dose of 5 mg/kg	60
20- Effect of bilobalide on the infarct volume, 48 hrs after MCA-O in the rat. Bilobalide was given in a dose of 10 mg/kg, 1 hr before MCA-O	61
21- Effect of bilobalide (5 mg/kg), EGb 761 (200 mg/kg) and their combination on the infarct area, 48 hrs after MCA-O in the mouse	62
22- Effect of bilobalide (10 mg/kg), EGb 761 (400 mg/kg) and their combination on the infarct area, 48 hrs after MCA-O in the mouse	63
23- Effect of EGb 761 injected by different routes on the infarct area, 48 hrs after MCA-O in the mouse	64
24- Effect of different dose levels of EGb 761 on the infarct area, 48 hrs after MCA-O in the mouse	66
25- Effect of EGb 761 on the infarct area, 48 hrs after MCA-O in the mouse. EGb 761 was given in a dose of 50 mg/kg, p.o. for 7 days.....	67

26- Effect of EGb 761, insulin and their combination on the infarct volume, 48 hrs after MCA-O in the rat	68
27- Effect of nisoxetine on the infarct volume, 48 hrs after MCA-O in the rat...	70
28- Effect of paroxetine on the infarct volume, 48 hrs after MCA-O in the rat...	71
29- Effect of U-74389G on the infarct volume, 48 hrs after MCA-O in the rat.....	72
30- Effect of postischaemic period on the infarct area in the mouse	74
31- Discolouration in the cresyl violet stain restricted to the pertinent area of the cortex	75
32- The ischaemic area appears as a pale area compared to the surroundings ...	75
33- A sharp demarcation line separates between the infarcted area and the normal brain tissue	76
34- Appearance of a faint assembly of WBCs	76
35- Appearance of the first fat granule cells (foam cells)	78
36- Formation of a broad rim of fat granule cells separating infarcted area and normal brain tissue.(5 days after MCA-O)	78
37- Formation of a broad rim of fat granule cells separating infarcted area and normal brain tissue.(5 days after MCA-O)	79
38- Sprouting of capillaries from the normal brain into the infarcted area	79
39- Increase of connective tissue covering the infarction	80
40- Increase of connective tissue covering the infarction	80
41- The connective tissue zone tries to ensheath the infarction	81
42- The connective tissue zone tries to ensheath the infarction	81
43- The capillaries and connective tissue directly invade the necrotic tissue	82
44- Effect of dizocilpine on the infarct area, 48 hrs after MCA-O in the mouse.	84
45- Effect of dizocilpine on the infarct area, 5 days after MCA-O in the mouse.	85
46- Effect of dizocilpine on the infarct area, 10 days after MCA-O in the mouse.....	86
47- Effect of dizocilpine on the infarct area, 20 days after MCA-O in the mouse.....	87
48- Effect of dizocilpine on the infarct area, 2 months after MCA-O in the mouse.....	88
49- Effect of postischaemic period on the infarct area in control untreated groups and treated groups.....	89