

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

# جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

### US Guided Fascia Iliaca Block versus Femoral Nerve Block for Postoperative Analgesia for Patient Undergoing Total Knee Arthroplasty

#### Thesis

Submitted for Partial Fulfilment of MSc Degree in Anaesthesiology, Intensive Care and Pain Management.

#### By

#### Nermeen Shawky Ahmed

MBBCH, Faculty of Medicine, Ain Shams University

#### Under supervision of

#### **Prof. Raouf Ramzy Gadalla**

Prof of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

#### **Dr. Reham Fathy Galal**

Lecturer of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

#### Dr. Samuel Habachi Daniel

Lecturer of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

> Faculty of Medicine Ain Shams University

> > 2021



سورة البقرة الآية: ٣٢

### Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof.** Raouf Ramzy Gadalla, Prof of Anaesthesia, Intensive Care and Pain Management - Faculty of Medicine- Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Dr. Reham Fathy Galal,** Lecturer of Anaesthesia, Intensive Care and Pain Management, Faculty of Medicine, Ain Shams University, for her kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Samuel Habachi Daniel,** Lecturer of Anaesthesia, Intensive Care and Pain Management, Faculty of Medicine, Ain Shams University, for her great help, active participation and guidance.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Nermeen Shawky Ahmed

### Tist of Contents

| Title                             | Page No. |
|-----------------------------------|----------|
| List of Tables                    | i        |
| List of Figures                   | ii       |
| List of Abbreviations             | iv       |
| Introduction                      | 1        |
| Aim of the Work                   | 3        |
| Review of Literature              |          |
| Anatomy of Nerves of Lower Limb   | 4        |
| Pharmacology of Local Anesthetics | 13       |
| Regional Nerve Block              | 21       |
| Patients and Methods              | 27       |
| Results                           | 34       |
| Discussion                        | 46       |
| Summary                           | 53       |
| Conclusion                        | 55       |
| References                        | 56       |
| Arabic Summary                    |          |

## Tist of Tables

| Table No.         | Title  | Page No.    |
|-------------------|--|-------------|
|                   |  | _           |
| Table (1):        | Comparison between FIB group FNB group as regard demographic of  |             |
| <b>Table (2):</b> | Comparison between FIB group FNB block as regard heart rate  |             |
| <b>Table (3):</b> | Comparison between FIB group FNB group as regard systolic art blood pressure   | erial       |
| <b>Table (4):</b> | Comparison between FIB group FNB group according to diastolic by pressure  | olood       |
| <b>Table (5):</b> | Comparison between FIB group FNB group according to VAS score  |             |
| <b>Table (6):</b> | Comparison between FIB group FNB group according to first time to analgesia (hrs) and total pethic given (mg) in 24 hrs. | ask<br>dine |
| <b>Table (7):</b> | Comparison between FIB group & I group as regard nausea and vomiting   |             |

### Tist of Figures

| Fig. No.            | Title   | Page No.                 |
|---------------------|---|--------------------------|
|                     |   |                          |
| Figure (1):         | Lumbar plexus formation   | 5                        |
| Figure (2):         | Femoral Nerve course  | 6                        |
| Figure (3):         | Lateral femoral cutaneous nerve cou   | ırse8                    |
| Figure (4):         | Obturator nerve course  | 9                        |
| Figure (5):         | Sciatic nerve course  | 10                       |
| Figure (6):         | Anatomy of Fascia Iliaca  | 12                       |
| Figure (7):         | Local anaesthetic structure   | 13                       |
| Figure (8):         | Local anaesthetic distribution  | 17                       |
| Figure (9):         | Fascia Iliaca Compartment l<br>Landmark technique   |                          |
| Figure (10):        | Fascia iliaca compartment   | 22                       |
| <b>Figure</b> (11): | Fascia Iliaca Compartment block uUS guidance  |                          |
| Figure (12):        | Fascia Iliaca Compartment block u<br>US guidance Needle direction   |                          |
| Figure (13):        | Femoral nerve (FN) as seen distall and at the femoral crease (B) Note FN is better visualized at B, befor take off the deep artery of the (DAT) | e that<br>e the<br>thigh |
| <b>Figure (14):</b> | Ultrasound image of the needle panerve block the femoral nerve  |                          |
| Figure (15):        | Visual analog scale (VAS)   | 32                       |
| <b>Figure</b> (16): | Comparison between FNB group FIB group according to heart rate  | and                      |

### Tist of Figures (Cont...)

| Fig. No.     | Title   | Page No. |
|--------------|---|----------|
| Figure (17): | Comparison between FIB group FNB group according to systolic pressure.            | blood    |
| Figure (18): | Comparison between FIB group FNB group according to diastolic pressure            | blood    |
| Figure (19): | Comparison between FIB group FNB group according to VAS score                     |          |
| Figure (20): | Bar chart between FIB group and group according to first time to analgesia (hrs). | ask      |
| Figure (21): | Bar chart between FIB group and group according to total pethidine (mg)           | given    |