

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY



Role of Trimetazidine in Prevention of Coronary No Reflow in Patients with ST Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention.

A Thesis
Submitted for Partial Fulfillment of M.D. Degree
in Cardiology

Presented By

Moheb Morad Sobhy
Cardiologist(MSc), Ain Shams University

Under Supervision of

Prof. Dr. Ahmed Abd El Rahman Sharf EL Din Professor of Cardiology Department, Ain Shams University

Dr. Haytham Galal Mohamed HelmyAssistant Professor of Cardiology Department,
Ain Shams University

Dr. Hazem Mohamed Khorshid Assistant Professor of Cardiology Department, Ain Shams University

Faculty of Medicine
Ain Shams University
2021



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Dr. Ahmed Abd El Rahman Shaf El Din,** Professor of Cardiology Department, Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Dr. Haytham Galal Mohamed Helmy**, Assistant Professor of Cardiology Department, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Hazem**Mohamed Khorshid, Assistant Professor of
Cardiology Department, Ain Shams University, for his
great help, active participation and guidance.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Moheb Morad Sobhy

Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	
Introduction	1
Aim of the Work	
Review of Literature:	
Myocardial Infarction	5
Coronary No-Reflow	13
Trimetazidine	22
Subjects and Methods	29
Results	
Discussion	
Summary	66
Limitations of the Study	
Conclusion	
Recommendations	71
References	
Arabic Summary	

Tist of Tables

Table N	o. Title	Page No.
Table (1):	Demographic characteristics of the Studied C	Groups 41
Table (2):	Risk factors distribution among the studied p	oatients42
Table (3):	Pain to Door time (PTD)	43
Table (4):	Baseline laboratory profile	43
Table (5):	ECG and Cardiac enzymes (baseline and after	er 24 hours) 44
Table (6):	STEMI territory, culprit vessel, site of occlusion burden, TIMI flow pre PPCI and KILLIP class	
Table (7):	PCI technique and stent size.	47
Table (8):	Coronary no-reflow post PPCI	48
Table (9):	Echocardiographic assessment 1 day after PI	PCI48
Table (10):	Echocardiographic assessment after 1 month	50
Table (11):	Clinical follow up of patients in both groups	for 1 month 52
Table (12):	Percentage of changes regarding baseline and (ECG, cardiac enzymes and troponin) & after 1 month echocardiographic parameters in	er 1 day and

Tist of Figures

Fig. No.	Title	Page No.
Figure (1):	Leading cause of death globally	6
Figure (2):	Pathogenesis of MI type 1	7
Figure (3):	Pathogenesis of MI type 2	8
Figure (4):	Pathogenesis of No-Reflow	14
Figure (5):	Therapies of No-Reflow Targeted to Main Pathogenetic	Mechanisms 21
Figure (6):	Structure of TMZ	23
Figure (7):	Cardiac Metabolism in Normal Conditions	24
Figure (8):	Metabolic Alterations during Sustained Period of	Ischaemia 25
Figure (9):	Mechanism of action of trimetazidine	26
Figure (10):	ST segment elevation in ECG after 24 hours in b	oth groups45
Figure (11):	E/E day after PPCI	49
Figure (12):	GLS in both groups after 1 month	51
Figure (13):	Diastolic function by TDI (E/E') after 1 month	n51
Figure (14):	Percentage of change of LV ejection fracti	on in both
	groups by Echo after 1 month	54
Figure (15):	Percentage of descent of CK total in both groups i	n 24 hours 55
Figure (16):	Percentage of change in resolution of S' elevation in ECG in both groups after 24 hour	O