

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY

Fascia Iliaca Block versus Intra-Venous Analgesia for Positioning of Neck Femur Fracture in Patient Undergoing Spinal Anasthesia

Thesis

Submitted for Partial Fulfilment of MSc Degree in Anaesthesiology, Intensive Care and Pain Management

By

Mahmoud Abdelaziz Mohamed

M.B., B.CH Faculty of Medicine, Ain Shams University

Under supervision of

Prof. Mohamed Saeed Abdelaziz

Professor of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

Prof. Karim Youssef Kamal Hakim

Professor of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

Dr. Peter Naiem Abdelmassiah Ibraheem

Lecturer of Anaesthesia, Intensive Care and Pain Management Faculty of Medicine-Ain Shams University

> Faculty of Medicine Ain Shams University



Acknowledgment

First and foremost, I feel always indebted to AUAH, the Most Kind and Most Merciful.

I'd like to express my respectful thanks and profound gratitude to **Prof. Mohamed Saced**Abdelaziz, Professor of Anaesthesia, Intensive Care and Pain Management - Faculty of Medicine- Ain Shams University for his keen guidance, kind supervision, valuable advice and continuous encouragement, which made possible the completion of this work.

I am also delighted to express my deepest gratitude and thanks to **Prof. Karim Youssef Kamal Hakim**, Professor of Anaesthesia, Intensive Care and Pain Management, Faculty of Medicine, Ain Shams University, for his kind care, continuous supervision, valuable instructions, constant help and great assistance throughout this work.

I am deeply thankful to **Dr. Peter Maiem**Abdelmassiah Ibraheem, Lecturer of Anaesthesia,
Intensive Care and Pain Management, Faculty of
Medicine, Ain Shams University, for her great help,
active participation and guidance.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Mahmoud Abdelaziz Mohamed

Tist of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	iv
Introduction	1
Aim of the Work	3
Review of Literature	
Anatomy of Nerves of Lower Limb	4
Pharmacology of Local Anesthetics	17
Pharmacology of Opioid	29
Patients and Methods	44
Results	50
Discussion	67
Summary	71
Conclusion	73
References	74
Arabic Summary	

Tist of Tables

Table No.	Title	Page No.
Table (1):	Classification of opioid receptors	30
Table (2):	Physical characteristics of opioids determine	
Table (3):	Uses and doses of common opioids	40
Table (4):	Comparison between the two studied gregarding demographic and characteristhe studied patients	tics of
Table (5):	Comparison between the two studied gregarding number of days since fra VAS score during positioning and tip perform SAB among the studied patient	cture, me to
Table (6):	Comparison between the two studied g regarding quality of positioning and p satisfaction	atient
Table (7):	Comparison between the two studied gregarding heart rate of the studied patie	_
Table (8):	Comparison between the two studied gregarding mean arterial blood pressure studied patients	of the
Table (9):	Comparison between the two studied gregarding Spo2 of the studied patients	-
Table (10):	Comparison between the two studied gregarding respiratory rate of the st patients	cudied
Table (11):	Comparison between the two studied gregarding first rescue analgesic postope of the studied patients	rative

Tist of Figures

Fig. No.	Title	Page No.
Figure (1):	Lumbar plexus formation	4
Figure (2):	Femoral Nerve course	6
Figure (3):	Lateral femoral cutaneous nerve course	e7
Figure (4):	Obturator nerve course	9
Figure (5):	Sciatic nerve course	10
Figure (6):	Anatomy of Fascia Iliaca	12
Figure (7):	Fascia iliaca compartment	13
Figure (8):	Fascia Iliaca Compartment Landmark technique	
Figure (9):	Fascia Iliaca Compartment block unde guidance	
Figure (10):	Fascia Iliaca Compartment block under guidance Needle direction	
Figure (11):	Local anesthetic structure	17
Figure (12):	Opioid agonists and antagonists share of their chemical structure, which outlined in cyan	eh is
Figure (13):	Comparison between the two studied g regarding age of the studied patients	roups
Figure (13):	Comparison between the two studied g regarding sex of the studied patients	-
Figure (14):	Comparison between the two studied g regarding fracture site among the st patients	udied
Figure (15):	Comparison between the two studied g regarding weight of the studied patient	-
Figure (16):	Comparison between the two studied g regarding number of days since fra among the studied patients	ıcture

Tist of Figures (Cont...)

Fig. No.	Title Page	No.
Figure (17):	Comparison between the two studied groups regarding VAS score during positioning among the studied patients	54
Figure (18):	Comparison between the two studied groups regarding time to perform SAB among the studied patients	55
Figure (19):	Comparison between the two studied groups regarding quality of positioning	57
Figure (20):	Comparison between the two studied groups regarding patient's satisfaction	57
Figure (21):	Comparison between the two studied groups regarding heart rate of the studied patients	59
Figure (22):	Comparison between the two studied groups regarding mean arterial blood pressure of the studied patients	61
Figure (23):	Comparison between the two studied groups regarding Spo2 of the studied patients	63
Figure (24):	Comparison between the two studied groups regarding respiratory rate of the studied patients	65
Figure (25):	Comparison between the two studied groups regarding first rescue analgesic postoperative of the studied patients	66