

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY





DESIGNING FOR AUTISM SPECTRUM: TOWARDS INCLUDING AUTISTIC PEOPLE IN MAINSTREAM SCHOOLS

By

Nouran Hamdy Ewiss

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
Architectural Engineering

DESIGNING FOR AUTISM SPECTRUM: TOWARDS INCLUDING AUTISTIC PEOPLE IN MAINSTREAM SCHOOLS

By Nouran Hamdy Ewiss

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
Architectural Engineering

Under the Supervision of

Assoc. Prof. Karim El-Ghazaly
Kesseiba
Dr. Mennat-Allah Mohsen
El-Husseiny

Associate Professor of Design and Theories of Architecture Architectural Department Faculty of Engineering, Cairo University Assistant Professor Architectural Department Faculty of Engineering, Cairo University

DESIGNING FOR AUTISM SPECTRUM: TOWARDS INCLUDING AUTISTIC PEOPLE IN MAINSTREAM SCHOOLS

By **Nouran Hamdy Ewiss**

A Thesis Submitted to the
Faculty of Engineering at Cairo University
in Partial Fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
Architectural Engineering

Approved by the
Examining Committee

Assoc. Prof. Karim El-Ghazaly Kesseiba, Thesis Main Advisor

Dr. Mennat-Allah Mohsen El-Husseiny Advisor

Prof. Dr. Hisham Sherif Gabr

Internal Examiner

Prof. Dr. Dina Kamal Eldin Shehayeb

- The Nile university in Cairo (NU)

FACULTY OF ENGINEERING, CAIRO UNIVERSITY GIZA, EGYPT 2021 **Engineer's Name:** Nouran Hamdy Ewiss

Date of Birth: 19/04/1992 **Nationality:** Egyptian

E-mail: Nouran.arabesque2013@gmail

.com

Phone: 01002017550

Address: 16B Al-Saada street, Italian city,

zahraa Al-maadi

Registration Date: 01/10/2014 **Awarding Date:**/..../2021

Degree: Master of Science

Department: Architectural Department

Supervisors:

Prof. Dr. Karim El-Ghazaly Kesseiba Dr. Mennat-Allah Mohsen El-Husseiny

Examiners:

Prof. Dr. Dina Kamal Eldin Shehayeb

(External examiner) Nile university (NU)

Prof. Dr. Hisham Sherif Gabr (Internal examiner)

Assoc. Prof. Karim El-Ghazaly Kesseiba

(Thesis main advisor)

Prof. Mennat-Allah Mohsen El-Husseiny (advisor)

Title of Thesis:

Designing for autism spectrum: Redesigning mainstream schools to include children with Autism.

Key Words:

Autism; Inclusion; Mainstream schools; Redesign; Autism friendly.

Summary:

This research aims to study the relation between architecture and autism, towards including autistic people in the mainstream schools along with their normally developing peers. The research focuses on studying autism spectrum disorder, the symptoms, and the users' psychological and physiological needs. In addition, studying the spatial needs of autistic people and the impact of the architectural elements and design on them. The research mainly focuses on designing the learning environments for autistic people along with the design guidelines of the mainstream schools, in order to reach the optimal and most common design guideline to create an inclusive autism friendly environment able to host both autistic students along with their normally developing peers.



Disclaimer

I hereby declare that this thesis is my own original work and that no part of it has been submitted for a degree qualification at any other university or institute.

I further declare that I have appropriately acknowledged all sources used and have cited them in the references section.

| Name: | Date: |
|------------|-------|
| Signature: | |

Dedication

This thesis is dedicated to all people on the autism spectrum and their families, hoping to help them live a normal life.

Acknowledgments

It has been a long journey! Full of pressure, stress, failure, losing hope and crying, along with learning, gaining skills, excitement, challenges and pride.

I have to say alhamdulelah and thank Allah for giving me the patience and strength to complete this work and from all my heart I hope this research turns into something helpful for people.

Sincere gratitude and appreciation go to my professors; Dr. Karim Kesseiba and Dr. Menna El-Hussieny. I highly appreciate their fruitful comments, continuous support, guidance, and patience, and special appreciation goes for handling my physical absence and managing to work with completely different time zones.

My family, who never gave up on me, without their support I'd have never kept going and working on my thesis. My beautiful mom, who has never given up on me, she kept pushing and motivating me through my darkest times and she used to tell me that I'm helping people not just seeking an educational degree. My father, who has always been witnessing and praying I hope I'm making you proud of me. My sister and best friend, thanks for always being there for me. My brother, thanks for the care and support appearing in so many different languages. My nephew, who used to love me unconditionally ©.

And finally, my husband and lifetime friend and partner, who has been with me through the whole journey helping and supporting. He managed to listen to all my meltdowns and turn them into challenges.

To all my friends who had done beautiful work, thanks for encouraging me to keep going. And those who are struggling to continue, thanks for sharing the journey with me and for not letting me feel alone in this journey.

To all those strangers who helped me for no reason thank you. And for those who have never done their part, please be kind © Finally, we are neither late, nor early. We are just on time.

Table of Contents

| DISCLAI | MER | I |
|---------------|--|-----|
| DEDICA | TION | II |
| ACKNOV | VLEDGMENTS | III |
| TABLE (| OF CONTENTS | IV |
| LIST OF | TABLES | VI |
| | FIGURES | |
| ABSTRA | СТ | X |
| | R 1 : RESEARCH OUTLINE | |
| 1.1. | INTRODUCTION | |
| 1.2. | PROBLEM DEFENITION | |
| 1.3. | RESEARCH STATEMENT | |
| 1.4. | RESEARCH QUESTIONS | |
| 1.5. | RESEARCH HYPOTHESIS | |
| 1.6. | RESEARCH AIMS AND OBJECTIVES | 4 |
| 1.7. | RESEARCH LIMITATIONS | 4 |
| 1.8. | RESEARCH DIFFICULTIES: | 4 |
| 1.9. | RESEARCH METHODOLOGY | 5 |
| 1.10. | RESEARCH STRUCTURE | 5 |
| СНАРТЕ | R 2 : UNDERSTANDING AUTISM SPECTRUM DISORDER | 8 |
| 2.1. | Introduction: | 8 |
| 2.2. | WHAT IS AUTISM SPECTRUM DISORDER? | |
| 2.3. | AUTISM SYMPTOMS: | 10 |
| 2.4. | SENSORY PERCEPTION IN AUTISM: | |
| 2.4.1. | Hypersensitive: | 10 |
| 2.4.2. | Hyposensitive: | 12 |
| 2.4.3. | Gestalt perception: | |
| 2.4.4. | Fragmented perception: | |
| 2.4.5. | Delayed Processing/ Perception: | |
| 2.5. | Conclusion: | 16 |
| CHAPTE | R 3 : DESIGN FOR AUTISM | 17 |
| 3.1. | Introduction: | 17 |
| 3.2. | THEORIES OF DESIGNING FOR AUTISM: | 17 |
| 3.2.1. | Sensory Design Theory: | |
| 3.2.2. | Neurotypical Design Theory: | |
| 3.3. | DESIGN ELEMENTS: | |
| 3.3.1. | Classroom: | 23 |

| 3.3.2. | Outdoor Activity Area: | 27 |
|--------|--|----------|
| 3.3.3. | Circulation Elements and Corridors: | 30 |
| 3.4. | INCLUSION: | 33 |
| 3.5. | Conclusion: | 34 |
| СНАРТЕ | ER 4 : MAINSTREAM SCHOOLS DESIGN GUIDELINES | 40 |
| 4.1. | Introduction: | 40 |
| 4.2. | Design Elements: | 41 |
| 4.2.1. | Classrooms: | 41 |
| 4.2.2. | Outdoor Activity Area: | 44 |
| 4.2.3. | Circulation Elements and Corridors: | 44 |
| 4.3. | EXISTING EXPERIMENTAL SCHOOLS – EGYPT: | 45 |
| 4.3.1. | Tarek El-Mergawy/ Al-Kamal Experimental School - Cairo: | 45 |
| 4.3.2. | Almaza/ Al-Shahid Sharif Hagag Mannaa' Experimental School-52 | – Cairo: |
| 4.4. | Conclusion: | 60 |
| | ER 5 : APPLYING THE COMMON DESIGN GUIDELINES ON NG EXPERIMENTAL SCHOOL | 63 |
| 5.1. | TAREK EL-MERGAWY / AL-KAMAL EXPERIMENTAL SCHOOL: | 63 |
| 5.1.1. | Optimal redesign: | 63 |
| 5.1. | | |
| 5.1. | | |
| 5.1.2. | 1.3. Outdoor activity area: | |
| | 2.1. Classroom: | |
| 5.1. | | |
| 5.1. | 2.3. Outdoor activity area | 77 |
| 5.2. | ALMAZA SCHOOL/ AL-SHAHID SHARIF HAGAG MANNAA' EXPERIMEN | TAL |
| SCHOOL | L– CAIRO: | 77 |
| 5.2.1. | 1 0 | |
| 5.2.2. | Minimal redesign: | 81 |
| 5.3. | Conclusion: | 84 |
| СНАРТЕ | ER 6 : CONCLUSIONS AND RECOMMENDATIONS | 86 |
| 6.1. | DISCUSSION: | 86 |
| 6.2. | FINDINGS AND RECOMMENDATIONS: | 87 |
| 6.3. | PROSPECT OF FUTURE WORK: | 89 |

List of Tables

| Table 1: Comparison between different autism spectrum sensory perceptions | 16 |
|---|----|
| Table 2: Design considerations for autistic friendly environment Source: Author | 39 |
| Table 3: The common design guidelines between mainstream schools and autistic | |
| schools Source: Author | 62 |
| Table 4: Schools' design modifications evaluation matrix Source: Author | 85 |

List of Figures

| Figure 1: research structure Source: author |
|---|
| Figure 2: Autism growth from 2000 to 2014 Data by: Center of disease control and |
| prevention CDC Graph by: author9 |
| Figure 3: Trinity school ASD unit normal perception source: |
| https://www.trinitynewbury.org/page/? title=ASD+Unit&pid=2111 |
| Figure 4: Trinity school ASD unit hypersensitive perception photo editing: by author 11 |
| Figure 5: Trinity school ASD unit normal perception source: |
| https://www.trinitynewbury.org/page/? title=ASD+Unit&pid=21 |
| Figure 6: Trinity school ASD unit hyposensitive perception photo editing: by author .12 |
| Figure 7: Trinity school ASD unit Normal perception source: |
| https://www.trinitynewbury.org/page/? title=ASD+Unit&pid=2113 |
| Figure 8: Trinity school ASD unit Gestalt perception photo editing: by author13 |
| Figure 9: Trinity school ASD unit Normal perception source: |
| https://www.trinitynewbury.org/page/? title=ASD+Unit&pid=2114 |
| Figure 10: Trinity school ASD unit Fragmented perception photo editing: by author14 |
| Figure 11: Trinity school ASD unit Delayed Perception Photo editing: by author14 |
| Figure 12: Creating transitional area before entering the classroom - Center for Autism |
| New Struan Source: https://www.aitken-turnbull.co.uk/project/centre-autism-new- |
| struan/23 |
| Figure 13: adding seating area in corridors before entering the rooms - Sunfeild |
| Residential Unit Source: https://www.ga-architects.com/projects-specialneeds23 |
| Figure 14: Furniture arrangement defining different activities - Trinity School ASD |
| Unit Source: https://www.trinitynewbury.org/page/?title=ASD+Unit&pid=2124 |
| Figure 15: Using visual signs to guide the children - Kennedy light nursery Source: |
| https://www.ga-architects.com/projects-specialneeds24 |
| Figure 16: Withdrawal area inside the classroom - The ASD unit at St. Catherine's |
| national school in rush Source: |
| https://www.independent.ie/regionals/fingalindependent/news/progressive-education- |
| 36594432.html |
| Figure 17: Indirect lighting used in corridors - Acland Burghley Resource Base Source: |
| https://www.autism-architects.com/autism-design-projects |
| Figure 18: Clerestory Windows used for natural lighting in classrooms – Netley Autism |
| Center Source: http://haverstock.com/project/netley-autistic-unit/26 |
| Figure 19: Carpets used as flooring material in classrooms - Trinity school ASD unit |
| Source: https://www.trinitynewbury.org/page/ ?title=ASD+Unit&pid=2127 |
| Figure 20: using carpets and acoustical panels to reduce sound and echo - Nightingale |
| Centre, Bedford Source: https://www.linkedin.com/pulse/inclusively-educational-mark- |
| ellerby/27 |
| Figure 21: Transition between indoor and outdoor spaces Source: Designing across the |
| spectrum – play area (Owen, 2016)28 |
| Figure 22: Different floor levels to create areas where child can use to rest and calm |
| down without being isolated Source: Designing across the spectrum – play area (Owen, |
| 2016)29 |
| Figure 23: Using screens to create areas where child can use to rest and calm down |
| without being isolated Source: https://www.handmadeplaces.co.uk/ products/mouse- |
| cheese-fence-nanel/ |

| Figure 24: Circulation space instead of corridor - Nightingale Centre, Bedford Sour | |
|--|------------|
| https://www.linkedin.com/pulse/inclusively-educational-mark-ellerby/ | 31 |
| Figure 25: Creating spaces for activities and social interactions - Nightingale Centre | ٤, |
| Bedford Source: https://www.linkedin.com/pulse/inclusively-educational-mark-elle | rby/ |
| | - |
| Figure 26: Using curved edges instead of sharp edges - New Saturn school Source: | |
| https://www.pinterest.com/ pin/474285404485593743/ | 32 |
| Figure 27: Curved walls are used to help students in navigation - Nightingale Centre | |
| Bedford Source: https://www.linkedin.com/pulse/inclusively-educational-mark-elle | |
| Dedicte Scarce, hupon, www.mincomescons.paise, metasty educational main ene | • |
| Figure 28: Zoning according to the stimulus level Source: Author | |
| Figure 29: Zoning proposal 1 Source: Author | |
| Figure 30: Zoning proposal 2 Source: Author | |
| Figure 31: Zoning Proposal 3 Source: Author | |
| Figure 32: Row Arrangement Tarek El Mergawy Experimental School, Source: Aut | |
| | |
| Figure 22. Cluster Amangament Tarak El Mangayyy Evpanimental Sahael Sayraa | 42 |
| Figure 33: Cluster Arrangement Tarek El Mergawy Experimental School, Source: Author | 42 |
| | |
| Figure 34: Tarek El-Mergawy school location Source: Author | |
| Figure 35: Tarek El-Mergawy school layout Source: Author | |
| Figure 36: Tarek El-Mergawy school Source: Author | |
| Figure 37: Building A typical floor plan Source: Author | |
| Figure 38: Building A typical floor zoning Source: Author | |
| Figure 39: Building B typical floor plan Source: Author | |
| Figure 40: Building B typical floor zoning Source: Author | |
| Figure 41: The typical classroom Source: Author | 49 |
| Figure 42: using curtains to control the amount of lighting entering the classroom | |
| Source: Author | |
| Figure 43: Using fluorescent lighting Source: Author | |
| Figure 44: Terrazzo tiles for the floors Source: Author | |
| Figure 45: Resources room - Tarek El-Mergawy school Source: Author | |
| Figure 46: Curtains are used to cover the windows Source: Author | 50 |
| Figure 47: Fluorescent lighting Source: Author | 50 |
| Figure 48: Vinyl flooring Source: Author | 51 |
| Figure 49: Room arrangement Source: Author | 51 |
| Figure 50: Building A corridor Source: Author | 51 |
| Figure 51: Building B corridor Source: Author | 51 |
| Figure 52: Building A stairs Source: Author | 52 |
| Figure 53: Building B stairs Source: Author | 52 |
| Figure 54: Almaza school location Source: Author | |
| Figure 55: Almaza school layout Source: Author | |
| Figure 56: Almaza school Source: Author | |
| Figure 57: Building A typical floor plan Source: Author | |
| Figure 58: Building A typical floor zoning Source: Author | |
| Figure 59: Building B typical floor plan Source: Author | |
| Figure 60: Building B typical floor zoning Source: Author | |
| Figure 61: Building C typical floor plan Source: Author | |
| Figure 62: Building C typical floor zoning Source: Author | |
| Figure 63: The typical Classroom arrangement Source: Author | |
| Figure 64: the classrooms' windows Source: Author | <i>5</i> 7 |