

بسم الله الرحمن الرحيم



-C-02-50-2-





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرونيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار





IONIC ANTI-VIRAL INTRALESIONAL THERAPY IN PLANTAR WARTS

AThesis

Submitted for Fulfillment of Master Degree in Dermatology, Venereology and Andrology

Presented By Wessam Moustafa Abo Elmagd Abdel Latif M.B.B.Ch.

Faculty of Medicine, Ain Shams University

Under Supervision of

Dr. Ghada Fathy Mohammad

Professor of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

Dr. Ahmed Abd-Elfattah Afify

Lecturer of Dermatology, Venereology and Andrology Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
2020



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to ALLAH, the Most Kind and Most Merciful.

I was honored to work under the supervision of **Prof. Dr. Ghada Fathy Mohammed,** Professor of Dermatology,
Venereology and Andrology, Faculty of Medicine, Ain Shams
University, for her vital assistance and unlimited cooperation. She had generously offered me much of her time,
precious advice and variable guidance throughout this work.

I wish to express my deepest thanks and gratitude to Or. Ahmed Abd-Elfattah Afify, Lecturer of Dermatology, Venereology and Andrology, Faculty of Medicine, Ain Shams University, for his close supervision, generous efforts and constant encouragement. He had scarified a lot of his busy time to teach me and revise over step of this thesis.

To my family, all my colleagues and all those who helped me in this work, I am so thankful for their support and co-operation.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Wessam Moustafa Abo Elmagd Abdel Latif

List of Contents

Title	Page No.
List of Abbreviations	i
List of Tables	iii
List of Figures	iv
Introduction	1
Aim of the Work	4
Review of Literature	
Warts	5
Treatment of Warts	29
Combination of Digoxin and Furosemide	51
Patients and Methods	58
Results	68
Discussion	91
Summary	97
Conclusion	101
Recommendation	102
References	103
Arabic Summary	

List of Abbreviations

Abb.	Full term
ACE	Angiotensin converting enzyme
AHA	Alpha-hydroxy acid
AMP	Antimicrobial Peptide
APCs	Antigen-presenting cells
BCA	Bichloroacetic acid
BCC	Basal cell carcinoma
BCG	Bacillus Calmette Geurin
BPO	Benzoyl peroxide
CHF	Congestive heart failure
CO ₂ laser	Carbon dioxide laser
DCP	Diphencyprone
DNCB	Dinitrochlorobenzene
DPCP	Diphenylcyclopropenone
ECG	Echocardiography
EDV	Epidermodysplasia verruciformis
H & E	Hematoxylin and Eosin stain
HF	Heart failure
HPV	Human papilloma virus
ICVT	Ionic contraviral therapy
IFN-α	Interferon-alpha
IFN-γ	Interferon-gamma
IL-1	Interleukin 1

List of Abbreviations Cont...

Abb.	Full term
IL-2	. Interleukin 2
IV	. Intravenous
КОН	. Potassium hydroxide
LCs	. Langerhans cells
LEEP	. Loop electrosurgical excision procedure
MMR	. Measles, mumps, and rubella vaccine
NKs	. Natural killer cells
PCR	. Polymerase chain reaction
PDL	. Pulsed dye laser
PPD	. Purified protein derivative
RRP	. Recurrent Respiratory Papillomatosis
SADBE	. Squaric acid dibutyl ester
SCC	. Squamous Cell Carcinoma
TCA	. Trichloroacetic acid
Th	. T-helper cells
TLR	. Toll-like receptor
TNF α	. Tumor necrosis factor α

List of Tables

Table No.	Title	Page No.
Table (1):	Risk Factors for Plantar Wart	Development7
Table (2):	Comparison between the 2 s regard age, sex and duration of	<u> </u>
Table (3):	Comparison between the 2 regarding response to treatment size of warts)	ent (reduction in
Table (4):	Comparison between the 2 regarding response to treatment number of warts)	ent (reduction in
Table (5):	Correlation between age, dura and reduction in number of wa	
Table (6):	Correlation between sex a number of warts in group 2	
Table (7):	Evaluation of final response (r warts) in all patients after retreatment	ceiving the active
Table (8):	Evaluation of final respon- number of warts) in all patien the active treatment	nts after receiving

List of Figures

Fig. No.	Title Page No.	
Figure (1):	Notable HPV types and associated diseases	11
Figure (2):	Common wart	
Figure (3):	Flat (Plane) wart	17
Figure (4):	Filiform wart on the upper eye lid	17
Figure (5):	Genital wart	
Figure (6):	Periungual wart	
Figure (7):	Plantar wart	
Figure (8):	Dermoscopic photo of a genital wart	23
Figure (9):	Micrograph of a common wart showing the characteristic features	
Figure (10):	Koilocytes, 40x magnification lens, H & E stain	25
Figure (11):	Histopathology of palmoplantar wart, Hematoxylin and Eosin stain, 10x magnification lens	
Figure (12):	Owel's eye appearance, 100x magnification lens, H & E Stain	27
Figure (13):	Large pink inclusions in verrucae, 40x magnification lens, H & E Stain	28
Figure (14):	Assessment of the wart size by dermalite dermoscope.	60
Figure (15):	(a) DermLite DL3 Dermoscope (b) contact lens view.	61
Figure (16):	(a) Attachment piece of DermLite Dermoscope (b) The dermoscope attached to the digital camera.	
Figure (17):	Correlation between duration of disease and reduction in number of warts in group 2	

Fig. No.	Title	Page No.
Figure (18):	Correlation between age and of warts in group 2	
Figure (19):	Correlation between sex and rof warts in group 2.	
Figure (20):	Photo of 42 year-old fematreatment with intra (a)Photographic photo showing in number) (b)dermoscopic ph	alesional saline ng plantar warts (4
Figure (21):	Photo of 42 year-old femotreatment with intralesional stresponse. (c) Photographic photographic warts (4 in number with 25% (d)dermoscopic photo showing	saline showing good oto showing plantar % reduction in size)
Figure (22):	Photo of 25 year-old matreatment with intra (a)Photographic photo showing in number) (b)dermoscopic photographic photograp	llesional saline. ng plantar warts (4
Figure (23):	Photo of 25 year-old m treatment with intralesions good response. (c) Photograp plantar warts (4 in number v in size) (d) dermoscopic plantar wards.	al saline showing phic photo showing with 25% reduction hoto showing good
Figure (24):	Photo of 38 year-old fematreatment with intra (a)Photographic photo showing in number) (b)dermoscopic photographic photogr	ale patient before llesional saline. ng plantar warts (4

Fig. No.	Title	Page No.
Figure (25):	Photo of 38 year-old female treatment with intralesional saline response. (c) Photographic photo shwarts (4 in number with no red (d)dermoscopic photo showing poor	showing poor nowing plantar uction in size)
Figure (26):	Photo of 43 year-old male patreatment with saline(a)Photographic photo showarts (5 in number) (b)dermoscopic	intralesional owing plantar
Figure (27):	Photo of 43 year-old male treatment with intralesional sa poor response. (c) Photographic plantar warts (complete clearance with less than 25% reduction is remaining warts) (d)dermoscopic poor response.	aline showing photo showing the of one wart on size of the photo showing
Figure (28):	Photo of 32 year-old female particles of 32 year-old female particles of treatment with intralesional furosemide. (a)Photographic plantar warts (5 in number) (b)deres	digoxin and noto showing
Figure (29):	Photo of 32 year-old female treatment with intralesional furosemide showing excellent Photographic photo showing complewarts (d) dermoscopic photo show clearance of warts	digoxin and response. (c) ete clearance of wing complete

Fig. No.	Title	Page No.
Figure (30):	Photo of 21 year-old male treatment with intralesional furosemide(a)Photographic photomater warts (4 in number) photo	digoxin and noto showing (b)dermoscopic
Figure (31):	Photo of 21 year-old male treatment with intralesional furosemide showing excellent Photographic photo showing comp warts(d)dermoscopic photo showing clearance of warts	digoxin and response. (c) blete clearance of owing complete
Figure (32):	Photo of 39 year-old male treatment with intralesional furosemide. (a)Photographic plantar warts (5 in number) (b)den	digoxin and photo showing
Figure (33):	Photo of 39 year-old male patient with intralesional digoxin and fur very good response. (c) Photograph complete clearance of two warts are in size of the remaining warts (d)d showing very good response	osemide showing ic photo showing nd 75% reduction ermoscopic photo
Figure (34):	Photo of 19 year-old female treatment with intralesional furosemide. (a)Photographic plantar warts (3 in number) (b)der	digoxin and photo showing

	- V 0	
Fig. No.	Title	Page No.
Figure (35):	Photo of 19 year-old female treatment with intralesional furosemide showing good Photographic photo showing plannumber with 25% reduction (d)dermoscopic photo showing good	digoxin and response. (c) atar warts (3 in of their size)
Figure (36):	Photo of 24 year-old male treatment with intralesional furosemide. (a)Photographic plantar warts (4 in number) (b)den	digoxin and photo showing
Figure (37):	Photo of 24 year-old male treatment with intralesional furosemide showing poor Photographic photo showing compone wart and no reduction in warts(d)dermoscopic photo response.	digoxin and response. (c) lete clearance of size of other showing poor
Figure (38):	Photo of 38 year-old male treatment with intralesional furosemide. (a)Photographic plantar warts (4 in number) (b)den	digoxin and photo showing
Figure (39):	Photo of 38 year-old male treatment with intralesional furosemide showing excellent Photographic photo showing comp warts (d)dermoscopic photo showing clearance of warts	digoxin and response. (c) elete clearance of owing complete