

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY

Ain Shams University Faculty of Science Microbiology Department



Effect of Lactic Acid Bacteria on Malathion Degradation in Vivo and in Vitro

Thesis
Submitted for the Ph.D. Degree of Science in Microbiology

Submitted by

Shaimaa Basyouni Hassan El-Abd

M. Sc. in Microbiology (2018) Faculty of Science, Ain Shams University Poison Control Center of Ain Shams University Hospitals

Under Supervision of

Prof. Dr. Hala Mohamed Abu-Shady

Professor of Microbiology Microbiology Department Faculty of Science - Ain Shams University

Dr. Hosam Abdel Fattah Mohamed Elshebiny

Assistant Consultant of Biochemistry Poison Control Center Ain Shams University Hospitals

Dr. Hayam Abdelnabi sayed

Lecturer of Microbiology Microbiology Department Faculty of Science - Ain Shams University

Dr. Mohamed Abdel-Azeem Abdel-Aziz Ebrahim

Fellow of Biochemistry
Poison Control Center
Ain Shams University Hospitals

Faculty of Science - Ain Shams University 2021





Approval sheet

Name: Shaimaa Basyouni Hassan El-Abd

Title: Effect of Lactic Acid Bacteria on Malathion Degradation in Vivo and in Vitro

Degree: Ph.D in Microbiology

This thesis for Ph.D degree has been supervised by:

(1) Prof. Dr. Hala M. Abu-Shady

Prof. of Bacteriology-Faculty of Science- Ain Shams University

(2) Dr. Hosam Abdel Fattah Mohamed Elshebiny

Assistant Consultant of Biochemistry Poison Control Center Ain Shams University Hospitals

(3) Dr. Hayam Abdelnabi sayed

Lecturer of Microbiology Department- Faculty of Science - Ain Shams University

(4) Dr. Mohamed Abdel-Azeem Abdel-Aziz Ebrahim

Fellow of Biochemistry Poison Control Center Ain Shams University Hospitals

This thesis for Ph. D. Degree has been approved by:

(1) Prof. Dr. Hala Mahmoud Noureladin Elhifnawi

Prof. of Microbiology- National Center for Radiation Research and Technology-Egyptian atomic Energy Authority

(2) Prof. Dr. Essam Eldin Mohamed Nour Eldin

Prof of Medical Biochemistry, Ex dean of Faculty of Medcine Zagzaig University

(3) Prof. Hala M. Abu-Shady

Prof. of Bacteriology-Faculty of Science, Ain-Shams University

(4) Dr. Hosam Abdel Fattah Mohamed Elshebiny

Assistant Consultant of Biochemistry Poison Control Center Ain Shams University Hospitals

Date of examination: / 12 / 2021 approval date:

University council approved

Acknowledgement

First and foremost, all the praise and thanks to **Allah** for assisting me to finish this work

I would like to express my thanks to my supervisor **Prof. Dr. Hala**M. Abu-Shady Prof. of Bacteriology-Faculty of Science- Ain Shams
University for Her care, help and continuous advice.

Great thanks to **Dr. Hosam Abdel Fattah Mohamed Elshebiny** Assistant Consultant of Biochemistry Poison Control Center
Ain Shams University Hospitals, for his help, encouragement and continuous advice.

A deep thanks to **Dr. Hayam Abdelnabi sayed** Lecturer of Microbiology Department- Faculty of Science - Ain Shams University for her supervision, support, encouragement and constant help.

I wish to express my thanks to **Dr. Mohamed Abdel-Azeem Abdel-Aziz Ebrahim** Fellow of Biochemistry Poison Control Center Ain Shams University Hospitals for his assistance, support and constant help and valuable advice.

Finally, I want to express my deepest thanks to My Mother, My Father, My Brothers for their love, help and support over the years.

Declaration

I declare that the thesis titled Effect of Lactic Acid Bacteria on Malathion Degradation in Vivo and in Vitro is my own work and has not previously been submitted to any other university. The references were being checked whenever possible; show the extent to which I have availed myself of the work of other authors.

Shaimaa Basyouni Hassan El-Abd

List of Contents

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	v
Abstract	vi
Introduction	1
Aim of the Work	4
Review of Literature	5
1- Lactic acid bacteria	5
2- History of probiotics	6
3- Human gastrointestinal ecology	7
4- Role of probiotic bacteria in human health	8
5- Characteristics of a good probiotic strain	9
6- Taxonomy of Lactobacillus	12
7- Lactic Acid Bacteria distribution:	12
7.1. General Characteristics of <i>L.acidophilus</i>	13
7.2. General Characteristics of <i>L.casei</i>	14
8- Application of probiotic bacteria in foods and b	everages14
8.1. Dairy products	15
8.2. Non-dairy products	16
9- Milk based fermented foods	17
10. Milk and its chemical contaminants	17
11. Pesticides	18
11.1. The organophosphorus pesticides	19

List of Contents cont...

Title	Page No.
11.2. Mechanism of action of organophosphate comp	ounds20
11.3. Incidence and source of organophosphate	20
12. Malathion	21
12.1. Technical products and impurities	22
12.2. Uses of Malathion	23
12.3. Absorption and distribution	24
12.4. Malathion metabolism	24
12.5. Malathion excretion	25
12.6. Routes of exposure:	26
12.7. Duration of exposure	26
12.8. Toxic effects of Malathion	28
12.9. Histopathological changes due to malathion to	oxicity29
12.10. Metabolic function changes due to malathion	toxicity .30
12.11. Biochemical parameters changes due to ma toxicity	
12.12. Protection and management of malathion c exposures	
13. Biodegradation of Malathion	31
13.1. Mechanism of Microbial Degradation of Pest	icides35
Materials and Methods	37
Results	55
Discussion	91
Summary	106
References	110
Arabic Summary	

List of Tables

Table No.	. Title	Page No	•
Table 1: Table 2:	Current micro-oraganisms used as pro Malathion and its metabolites fragme L1 treatment	ent ions in	
Table 3:	Malathion and its metabolites fragme L2 treatment	ent ions in	
Table 4:	The level of measured phosphatase en	zyme (U/L).	65
Table 5:	Mean values of the relative abu malathion fragment ions in all studied		66
Table 6:	Mean values of the relative abumalaoxon and isomalathion fragment studied group	ions of all	68
Table 7:	Mean values of the relative abumalathion metabolites (MMA, MDA, succinic acid) in all four studied groups	2-mercapto	70
Table 8:	Start weight, final weight, liver wrelative liver weight in the studied gro		75
Table 9:	Serum AST, ALT, PChE and Albumi studied groups under the current study		78
Table 10:	Spearman correlation between all by parameters in all studied groups		80
Table 11:	Spearman correlation between by parameters and each of liver weight a liver weight	nd relative	81
Table 12:	Sperman correlation malathion metabolites and each of liver weight a liver weight	and its nd relative	
Table 13:	Spearman correlation between malath metabolites and biochemical paramete	ion and its	
Table 14:	Grading of histopathology findings i studied group:	n the four	

List of Figures

Fig. No.	Title	Page No.
Figure 1:	The theoretical basis for selection of microorganisms	-
Figure 2:	Scanning electron micrograph Lactobacillus acidophilus cells	_
Figure 3:	Scanning electron micrograph Lactobacillus casei cells	_
Figure 4:	Different sources of probiotics	16
Figure 5:	General chemical structure organophosphate compounds	
Figure 6:	Illustrates the mechanism of phosph and aging of cholinesterase	=
Figure 7:	Sources of organophosphorus pesticid	e21
Figure 8:	Chemical structure of malathion	22
Figure 9:	Formation of isomalathion	23
Figure 10:	Major pathways of biotransforms malathion	
Figure 11:	Histopathological disorders in the lobule after exposure to organoph pesticides	osphorus
Figure 12:	Xenobiotic detoxification by probiotics	36
Figure 13:	Chromatogram of negative control after 24 hours	
Figure 14:	Chromatogram of negative control after 120 hours	
Figure 15:	Chromatogram of positive control after 24 hours	

List of Figures cont...

Fig. No.	Title	Page No.
Figure 16:	Chromatogram of positive control after 120 hours	
Figure 17:	Chromatogram of malathion plus Lafter 24 hours	
Figure 18:	Chromatogram of malathion plus Lafter 48 hours	
Figure 19:	Chromatogram of malathion plus Lafter 72 hours	
Figure 20:	Chromatogram of malathion plus Lafter 120 hours	
Figure 21:	Chromatogram of malathion plus La after 24 hours	
Figure 22:	Chromatogram of malathion plus La after 48 hours	
Figure 23:	Chromatogram of malathion plus La after 72 hours	
Figure 24:	Chromatogram of malathion plus La after 120 hours	
Figure 25:	Mean values of the relative abun malathion fragment ions of all studied	
Figure 26:	Mean values of transit metabolites (nand isomalathion) in the four studied	
Figure 27:	Mean values of malathion metabolites abundance (MMA, MDA, MS) fragmin all studied groups	nent ions
Figure 28:	Chromatogram of group 1 (negative after 27 days	

List of Figures cont...

Fig. No.	Title	Page No.
Figure 29:	Chromatogram of group 2 (positive after 27 days	
Figure 30:	Chromatogram of group 3 (malath <i>L.casei</i>) after 27 days	
Figure 31:	Chromatogram of group 4 (malath <i>L.acidophilus</i>) after 27 days	
Figure 32:	Percent change of rats weights (star final weight, liver weight and relat weight) compared to the control group	tive liver
Figure 33:	Percent change of serum (AST, AL and Albumin) in the four studied compared to control	d groups
Figure 34:	Section in liver of control group normal hepatocyte with preserved architecture	lobular
Figure 35:	Section in liver of malathion group hepatic degeneration, vacuolat cytoplasm	ion of
Figure 36:	Section in liver of rats admit malathion plus <i>L.casei</i> showed no degeneration and no cytoplasm vacuo	hepatic
Figure 37:	Section in liver in liver of rats admit malathion plus <i>L.acidophilus</i> show hepatic degeneration and mild disinusoids.	ved mild lation of

List of Abbreviations

Abb.	Full term
ACh	. Acetylcholine
AChE	. Acetylcholinesterase
AD	. Alzheimer's disease
ALP	. Alkaline phosphatase
ALS	. Amyotrophic lateral sclerosis
ALT	. Alanine aminotransferase
AST	. Aspartate aminotransferase
BTC	. Butyrilthiocholine
EMP	. Embden–Meyerhof–Parnas
FAO	. Food and Agriculture Organization
FDA	. Food and Drug Authority
G+C	. Guanine-cytosine content
GM	. Gut microbiota
	. Generally regarded as safe
LAB	. Lactic acid bacteria
MDA	. Malathion dicarboxylic acid
MDH	. Malate dehydrogenase
MMA	. Monocarboxylic acid
NPICI	National Pesticide Information Center of
	United States
NS	. Nervous system
OP	
OPCs	. Organophosphorus compounds
OPs	. Organophosphates
PChE	. Pseudo cholinesterase
PD	. Parkinson's disease
p-NPP	. p-Nitrophenylphosphate
ROS	. Reactive oxygen species
SEM	. Standard error of the mean
	. Statistical Package for Social Science
TNF-α	. Tumour necrosis factor alpha
	. United States Department of Agriculture
WHO	. World Health Organization

ABSTRACT

Lactobacilli belong to a group of probiotics, regarded as safe microorganisms and they have several abilities such as they can reduce Reactive oxygen species (ROS) production, enhance gastrointestinal barrier function, reduce inflammation, and modulate host xenobiotic metabolism.

The detoxification potential of xenobiotic comes from the finding that lactic acid bacteria have an affinity for many toxic metals and various organic pesticides including organophosphorus (OP), making it possible to isolate them prior to their adsorption into the bloodstream and tissues.

The widespread occurrence of any foreign chemical in the environment like pesticides is a public health concern. Pesticides, of course, are poisons that are used to control insects, rodents and other undesirable animals on plants.

Worldwide, Pesticides are manufactured, transported, and applied in billions of pounds yearly, and individuals working at any stage of pesticide production, transportation, or application are at risk for OP exposure. Exposure to OP pesticides can occur through multiple pathways, including food contamination, environmental and household pollution, proximity to agricultural fields, and agricultural work.

Two strains *Lactobacillus acidophilus* and *Lactobacillus casei* studied for their degradation ability in vitro and in vivo on organophosphorus malathion.

In vitro, the two tested strains showed a high ability in malathion biodegradation which is detected by tracing the relative abundance of malathion and its degradative product by the GC- MS spectrometry. Also, by the detection of phosphatase enzyme level which was elevated in both strain in