

بسم الله الرحمن الرحيم



-C-02-50-2-





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرونيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار













بالرسالة صفحات لم ترد بالأصل



BITYNY

Cardiovascular effects of the new nitric oxide synthase inhibitor (4-amino-tetrahydrobiopterin)

Thesis

Presented by

Hanan Dawood Saad

Assistant Lecturer of Pharmacology and Toxicology Faculty of Pharmacy, Cairo University

Submitted for the degree of Doctor of Philosophy In Pharmaceutical sciences (Pharmacology and Toxicology)

Under the supervision of

Prof. Dr. Samira Saleh

Professor and Head of Pharmacology and Toxicology Department Faculty of Pharmacy Cairo University

Prof. Dr. B. Mayer

Professor and Head of Pharmacology and Toxicology Department Karl Franzens University, Graz, Austria

Assistant Prof. Dr. Laila G. Mahran

Assistant Professor of Pharmacology and Toxicology Department Faculty of Pharmacy Cairo University

Approval Sheet

Approved by:

1) Prof. Dr. Samira Saleh

Samue Salel

2) Prof. Dr. Mohamed T. Khayyal

Mellogya

3) Prof. Dr. Found Sharaby

ound Sharaby Swal

4) Assistant Prof. Dr. Laila G. Mahran

Larly Holhis

Committee in charge

Date: 29/ 9/2002

Approval Sheet

Approved by:

1) Prof. Dr. Samira Saleh

2) Prof. Dr. Mohamed T. El-Khayal

3) Prof. Dr. Fouad Sharaby

To My
Beloved Mother,
My Husband

and
My Children

ACKNOWLEDGEMENT

I would like to express my sincere gratitude and appreciation to **Prof. Dr. Samira Saleh** chairman, Department of Pharmacology and Toxicology, Cairo University for her instructive supervision, fruitful help, continuous advice and valuable guidance throughout the whole work.

I would like to express my deepest gratitude and sincere regards to **Prof. Dr. Bernd Mayer**, chairman, Department of Pharmacology and Toxicology, Graz University for providing all essential research facilities during my thesis work. His suggestions have enabled me to go further on work.

I wish to express my gratitude and deep thanks to Assistant Prof. Dr. Laila G. Mahran for her continuous encouragement. I would like to gratefully acknowledge her supervision to this work.

I submit my sincere thanks and respectful regards to **Prof. Dr. Peter Dittrich** for his valuable advice, encouragement and supervision.

I express my great thanks and respects to **Prof. Dr. Sigrid Holzmann** for her timely suggestions and help during the course of my research.

I am sincerely grateful to all my colleagues in the Pharmacology Department, Cairo University and the Institute of Pharmacology and Toxicology, Graz University for their cooperation.

I would like to express my gratitude to the Österichischer Akademischer Austauschdienst (ÖAD) for a grant in the framework of the channel system that enabled me to complete my practical work in the Institute of Pharmacology and Toxicology, Graz University.

ABBREVIATIONS

4-ABH₄ 4-Amino-tetrahydrobiopterin

DMSO Dimethylsulfoxide

FAD Flavine adenine dinucleotide

FMN Flavine mononucleotide

L-NAME NG-Nitro-L-Arginine-Methyl ester

L-NNA NG-Nitro-L-Arginine

NOS NO-Synthase

nNOS Neuronal NO-Synthase

eNOS Endothelial NO-Synthase

iNOS Inducible NO-Synthase

NO Nitric oxide

BK Bradykinin

DEA/NO 2,2-diethyl-1-nitroso-oxyhydrazine sodium salt

NE Norepinephrine

 U_{46619} 9,11-Dideoxy-9,11-methanoepoxy-prostaglandin F2 α

EC₅₀ Concentration producing half-maximal effect

IC50 Concentration producing half-maximal inhibition

LPS Lipopolysaccharide

A₂₃₁₈₇ Calcium ionophore

GSNO Nitrosoglutathione

cGMP Guanosine 3', 5'-cyclic monophosphate

SIN-1 3-Morpholino sydnonimine

LIST OF TABLES

	Page
Table (1a): Effect of 4-ABH ₄ and L-NNA on endothelium-	
dependent relaxation of pig pulmonary artery. Concentration-response curves elicited by bradykinin in pulmonary artery strips precontracted with 1µM NE in the presence of the indicated concentrations of 4-ABH ₄	36
Table (1b): Effect of 4-ABH ₄ and L-NNA on endothelium-	
dependent relaxation of pig pulmonary artery.	
Concentration-response curves elicited by A23187 in	
pulmonary artery strips precontracted with 1 µM NE in the	
presence of the indicated concentrations of 4-ABH ₄	38
Table (2a): Effect of 4-ABH ₄ and L-NNA on endothelium-	
dependent relaxation of pig coronary artery. Concentration-	
response curves elicited by bradykinin in coronary artery	
strips precontracted with $0.1\mu M~U_{46619}$ in the presence of the	
indicated concentrations of 4-ABH ₄ .	40
Table (2b): Effect of 4-ABH ₄ and L-NNA on endothelium-	
dependent relaxation of pig coronary artery. Concentration-	
response curves elicited by A23187 in coronary artery strips	
precontracted with $0.1\mu M$ U_{46619} in the presence of the	
indicated concentrations of 4-ABH ₄ .	42

Table (3): Effect of 4-ABH ₄ on relaxation of pig pulmonary	
artery to the NO donor DEA/NO. Concentration-response	
curves elicited by DEA/NO in the absence and presence of	
100μM 4-ABH ₄ in pulmonary artery strips precontracted	
with 1μM NE.	45
Table (4): Effect of 4-ABH ₄ ($10\mu M$) and L-NNA ($0.1 mM$) on	
time-dependent relaxation of pig coronary artery to LPS.	
Vascular tone of coronary artery strips precontracted with	
0.1μM U ₄₆₆₁₉ was continuously monitored for 18 hour	48
Table (i): Potency of 4-ABH ₄ to inhibit relaxations of pig	
pulmonary and coronary artery in response to endothelium-	
dependent agonists and LPS	51
Table (5a) . Effect of 4 ADII and I NDIA on the contractile	
Table (5a): Effect of 4-ABH ₄ and L-NNA on the contractile	
response of pig pulmonary artery. Concentration-response	
curves elicited by norepinephrine in artery strips obtained	
from blood vessels incubated for 10 hours.	52
Table (5b): Effect of 4-ABH ₄ and L-NNA on the contractile	
response of pig coronary artery. Concentration-response	
curves elicited by U ₄₆₆₁₉ in artery strips obtained from blood	t
vessels incubated for 20 hours.	54
Table (C) . Concentration demandant effect of A ADII on the	
Table (6): Concentration-dependent effect of 4-ABH ₄ on the	
contractile response of pig coronary artery to 0.1µM U ₄₆₆₁₉ .	
Non-linear curve fitting of the data shown in Figure 5b	56

Table (7): Effect of sepiapterin on the inhibition by 4-ABH ₄ of	
LPS-triggered hyporesponsiveness of pig pulmonary artery	
to NE. Concentration-response curves elicited by NE in	
artery strips obtained from blood vessels incubated for 10	
hours	59
Table (8a): Concentration-dependent effect of the non-selective	
NOS inhibitor L-NNA on bradykinin-induced relaxations of	
pig pulmonary arteries	62
Table (8b): Concentration-dependent effect of the non-selective	
NOS inhibitor L-NNA on LPS-triggered hyporeactivity of	
pig pulmonary arteries.	64
Table (9): Effect of hypoxia and reoxygenation on pig coronary	
arteries precontracted with 0.1 μM U ₄₆₆₁₉ in the absence	
(control) and in the presence of 200nM glibenclamide, 2μM	
glibenclamide, 100µM L-NNA and in the presence of L-	
NNA with 200nM glibenclamide and L-NNA with 2μM	
glibenclamide.	68
Table (10): Effect of hypoxia and reoxygenation on pig	
pulmonary arteries precontracted with 1 μM NE in the	
absence (control) and in the presence of 200nM	
glibenclamide, 2µM glibenclamide, 100µM L-NNA and in	
the presence of L-NNA with 200nM glibenclamide and L-	
NNA with 2μM glibenclamide.	71
Table (11a): Time course studies of hypoxia and reoxygenation	
on cGMP levels for the control strips.	74
	550 S