

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY





Molecular and Taxonomical Studies on the Amphistomes Infecting Ruminants in Saudi Arabia

A Thesis Submitted in Partial Fulfillment of the Requirement for the Master's Degree in Science

in Zoology

By Osama Ali Mahmoud Mohamed

B.Sc. Zoology 1990.

To

Zoology Department

Faculty of Science – Ain Shams University

Supervised by

Dr. Ameen Abdel Baqui Ashour Dr. Mohammad Ibrahem Soliman

Professor of Parasitology Zoology department Faculty of Science Ain Shams University Professor of Parasitology Zoology department Faculty of Science Ain Shams University

Dr.Metwally Mohamed El Sayed Metwally

Professor of Genetic Engineering – Zoology department Faculty of Science - Al -Azhar University and Taif University





Molecular and Taxonomical Studies on the Amphistomes Infecting Ruminants in Saudi Arabia

By Osama Ali Mahmoud Mohamed

B.Sc. Zoology 1990.

This thesis submitted for master's degree of Science in Zoology has been approved by:

	l Omarasitology, Department of Parasitology, Faculty of University.
2- Dr. Zein Abd Al Aal	
Professor of Parasitology, University.	Zoology Department, Faculty of Science, Zagazig
-	ui AshourZoology Department , Faculty of Science, Ain
	zoology Department, Faculty of Science, Ain
Head of Zoology Departme	
Shams University. 4- Dr. Mohammad Ibrah Professor of Parasitology, Shams University.	nem SolimanZoology Department, Faculty of Science, Ain





Biography

Name : Osama Ali Mahmoud Mohamed

Qualification : 1- B.Sc. in Zoology (1990) Biology department Faculty of Science, Cairo University.

2- Molecular Biology Diploma (2001) Biochemistry Department, Ain Shams University.

3- Biological Techniques Diploma (2003) Biochemistry Department Ain Shams University.

Occupation : First Lab. Specialist at Central Laboratory

Faculty of Science Ain Shams University

Scientific Degree: Master's Degree in Science

Granting Year : 2021

بينالهالحالك



سورة طه: الآية {114}

طرق الله العظيمة

Dedication This thesis is dedicated to

My Father's soul,
My Mother,
My Wife
and
My Daughter "Rehab"

Acknowledgments

First of all, I thank Almighty God for his generosity for completing this thesis. I would like to thank Dr. Ameen Abdel-Bagi Ashour, Professor of Parasitology- Ain Shams University, from whom, I learned from my close interaction with him in Taif University, the sophistication of his dealings and humility although his huge knowledge and high global experience in the field of parasitology and continuous support and encouragement, I pray to God to bless him with health and wellness. I also thank Dr. Mohammad Ibrahem Soliman, Professor of Parasitology, Faculty of Science, Ain Shams University, for his continuous support, guidance throughout the period of preparing this thesis and revising manuscript. My deep thanks go to Dr. Metwally Mohamed Montaser, Professor of Genetic Engineering at Al-Azhar University and Taif University, for his continuous support, I learned a lot of kmowledges from him about bioinformatics and molecular biology. My thanks extend to Dr. Ahmed Hamdy Nigm -Associate Professor of Parasitology in Zoology department, Ain Shams University for his helpful guidance, encouragement and in preparing my first article of this thesis. Thanks a lot, to my family and my colleagues at the Central Lab Ain Shams University for their support and encouragement, especially Dr. Awaad Hussien and Wael Shabaan.

Contents

Subject	Page
List of Figures	II
List of Abbreviations	XI
Abstract	XIII
Chapter (I) Introduction	1
Aim of study	19
Chapter (2) Review of Literatures	20
Chapter (3) Material and Methods	45
Chapter (4) Results	
4.1: Prevalence of amphistomiasis	56
4.2. Unpouched amphistomes	
4.2.1 Calicophoron clavula	56
4.2.2 Calicophoron microbothrium	73
4.3: Pouched amphistomes	87
4.3.1 Carmyerius exoporus	87
4.3.1 Carmyerius gregarius	104
4.3.3 Gastrothylax crumenifer	119
Chapter (5) Discussion	137
Summary	151
Conclusions	156
References	158
Arabic Summary	ح
Arabic Abstract	Í

List of Figures

Fig. No.		Page
1	Photomicrograph showing moderate infection of the infected rumen of <i>Bos taurus</i> with amphistomoid flukes.	3
2	Photograph showing low infection of the infected rumen of the <i>Ovis aries</i> with amphistomoid flukes.	3
3	General morphology of the body amphistomes as shown by Tandon <i>et al.</i> (2014).	8
4	Generalized life cycle of a typical amphistome fluke as shown by Tandon <i>et al.</i> (2014).	10
5	Schematic representation of the classification of the major Famlies of amphistomes that infect ruminants according to Sey (1988, 1991), Jones <i>et al.</i> , (2005).	15
6	Diagrametic representation of ribosomal DNA of eukaryotic genome.	18
7	Map of Saudi Arabia showing the western province with selected cities for the study. Source: www.brotherpete.com.	46
8	A photograph showing a heavly infected rumen of the <i>Bos taurus</i> with amphistomes.	48
9	A photograph showing free amphistomes which freshly collected from the rumen of the infected host.	48
10	Stereo photomicrograph of adult fluke of Calicophoron clavula.	59
11	Photomicrograph of flattened adult fluke of Calicophoron clavula.	59
12	SEM micrograph of <i>Calicophoron clavula</i> , showing the general morphology.	60
13	SEM micrograph of anterior portion of <i>Calicophoron clavula</i> showing the ventral view	60
14	SEM micrograph of magnified anterior part of <i>Calicophoron clavula</i> : showing few densely arranged papillae around the oral region	61
15a	SEM micrograph of anterior part of <i>Calicophoron clavula</i> showing dome to conical oral papillae around the oral sucker.	61
15b	SEM micrograph of high magnification for dome to conical non ciliated papillae around oral sucker.	62

Fig. No.		Page
16	SEM micrograph of a higher magnification for tegument around oral sucker of <i>Calicophoron clavula</i> showing the wavy nature of tegumental surface around oral area; Folds and grooves.	62
17	SEM micrograph of genitalium of <i>Calicophoron clavula</i> showing genital opening surrounded by fine ridge.	63
18	SEM micrograph of a higher magnification of tegument around the genital opening of <i>Calicophoron clavula</i> showing the fine ridges of network appearance.	63
19	SEM micrograph of an extra-magnification for fine ridges of network appearance of <i>Calicophoron clavula</i> .	64
20	SEM micrograph of posterior end of <i>Calicophoron clavula</i> showing acetabulum surrounded by tegumental ridges.	64
21	SEM micrograph of closer view for the acetabulum of <i>Calicophoron clavula</i> showing few small papillae randomly distributed around the acetabular sucker.	65
22	SEM micrograph of hand longitudinal section of <i>Calicophoron</i> clavula showing the musculature of acetabulum of Paramphistomum type Näsmark,1937.	65
23	SEM micrograph of hand longitudinal section of <i>Calicophoron</i> clavula.	66
24	SEM micrograph of hand longitudinal section of anterior region of <i>Calicophoron clavula</i> showing pharynx of Calicophoron type Dinnik, 1964.	66
25	SEM micrograph of hand longitudinal section of the posterior region of <i>Calicophoron clavula</i> .	67
26	Amplicons' electropherogram.Molecular 100bp-DNA marker (Mr), negative control or PCR reaction without DNA sample (CN), paramphistome amplicon sample (Param), and base pair (bp).	69
27	Slanted cladogram for Param1-ITS2 rDNA sequences using Neighbor Joining method (NCBI web). Maximum sequence distance is 0.5.	69
28	Capture from NCBI web showing Param1-ITS2 rDNA sequence's accession number (MK416145.1) annotated for <i>Claicophoron clavula</i> MO isolateTaif 1 (M; for Metwally, O; for Osama isolate, and Taif 1; for param1).	70

Fig. No.		Page
29	Evolutionary relationships of taxa for current sequence of specimen MOTaif1(param1) as <i>Claicophoron clavula</i> of accession no. [MK416145.1] with two Kenyan isolates with accession numbers [KX668956.1] and [KX668944.1] conducted in MEGA-X.	71
30	Alignment of param1 sequence with param 5 by using pairwise with dots for identities to ITS2-316 base pair.	71
31	Alignment of param1 sequence with param 8 by using pairwise with dots for identities to ITS2-316 base pair.	72
32	Alignments of ITS2-316bp sequence of param5 with that of param8 by using pairwise with dots for identities, showing 100% identity.	72
33	Evolutionary relationships of taxa for current samples' sequence (Param1, 5, and 8) conducted in MEGA X (Kumar et al., 2018). The Neighbor-joining algorithm (Saitou and Nei, 1987) was used to generate the initial tree.	73
34	Stereo photomicrograph of adult fluke of <i>Calicophoron</i> microbothrium showing the general featrues	76
35	Photomicrograph of adult fluke of <i>Calicophoron microbothrium</i> showing inernal details.	76
36	SEM micrograph of <i>Calicophoron microbothrium</i> showing the ventral view.	77
37	SEM micrograph of <i>Calicophoron microbothrium</i> showing the anterior ventral view; oral sucker	77
38	SEM micrograph of <i>Calicophoron microbothriun</i> showing the oral sucker with 6-7 concentric rings of oral papillae.	78
39	SEM micrograph of a closer view for anterior portion of <i>Calicophoron microbothriun</i> showing dome to conical ciliated papillae around oral sucker.	78
40	SEM micrograph of a highly magnified oral papilla of <i>Calicophoron microbothriun</i> showing short stump ciliated papillae.	79
41	SEM micrograph of <i>Calicophoron microbothrium</i> showing genital atrium (Ga) of Microbothrium type found on a swollen tegument.	79
42	SEM micrograph of closer view for the genital opening of <i>Cali-cophoron microbothrium</i> showing the tegumental microfolds and the microgrooves.	80

Fig. No.		Page
43	SEM micrograph of the posterior end of <i>Calicophoron microbothrium</i> showing acetabulum.	80
44	SEM micrograph of <i>Calicophoron microbothrium</i> showing acetabulum, few randomly scattered tegumental papillae.	81
45	SEM micrograph of hand longitudinal section of <i>Calicophoron microbothrium</i> showing internal details.	81
46	SEM micrograph of the other interior longitudinal section of <i>Calicophoron microbothrium</i> , showing internal details.	82
47	SEM micrograph of the Acetabulum (Paramphistomum type) of <i>Calicophoron microbothrium</i> showing its musculature structure.	82
48	SEM micrograph of a high magnification of the tegumental area inside the acetabulum of <i>Calicophoron microbothrium</i> showing the highly mammillated tegument.	83
49	Slanted cladogram for ITS2 rDNA sequence of specimen Param7 of Taif isolate using Neighbor Joining method (NCBI web). Maximum sequence difference is 0.5	85
50	Capture from NCBI web showing Param7-ITS2 rDNA sequence's accession number [MN912249.1] annotated for <i>Claicophoron microbothrium</i> MeOs7 of Taif isolate.	86
51	Alignment of (param9) sequence (sbjct) with Taif isolate sequence of specimen (param7) of accession no.[MN912249.1] (Query) as <i>Calicophoron microbothrium</i> by using pairwise utilizing dots for ITS2-317 base pair identities (capture from NCBI web).	87
52	Stereo photomicrograph of adult fluke of <i>Carmyerius exoporus</i> showing body with reddish brown colour.	91
53	Photomicrograph of adult fluke of Carmyerius exoporus.	91
54	SEM micrograph of <i>Carmyerius exoporus</i> showing the ventro-lateral view for the whole worm.	92
55	SEM micrograph of the anterior view of Carmyerius exoporus.	92
56	SEM micrograph of <i>Carmyerius exoporus</i> showing the oral sucker and first ring of ciliated oral papillae.	93
57	SEM micrograph of <i>Carmyerius exoporus</i> showing a closer view for ciliated oral papillae around the oral sucker.	93
58	SEM micrograph of <i>Carmyerius exoporus</i> showing a high magnification of a ciliated oral papilla.	94

Fig. No.		Page
59	SEM micrograph of <i>Carmyerius exoporus</i> showing the ventral pouch opening with surrounding dome shaped poorly ciliated papillae.	94
60	SEM micrograph of <i>Carmyerius exoporus</i> showing a closer view of dome- shaped ciliated papillae that surround the ventral pouch opening.	95
61	SEM micrograph of posterior end of <i>Carmyerius exoporus</i> showing terminal acetabulum	95
62	SEM micrograph of <i>Carmyerius exoporus</i> showing the body tegumental surface with ridges bearing very small dome shaped papillae and grooves.	96
63	SEM micrograph of a cross section in <i>Carmyerius exoporus</i> fluke showing the hexagonal shape of ventral pouch.	96
64	SEM micrograph another sample of <i>Carmyerius exoporus</i> showing A; whole fluke B; anterior end of the fluke C;D closer view of oral sucker, which surrounding by long ciliated oral papillae, E; high magnification of ciliated paillae around oral sucker, F; closer view of genital pore.	97
65	SEM micrograph of the hand longitudinal section of <i>Carmyerius exoporus</i> showing internal details.	98
66	SEM micrograph of the posterior end of the hand longitudinal section of <i>Carmyerius exoporus</i> showing, acetabulum of Carmyerius type Sey, 1983 with developed radial folds with corrugated acetabular wall.	98
67	SEM micrograph of the anterior end of hand longitudinal section of <i>Carmyerius exoporus</i> showing, ventral pouch, ventral pouch opening, genital atrium, genital pore and caeca.	99
68	SEM micrograph of closer view of the anterior part of the hand longitudinal section of <i>Carmyerius exoporus</i> .	99
69	Slanted cladogram for ITS2 rDNA sequence of specimen Param2 of Taif isolate using Neighbor Joining method (NCBI web). Maximum sequence difference is 0.5	101
70	Capture from NCBI web showing Param2-ITS2 rDNA sequence's accession number [MN912108.1] annotated for <i>Carmyerius exoporus</i> MeOs2 Taif isolate.	102