

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY

Biomimetic Remineralization Using Self-Assembling Peptide P₁₁-4 in the Prevention and Treatment of Early Carious Lesions in Primary Anterior Teeth: An In-Vivo and In-Vitro Study

Thesis

Submitted in partial fulfilment of PhD Degree in Pediatric Dentistry and Dental Public Health

Presented by:

Nour Abdelmonem Mohamed Ezzat Wahba

B.D.S. Ain Shams University 2011 M.S.C. Ain Shams University 2018 Assistant Lecturer at the Pediatric Dentistry and Dental Public Health Department

> Faculty of Dentistry Ain Shams University

Supervisors:

Professor Dr Noha Samir Kabil

Professor of Pediatric Dentistry and Dental Public Health, Faculty of Dentistry, Ain Shams University

Associate Professor Dr Gehan Gaber Allam

Associate Professor of Pediatric Dentistry and Dental Public Health, Faculty of Dentistry, Ain Shams University

Doctor Mohamed Amr Kamel

Lecturer of Operative Dentistry, Faculty of Dentistry, Ain Shams University

Faculty of Dentistry

Ain Shams University

2022

Acknowledgement

First and Foremost, I record my sincere thanks to the Almighty Allah, the one and only, for giving me the strength, peace of mind and good health in order to finish this research.

However, this thesis became a reality with the kind support and help of many people that I would like to personally acknowledge.

First, I would like to express my sincere appreciation to my Supervisors:

Professor Dr. Noha Kabil, Professor of Pediatric Dentistry and Dental Public Health Department, Faculty of Dentistry, Ain Shams University for her constant guidance, encouragement and support, without which this work would not have been possible.

Associate Professor Dr. Gehan Gaber Allam, Associate Professor Pediatric Dentistry and Dental Public Health Department, Faculty of Dentistry, Ain Shams University, for her unwavering support, I am truly grateful.

Doctor Mohamed Amr Kamel, Lecturer of Operative Dentistry, Faculty of Dentistry, Ain Shams University, for his patience, time, continuous education and support.

I would also like to thank **Professor Dr Falk Schwendicke**, Professor and Head of Department of Oral Diagnositcs, Digital Health and Health Services Research, Charité Universitätsmedizin Berlin, for allowing me to conduct my in-vitro research at Charité University and guiding me all through the research process.

In addition, I would like to express my appreciation to **Dr Karim Elhennawy**, fellow at the Department of Orthodontics, Dentofacial

Orthopedics and Pedodontics, Universitätsmedizin Berlin, for facilitating the research process at the Charité Universitätsmedizin Berlin and supporting me throughout the communication process with this university.

I would also like to thank all the volunteer patients for being part of my research.

These acknowledgements would be incomplete without expressing my deepest appreciation to all my department staff and colleagues for their utmost support and encouragement.

Dedication

My late Father

whose last wish was to see me as a paediatric dentist and who taught me how to work hard and enjoy my life. I hope I have made him proud.

My Mother

Who is my role model and who is an example of a highly successful and strong independent woman

My Husband

Who believes in me and has been supporting me continuously with passion

My Mother-in-Law

Who has been very giving and very generous with her continuous support and love to me and my family.

Last but not least My Sons

Who are the source of laughter and happiness in my life.

List of Contents

<u>Content</u>	<u>Page</u>
List of Tables	III
Table of Figures	IV
Table of Abbreviations	V
Introduction	1
Review of Literature	3
Aim of Study	47
Materials and Methods	48
Results	105
Discussion	124
Conclusion	144
Recommendations	145
Summary	147
References	152
Appendix	I, II
Arabic Summary	

List of Tables

<u>Ta</u>	able Number	Table Name	Page
1.		Remineralizing Technologies	12-13
2.	•	vvad Diagnostic Criteria for carie everity assessment	
3.	All Materials Used in no.2 in the In-Vitro St	Experiments no.1 and tudy	50-51
4.	for Mineral Loss Diffe	ntion Study) Descriptive Statistic Ference (baseline	
5.	for Lesion Depth Diff	ntion Study) Descriptive Statistic ference (baseline-	
6.	for Mineral Loss Diffe	ntion Study) Intergroup Compari Ference and Lesion Depth Differe	ence (baseline
7.		Study) Descriptive Statistics for	

8.	Experiment 2 (Arrest Study) Descriptive Statistics for Lesion Depth Difference
9.	Experiment 2 (Arrest Study) Intergroup comparisons for mineral loss difference and lesion depth difference
10.	Scores of White spot lesion SAPR and FV Groups in mm ²
11.	ICDAS II scoring for SAPR and FV groups

Figure Number	Figure Name	Page
1	Study Flow for the in-vitro study	52
2	(a) and (b) Band Saw Exakt 300cl used for separation of crown and root at Cementoenamel junction	55-56
3	Specimens placed in mold before Technovit pouring (a), (b) technovit poured, (c) technovit covering all specimens, (d) removal of technovit and specimens after drying	57-58
4	(a) Exakt Apparatebau machine used to grind and polish buccal surface flat.(b) Abrasive paper used for grinding and polishing specimen surface	59
5	2x2mm exposed anterior surface of specimen after grinding and polishing	60
6	Microscope ''Durchlichtmikroskop, Axioskop 2'', Fa. Zeiss, Oberkochen, Deutschland) used to check the presence of enamel surface after grinding and polishing	60
7	Flowchart, the sample sizes for all groups in both experiment 1 and 2. Experiment 1: SAPP (self-assembling peptide for prevention); FV (fluoride varnish); CPP-ACP/CPP-ACPF (casein-phosphopeptide amorphous-calcium-phosphate without/with fluoride); FMW (fluoride mouthwash); nHA (nanohydroxyapatite).	62

Figure Number	Figure Name	Page
7	Experiment 2: SAPR (self-assembling peptide for repair); FV (fluoride varnish); CPP-APF (casein-phosphopeptide amorphous-calcium-phosphate fluoride); RI (resin infiltration).	62
8	One third of the surface of the specimen covered with nail varnish to serve as sound control	63
9	(a) SAPP (Curodont Protect). (b) Application of SAPP on specimen with microbrush	65
10	(a) fluoride varnish (FV) (b) Application of FV on specimen	66
11	(a), (b) and (c) MI/ tooth mousse paste application on specimen	67
12	(a) and (b) Fluoride mouthwash and its placement on specimens	68
13	(a) and (b) showing Nanohydroxyapatite Mouthwash placement	69
14	Half of the demineralized surface covered with a differently coloured nail varnish shown by arrow. Whitish area represents pre-demineralized area	70
15	a) Etch used before SAPR placementb) Etching step for 5 secc) Rinsing with water	71-74

Figure	Figure Name	Page
Number		
15	Vials containing powder of SAPR before mixing with distilled water e) and f) showing injection of 50µm distilled water into the vial and its withdrawal g) placement of SAPR on the specimen	71-74
16	(a)-(c) placement of RI on specimen: placement of RI on specimen: a) Icon dry placement b) application of RI; c) Specimen after Icon placement and curing	76
17	 a) 3 samples after grinding them for 100 ± 10 μm. b) Image of a specimen after exposure to transverse microradiography presented on the computer 	78
18	 a) 1 sample ground to 100 ± 10 μm and placed on film holder. b) TMR camera open to receive film holder with specimen c) TMR machine 	79-80
19	Universal microscope attached to a personal computer used to analyze TMR images	81
20	An exposed and processed image of TMR machine	82
21	Study flow of the in-vivo study	84
22	Isolation and examination of WSL affecting tooth no.53 using ball- ended probe	87

Figure	Figure Name	Page
Number	NT CL '1 (1 (1)	00.00
23	a) Non-fluoridated toothpaste	88-89
	b) Soft children's toothbrush	
24	a) and b) polishing paste and nylon polishing	90
	brushes	
25	a) Application of non-fluoridated polishing paste	91
	on WSL affected teeth and b) Rinsing it off with	
	water	
26	Soprolife Light Induced Fluorescence Camera, Sopro,	92
	Acteon, La Ciotat, France)	
27	a) Soprolife Camera held parallel to the long	93
	axis of tooth under	
28	a) Soprolife image captured showing incisal edge	94
	as well as free gingival margin for	
	standardization	
	b) Documentation of patient's data on Soprolife	
	Software	
29	a) and b) Applicator and Curodont Repair	95
	packaging	
30	Etching tooth no.53 using 35% phosphoric acid	95
31	a) and b) Application of SAPR on teeth with WSL,	96-97
	one applicator was used for each WSL affected	
	tooth	
32	Setting of teeth for 5min after application of SAPR on	97
32	tooth no.63)
	toon no.03	