

بسم الله الرحمن الرحيم









شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغيار







بعض الوثائق

الأصلية تالفة







بالرسالة صفحات

لم ترد بالأصل



RISK FACTORS OF BLAD

RISK FACTORS OF BLADDER CANCER AMONG

PATIENTS OF ALEXANDRIA MAIN UNIVERSITY

HOSPITAL

B16516

Same B

THESIS

Submitted to the faculty of Medicine
University of Alexandria
In Partial Fulfillment of the Requirements
of the Degree of

DOCTOR OF PUBLIC HEALTH, PREVENTIVE
AND SOCIAL MEDICINE

By

Randa Mostafa Abo El Naga

MBBch, Alexandria
.MPHPSM, Alexandria
Assistant lecturer of Community Medicine

Faculty of Medicine
University of Alexandria

SUPERVISORS

Professor Dr. Khadiga Amin Khalil
Head of the Community Medicine Department
Faculty of Medicine
Alexandria University

Professor Dr. Yousria Abd Al Aziz Badawy
Professor of Community Medicine
Faculty of Medicine
Alexandria University

Professor Dr. Malak Mahmoud Abd El-Hay
Professor of Clinical Pathology
Faculty of Medicine
Alexandria University

CO-WORKERS

Dr. Ibrahim Abdel-Salam Mokhles
Assistant Professor of Urosurgery
Faculty of Medicine
Alexandria University

Dr. Gamal Makboul Masoud

Lecturer of Public Health

Faculty of Medicine

Alexandria University

ACKNOWLEDGMENT

Before all, *I thank God* for his marvelous care, support and guidance all the way through.

Amin, Head of Community Medicine Department, for the precious time she spent and continual effort she made while supervising this work. She was always ready to offer help and advice whenever needed, caring that this work be conducted and presented in the best form possible.

I am deeply indebted to *Professor Dr. Yousria Badawy*, Professor of Community Medicine, for her unlimited assistance and support throughout the work. She closely supervised each step of this work, providing endless encouragement and constructive criticism.

I wish to express my great appreciation to *Professor Dr. Malak Abd El-Hay*, Professor of Clinical Pathology, who very kindly and generously gave much of her precious experience and guidance in the laboratory work.

I would like to thank *Professor Dr. Ibrahim Mokhles*, Assistant Professor of Urosurgery, for his help in facilitating the clinical aspect of the work. He was constantly generous in his advice and kept enlightened as to the clinical perspective throughout the study.

Ñ

I am very grateful to *Dr. Gamal Makboul*, Lecturer of Community Medicine who encouraged my initial efforts in this work providing his support and advice.

I have many debts of appreciation for *Dr. Hoda Atta*, Lecturer of Community Medicine for her valuable help and efforts in assisting with the statistical analysis of this work.

It is a great pleasure to thank all those who contributed in the conduction and completion of this work.

My thanks are also to all patients for their kind cooperation, and I wish them all well.

Finally, I wish to extend my grateful thanks and appreciation to my father, Professor Dr. Mostafa Mohamed Abo-El-Naga, Vice Deans for Community Development and Environmental affairs, College of Agriculture, University of Alexandria, my mother and the rest of my family with special thanks to my husband, for their moral support and continual encouragement which made the impossible times bearable and the difficult times surmountable.

LIST OF TABLES

Table (I)	:	Distribution Of Bladder Cancer Cases And Controls By	
		Age Sex	74
Table (II)	:	Distribution Of Bladder Cancer Cases And Controls	
		According To Their Educational Level	75
Table(III)	:	Distribution Of Male And Female Cases And Controls	
		By Occupational Categories	76
Table (IV)	:	Distribution Of Bladder Cancer Cases And Controls	
		According To Some Personal Characteristics	78
Table (V)	:	Distribution Of Bladder Cancer Cases And Controls	
		Regarding Their Residence, Through Their Lives	79
Table (VI)	:	Distribution Of Bladder Cancer Cases And Controls	
		Regarding Their Exposure To Different Sources Of	
		Drinking Water	81
Table (VII)	:	Distribution Of Bladder Cancer Cases And Controls By	
		The Source Of Water Used For The Longest Period Of	
		Life	82
Table (VIII)	:	Distribution Of Male Bladder Cancer Cases And Controls	
		Regarding Their Smoking State	84
Table (IX)	:	Distribution Of Bladder Cancer Cases And Controls By	
		Age At Starting Smoking Habit	85
Table (X)	:	Distribution Of Bladder Cancer Cases And Controls	
		Regarding The Duration Of Their Smoking Habit	86
Table (XI)	:	Distribution Of Bladder Cancer Cases And Controls By	
		The Number Of Cigarettes Smoked Per Day	88
Table (XII)	:	Average Smoking Index Of Bladder Cancer Cases And	
		Their Controls	89

Table (XIII)	:	Distribution Of Ex-Smoker Cases And Controls
		Regarding Effect Of Years Since Quitting On Risk
		Of Bladder Cancer Relative To Current Smokers 90
Table (XIV)	:	Distribution Of Bladder Cancer Cases And Controls As
		Regard Type Of Smoking Through Life
Table (XV)	:	Distribution Of Bladder Cancer Cases And Controls
		According To The Duration Of Smoking Of Each Type 93
Table (XVI)	:	Distribution Of Bladder Cancer Cases And Controls As
		Regard Smoking With Filter
Table (XVII)	:	Distribution Of Bladder Cancer Cases And Controls
		According To Frequency And Duration Of Beverage
		Drinking
Table (XVIII)	:	Distribution Of Bladder Cancer Cases And Controls As
		Regard Their Weekly Carbohydrate Consumption
		(\overline{X} , Median, 25 th and 75 th Percentiles)
Table (XIX)	:	Distribution Of Bladder Cancer Cases And Controls
		According To Their Weekly Consumption Of Some
		Food Items (\overline{X} , Median, 25 th and 75 th Percentiles)100
Table (XX)	:	Distribution Of Bladder Cancer Cases And Controls
		Regarding Their Weekly Consumption Of Vegetables
		And Fruits (\overline{X} , Median, 25 th and 75 th Percentiles)101
Table (XXI)	:	Distribution Of Bladder Cancer Cases And Controls
		According To Their Weekly Consumption Of Salty
		Food(\overline{X} , Median, 25 th and 75 th Percentiles)103
Table (XXII)	:	Distribution Of Bladder Cancer Cases And Controls By
		The Type Of Fat They Frequently Use104
Table (XXIII)	:	Distribution Of Bladder Cancer Cases And Controls
		Regarding The Habit Of Siwimming In Canals105

Ñ

Table (XXIV) :	Distribution Of Bladder Cancer Cases And Controls	
	Regarding History Of Bilharzial Infestation	107
Table (XXV):	Distribution Of Bladder Cancer Cases And Controls By	
	Mean Age Of First And Last Time Of Schistosomal	
	Diagnosis And Treatment	108
Table (XXVI):	Distribution Of Bladder Cancer Cases And Controls By	
	The Frequency Of Bilharzial Infestation	109
Table (XXVII):	Distribution Of Bilharzial Bladder Cancer Cases And	
	Controls As Regard Type Of Antibilharzial Therapy	
	Taken Through Life	111
Table (XXVIII):	Distribution Of Bladder Cancer Cases And Controls	
	Regarding Previous History Of Urological Diseases1	112
Table (XXIX):	Distribution Of Bladder Cancer Cases And Controls	
	By History Of The Morbid Conditions	114
Table (XXXA):	Distribution Of Bladder Cancer Cases And Controls	
	Regarding Their Occupational History	115
Table (XXXB):	Distribution Of Bladder Cancer Cases And Controls	
	Regarding Their Occupational History	116
Table (XXXI):	Distribution Of Cases And Controls Regarding The	
	Frequency Of Exposure To Pesticides	118
Table (XXXII) :	Distribution Of Female Bladder Cancer Cases And	
	Controls According To Their Reproductive History	120
Table (XXXIII) :	Distribution Of Bladder Cancer Cases And Controls	
	According To The Results Of Urine and Stool	
	Examination	122
Table (XXXIV) :	Distribution of Male and Female Bladder Cancer Cases	
	And Controls Regarding The Results Of Their	
	Serological Testing	123
	•	

--

è

Table (XXXV)	: Adjusted Odds Ratios For Variables Predicting Bladder	
	Cancer Development Among Males In Stepwise	
	Logistic Regression Analysis (n= 294)1	26
Table (XXXVI)	: Adjusted Odds Ratio For Variables Predicting Bladder	
	Cancer Development Among Females In Stepwise	
	Logistic Regression Analysis (n= 106)1	27
Table (XXXVII)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases By Age1	30
Table (XXXVIII) :Distribution Of Bilharzial And non Bilharzial Bladder	
	Cancer Cases By Sex1	31
Table (XXXIX)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cases Cancer By Residence1	32
Table (XL)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases Regarding The Pathological Type Of	
	Their Tumors1	34
Table (XLI)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases Regarding The Pathological Stage Of	
	Their Tumors1	35
Table (XLII)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases As Regard The Pathological Grade Of	
	Their Tumors	137
Table (XLIII)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases Regarding The Site Of Origin Of Their	
	Tumors In The Bladder	138
Table (XLIV)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases By The Morphological Shape Of	
	Their Tumors1	39
Table (XLV)	: Distribution Of Bilharzial And Non Bilharzial Bladder	
	Cancer Cases By Some Tumor Characteristics 1	11

- 41