



شبكة المعلومات الجامعية  
التوثيق الإلكتروني والميكرو فيلم

# بسم الله الرحمن الرحيم



**HANAA ALY**



شبكة المعلومات الجامعية  
التوثيق الإلكتروني والميكروفيلم



# شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



**HANAA ALY**



شبكة المعلومات الجامعية  
التوثيق الإلكتروني والميكروفيلم

# جامعة عين شمس التوثيق الإلكتروني والميكروفيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



## يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



**HANAA ALY**



Ain Shams University  
Faculty of Science  
Microbiology Department



# Detoxification of hexavalent chromium exist in tannery wastewater by some fungal species

## Master Thesis

Submitted as part of the requirements of the Master of Science degree in  
Microbiology

### Submitted by

**Adham Gamal Mohamed Ali**

- B.Sc. in microbiology & chemistry (2016)  
Faculty of science-Ain shams university
- Research fellow at Scientists for Next Generation Program  
Academy of Scientific Research and Technology - Egypt





Ain Shams University  
Faculty of Science  
Microbiology Department



# **Detoxification of hexavalent chromium exist in tannery wastewater by some fungal species**

## **Master Thesis**

Submitted as part of the requirements of the Master of Science degree in  
Microbiology

### **Submitted by**

**Adham Gamal Mohamed Ali**

- B.Sc. in microbiology & chemistry (2016)  
Faculty of science-Ain shams university
- Research fellow at Scientists for Next Generation Program  
Academy of Scientific Research and Technology - Egypt

### **Under Supervision of**

**Prof. Dr. Adel A. El Mehalawy**

Professor of Mycology  
Department of Microbiology  
Faculty of Science  
Ain Shams University

**Dr. Samar Samir Mohamed**

Associate Professor of Microbiology  
Department of Microbiology  
Faculty of science  
Ain shams university



**Approval sheet**

**Detoxification of hexavalent chromium exist in tannery wastewater by some fungal species**

**By**

**Adham Gamal Mohamed Ali**

**Supervisors**

**Approved**

**Prof. Dr. Adel A. El Mehalawy**

Professor of Mycology

Microbiology Department, Faculty of Science, Ain Shams University

**Dr. Samar Samir Mohamed**

Associate Professor of Microbiology

Microbiology Department, Faculty of Science, Ain Shams University

**Examination Committee**

**Prof. Dr. Mohammed Abdul Aziz Fouad**

Professor of Microbiology

Biology Department, Faculty of Education, Ain Shams University

**Prof. Dr. Ashraf Sabry Ahmed**

Professor of Microbiology

Nuclear Research Center, Egyptian Atomic Energy Authority

**Prof. Dr. Adel A. El Mehalawy**

Professor of Mycology

Microbiology Department, Faculty of Science, Ain Shams University

**Dr. Samar Samir Mohamed**

Associate Professor of Microbiology

Microbiology Department, Faculty of Science, Ain Shams University

Examination Date:    /    /

Approval Date:    /    /

University Council Approval:    /    /



## **Declaration**

This thesis has not previously submitted for any other universities.

*Adham Gamal Mohamed Ali*

## *Acknowledgement*

Praise and thanks to ALLAH the most merciful for guiding and assisting me, without whose mercy and guidance this work would neither has been started nor completed.

Foremost, I would like to express my sincere gratitude to my advisors Prof. Adel A. El Mehalawy and Dr. Samar Samir Mohamed for the continuous support of my M.Sc. study and research, for their patience, motivation, enthusiasm, and immense knowledge. Their guidance helped me in all the time of research and writing of this thesis. I could not have imagined having a better advisors and mentor for my M.Sc. study.

I am thankful to the Egyptian Academy of Scientific Research & Technology, Cairo, Egypt for providing financial and research work facility during the entire period of the study, and to Microbiology department, Faculty of Science, Ain Shams University, Cairo, Egypt for providing the laboratory facility.

My deep and sincere gratitude to my family for their continuous and unparalleled love, help and support. I am grateful to my father Gamal, my sister Mariam and my brother Ibrahim for always being there for me. My life mate Heba thank you for your continuous support, your assistance and your encouragement.

Finally, I dedicate this work to the soul of my beloved mother who gives me the opportunities and experiences that have made me who I am. She selflessly encouraged me to explore new directions in life and seek my own destiny.

<b>Table of contents</b>	
<b>Subject</b>	<b>Page</b>
<b>Abstract</b>	1
<b>1. Introduction</b>	2
<b>2. Literature review</b>	7
2.1 Major environmental pollutants in Egyptian environment	7
2.2 Heavy metal pollution problem	10
2.3 Chemistry of chromium causing contaminations	14
2.4 The importance of chromium in our life	16
2.5 Chromium in industry	18
2.6 Leather production process	18
2.7 tannery wastes chromium contamination and environmental threats	21
2.8 chromium toxicity	23
2.9 Analytical methods of chromium	27
2.10 Remediation of chromium	29
2.10.1 Physical and chemical methods	31
2.10.2 Disadvantages of physical and chemical treatments	34
2.10.3 Biological methods	35
2.11 Natural carriers in bioremediation	42
2.12 Process and mechanisms of microbial remediation of chromium contaminated soils and wastewaters	45
<b>3. Materials and Methods</b>	48
<b>3.1 Materials</b>	48
3.1.1 Chemicals	48
3.1.2 Media used in isolation, cultivation of organism and in optimization process	49
3.1.3 Reagents and solutions	50
<b>3.2 Methods</b>	51
3.2.1 Collection of tannery wastewater samples	51
3.2.2 Physicochemical analysis of tannery wastewater samples	51
3.2.3 Isolation and identification of chromium resistant fungal isolates	53
3.2.4 Selection of the most potent fungal strain	54
3.2.5 Chromium uptake	55
3.2.6 The effect of different operating parameters	56
3.2.7 Molecular identification of the most capable fungal isolate to remediate chromate	57

3.2.7.1 DNA Extraction from fungal isolate	57
3.2.7.2 PCR amplification of 16s-rRNA gene	58
3.2.8 Morphological examination of the most capable fungal isolate to remediate chromate <i>C. cladosporioides</i> mycelia by Scanning electron microscopy and energy-dispersive X-ray analysis (EDX)	59
3.2.9 Viable immobilization of the most capable fungal isolate to remediate chromate	60
3.2.10 Impact of treated and untreated effluents on the germination behavior of <i>B. napus</i>	62
<b>4. Results</b>	65
4.1 Tannery wastewater characterization	65
4.2 Locally isolation of fungal strains from tannery wastewater samples	66
4.3 Identification of isolated fungal strains on basis of microscopic and macroscopic characteristics	68
4.4 Screening the ability of isolated strains to reduce and resist high concentrations of chromate	71
4.5 The effect of different operating parameters	72
4.6 Molecular identification of the most potent fungal isolate	82
4.7 Scanning electron microscopy and energy-dispersive X-ray analysis (EDX)	84
4.8 Evaluation of immobilization matrices to support the most potential strain in chromate removal	85
4.9 Toxicity assessment of treated and untreated effluents on the germination behavior of <i>B. napus</i>	88
<b>Discussion</b>	92
<b>Conclusion</b>	97
<b>References</b>	99
<b>Summary</b>	133

<b>LIST OF FIGURES</b>		
No.	Title	Page
1.	heavy metals sources and their cycle in the environment	12
2.	Eh-pH phase diagram for chromium	16
3.	Schematic diagram of the toxicity and mutagenicity of Cr (VI)	26
4.	Different methods of immobilization	43
5.	possible mechanisms of chromium removal by a microbial cell	47
6.	(a) Tannery wastewater sample collected from site number 1 (b) Tannery wastewater sample collected from site number 2 (c) Tannery wastewater sample collected from site number 3.	51
7.	standard calibration curve of Cr (VI) in minimal salt medium	55
8.	Bioremediation of tannery wastewater by loofah immobilized <i>Cladosporium cladosporioides</i> in a bioreactor	61
9.	Microscopic and macroscopic features of different fungal isolates isolated from tannery wastewater.	70
10.	Effect of different carbon sources on the removal percentages of chromium in potassium chromate by <i>Cladosporium cladosporioides</i>	73
11.	Effect of different nitrogen sources on the removal percentages of chromium in potassium chromate by <i>Cladosporium cladosporioides</i>	73
12.	Effect of different pH values on the removal percentages of chromium in potassium chromate by <i>Cladosporium cladosporioides</i>	74
13.	Effect of different inoculum sizes on the removal percentages of chromium in potassium chromate by <i>Cladosporium cladosporioides</i>	75
14.	Effect of different carbon sources on the removal percentages of chromium in	76

	potassium chromate by <i>Aspergillus fumigatus</i>	
15.	Effect of different nitrogen sources on the removal percentages of chromium in potassium chromate by <i>Aspergillus fumigatus</i>	76
16.	Effect of different pH values on the removal percentages of chromium in potassium chromate by <i>Aspergillus fumigatus</i>	77
17.	Effect of different inoculum sizes on the removal percentages of chromium in potassium chromate by <i>Aspergillus fumigatus</i>	78
18.	Effect of different carbon sources on the removal percentages of chromium in potassium chromate by <i>Penicillium notatum</i>	79
19.	Effect of different nitrogen sources on the removal percentages of chromium in potassium chromate by <i>Penicillium notatum</i>	79
20.	Effect of different pH values on the removal percentages of chromium in potassium chromate by <i>Penicillium notatum</i>	80
21.	Effect of different inoculum sizes on the removal percentages of chromium in potassium chromate by <i>Penicillium notatum</i>	81
22.	Neighbor-joining tree from ITS sequences showing the relationship between isolated <i>Cladosporium cladosporioides</i> isolate CE114 and other closely related cladosporium species retrieved from the Genbank (accession number). Scale bar = 5 nucleotide substitutions per 100 nucleotides.	83
23.	(a) SEM image of <i>Cladosporium cladosporioides</i> incubated without chromate shows smooth mycelium (b) SEM image of <i>Cladosporium cladosporioides</i> after incubation in the presence of chromate shows rough mycelium with chromium particles adsorbed on it.	84