

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار





Biochemical and Ultrastructural Studies on the Effect of Human Mesenchymal Stem Cells on Hepatoma Cell Line (HuH7)

Thesis

*Submitted for the Award of the Degree Doctor
of Philosophy of Science (Zoology)*

By

Marwa Mohammad Hussein Sayed

M.Sc Zoology

*Laboratory Specialist
Immunology Unit in Clinical Pathology
Ain Shams University Hospitals*

Supervisors

Prof. Dr. Hamdy Hamed Swelim

*Professor of Cell Biology and Histology
Department of Zoology
Faculty of Science
Ain Shams University*

Prof. Dr. Hanaa Ahmed Ali Amar

*Professor of Clinical Pathology
and Immunology
Faculty of Medicine
Ain Shams University*

Dr. Fatma Abd Elkriem Abo Zahra

*Assistant Professor of Biochemistry
Faculty of Medicine, Ain Shams Research
Institute (MASRI)
Faculty of Medicine
Ain Shams University*

Dr. Mourad Mortada Heidar

*Fellow of Cell Biology
Oncology Diagnostic Unit
Faculty of Medicine
Ain Shams University*

***Zoology Department
Faculty of Science
Ain Shams University
2019***

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

وَأَنْزَلَ اللّٰهُ عَلَيْكَ
الْكِتَابَ وَالْحِكْمَةَ
وَعَلَّمَكَ مَا لَمْ
تَكُن تَعْلَمُ وَكَانَ
فَضْلُ اللّٰهِ عَلَيْكَ
عَظِيمًا

صدق الله العظيم

سورة النساء آية (١١٢)

Acknowledgments

*First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.*

*I wish to express my deepest thanks, gratitude and appreciation to **Prof. Dr. Hamdy Hamed Swelim**, Professor of Cell Biology and Histology, Department of Zoology, Faculty of Science, Ain Shams University, for his meticulous supervision, valuable instructions and generous help.*

*Special thanks are due to **Prof. Dr. Hanaa Ahmed Ali Amar**, Professor of Clinical Pathology, and Immunology, Faculty of Medicine, Ain Shams University, for her sincere efforts, fruitful encouragement.*

*I am deeply thankful to **Dr. Fatma Abd Elkriem Abo Zahra**, Assistant Professor of Biochemistry, Faculty of Medicine, Ain Shams Institute (MASRI), Faculty of Medicine, Ain Shams University, for her great help, outstanding support, active participation and guidance.*

*Last but not least my sincere thanks and appreciation to **Dr. Mourad Mortada Heidar**, Fellow of Cell Biology, Oncology Diagnostic Unit, Faculty of Medicine, Ain Shams University, for his kind guidance and meticulous supervision.*

I would like to express my hearty thanks to all my family for their support till this work was completed.

Marwa Mohammad Hussein Sayed

List of Contents

Title	Page No.
List of Tables	8
List of Figures	9
List of Abbreviations.....	13
Abstract	viii
Introduction.....	- 1 -
Aim of the Work	20
Review of Literature	21
2.1 Hepatocellular Carcinoma	21
2.2 Geographic distribution of hepatocellular carcinoma	22
2.3 Hepatocellular Carcinoma in Egypt	23
2.4 Causes of hepatocellular carcinoma	24
2.4.1 Hepatitis B and C	24
2.4.2. Cirrhosis:	25
2.4.3. Alcohol	26
2.4.4. Aflatoxin	26
2.5 Pathology of hepatocellular carcinoma.....	27
2.5.1 Histological assessment.....	29
2.5.2 Histological Grade.....	29
2.6 Treatment of Hepatocellular Carcinoma.....	31
2.6.1 Surgical Treatment.....	32
2.6.2 Non-surgical Treatment	33
2.7 Mesenchymal Stem Cells	35
2.7.1 Source of Mesenchymal stem cells	38
2.7.2 History of Umbilical Cord – Mesenchymal stem cells (UC-MSCs)	41
2.7.3 Advantage of umbilical cord mesenchymal stem cells UC-MSCs.....	42
2.8 Methods of Isolation of Umbilical Cord Mesenchymal stem cells	43
2.8.1 The explant method	43
2.8.2 The enzymatic digestion method.....	43

List of Contents *cont...*

Title	Page No.
2.9 Cytokines from mesenchymal stem cell	45
2.10 HuH7 cell line as hepatocellular carcinoma.....	46
2.11 MTT Tetrazolium Assay Concept	47
2.12 Effect of Survivin, PCNA, β -Catenin, Telomerase and VEGF on Hepatocellular Carcinoma cell line (HuH-7).....	48
2.12.1 Survivin	49
2.12.2 Proliferating Cell Nuclear Antigen (PCNA)	50
2.12.3 B-Catenin	51
2.12.4 Vascular Endothelial Growth Factor (VEGF)	53
2.12.5 Telomerase	54
Materials and Methods	57
3.1 Sample preparation.....	57
3.1.1 Umbilical Cord Blood.....	57
3.1.2. Umbilical Cord	57
3.2 Isolation and culture of mesenchymal stem cells (MSC) .	58
3.2.1 Isolation from Umbilical Cord Blood (UCB)	58
3.2.2 Isolation from Umbilical Cord (UC)	58
3.2.3 Identification of UC-MSc by flow cytometer	59
3.3 Culture of human hepatoma (HuH7) cells	60
3.4. Treatment of human hepatoma (HuH7) cells	60
3.4.1 Treatment of HuH7 with mesenchymal stem cells conditioned media	60
3.4.2 Treatment of HuH7 with co-culture conditioned media	61
3.5 Cell viability assay	62
3.6 Ultra structure study for the investigation of subcellular features of both hepatoma cell line (HuH7) and mesenchymal cells before and after treatment	63
3.7 RNA extraction of cells.....	64
3.8 Real-time quantitative PCR analysis for Survivin, PCNA, β -Catenin, Telomerase and VEGF	67

List of Contents *cont...*

Title	Page No.
3.9 Biochemical study to measure changes in functions of liver cells in experimental groups:	69
3.9.1 Serum Albumin:	69
3.9.2 Test for hepatocellular damage (Enzymes).....	71
3.9.3 Alkaline Phosphate	74
3.9.4 Quantitative determination of gamma-glutamyl transferase (γ -GT) IVD.....	75
3.9.5 α fetoprotein (Tumor Marker)	77
Results	80
4.1 Type of treatment	80
4.2 Morphological characterization	81
4.2.1 Mesenchymal stem cells:	81
4.2.2 HuH7 Hepatoma cells:.....	81
4.2.3 HuH7 after treatment with conditioned media:	82
4.2.4 HuH7 after treatment with co-culture media:.....	82
4.3 Ultrastructure of HuH7 cultured in normal media, conditioned media or co-culture media.....	95
4.3.1 HuH7 cultured in normal media	95
4.3.2-HuH7 cultured in conditioned media for 48hrs.....	100
4.3.3 HuH7 cultured in conditioned media for 72 hrs.....	105
4.3.4 HuH7 cultured in conditioned media for 96 hrs.....	110
4.3.4.1- HuH7 cultured in co-culture media for 48 hrs.....	115
4.3.4.2- HuH7 cultured in co-culture media for 72 hrs.....	120
4.4 Cell Viability assay (MTT)	123
4.5 Biochemical changes in Hepatoma cell line (HuH7).....	125
4.5.1. Alfa fetoprotein	125
4.5.2 Albumin	127
4.5.3 Liver enzymes (GOT and GPT)	128
4.5.4 Alkaline phosphatase.....	130
4.5.5 γ GT:	131

List of Contents *cont...*

Title	Page No.
4.6 Gene expression analysis for Survivin, PCNA, Δ -Catenin, Telomerase and VEGF	132
4.6.1 Survivin:	132
4.6.2 PCNA:	134
4.6.3 β -Catenin:	135
4.6.4 Telomerase:	136
4.6.5 VEGF:	138
Discussion	139
5.1 Umbilical cord mesenchymal stem cell (UCMSC)	140
5.2 Effect of two media on hepatocellular carcinoma cell line (HuH7)	141
5.2.1 Morphological and cell viability changes	141
5.2.2 Ultrastructure changes	142
5.2.3 Biochemical changes	146
5.2.4 Gene expression changes	150
Summary	162
Conclusion	168
References	169
Arabic Summary	

List of Tables

Table No.	Title	Page No.
Table (1):	Sequence of the primers used for real-time PCR.....	69

List of Figures

Fig. No.	Title	Page No.
Figure (1):	A, cirrhotic liver with focal tumor; B, histological appearance.....	21
Figure (2):	Geographic distribution of hepatocellular carcinoma	23
Figure (3):	Causes of liver cancer in hepatocellular carcinoma.....	27
Figure (4):	Number of registered clinical trials of mesenchymal stem cells based therapy	36
Figure (5):	Clinical phases of mesenchymal stem cells-based therapy	37
Figure (6):	Percentages of the common diseases now treated with mesenchymal stem cells	37
Figure (7):	Major sources of human mesenchymal stem cells (MSC).....	39
Figure (8):	Various compartments of umbilical cord from which mesenchymal stem cells can be isolated.....	46
Figure (9):	Sequence and structural features of PCNA.	51
Figure (10):	Wnt-b-catenin signaling pathway	52
Figure (11):	Structure and reaction cycle of telomerase	56
Figure (12):	Photomicrographs showing growth of mesenchymal stem cells from blood cord	83
Figure (13):	Photomicrographs showing growth of mesenchymal stem cells from cord	85
Figure (14):	Photomicrographs showing growth of hepatocellular carcinoma (HuH7) cultured in normal media	87
Figure (15):	Photomicrograph showing growth of two types of cells mesenchymal stem cells from cord and HuH7 after 3 days to make co culture media (Inverted microscope, X400)	89

List of Figures cont...

Fig. No.	Title	Page No.
Figure (16):	Photomicrographs showing effect of conditioned media on hepatocellular carcinoma (HuH7) compared with the control	91
Figure (17):	Photomicrographs showing effect of Co-culture media on hepatocellular carcinoma (HuH7) compared with control	93
Figure (18):	Electronmicrograph of control HuH7 cells in normal media after cell confluence.....	96
Figure (19):	Electronmicrograph of HuH7 cells in normal media after cell confluence.....	96
Figure (20):	Electronmicrograph of HuH7 cells in normal media after cell confluence.....	98
Figure (21):	Electronmicrograph of HuH7 cells cultured in normal media after cell confluence	98
Figure (22):	Electronmicrograph of HuH7 cells cultured in conditioned media for 48 hours	101
Figure (23):	Electronmicrograph of HuH7 cells cultured in conditioned media for 48 hours	101
Figure (24):	Electronmicrograph of HuH7 cells cultured in conditioned media for 48 hours	103
Figure (25):	Electronmicrograph of HuH7 cells cultured in conditioned media for 48 hours	103
Figure (26):	Electronmicrograph of HuH7 cells cultured in conditioned media for 72 hours	106
Figure (27):	Electronmicrograph of HuH7 cells cultured in conditioned media for 72 hours	106
Figure (28):	Electronmicrograph of HuH7 cells cultured in conditioned media for 72 hours	108

List of Figures *cont...*

Fig. No.	Title	Page No.
Figure (29):	Electronmicrograph of HuH7 cells cultured in conditioned media for 72 hours	108
Figure (30):	Electronmicrograph of HuH7 cells cultured in conditioned media for 96 hours	111
Figure (31):	Electronmicrograph of HuH7 cells cultured in conditioned media for 96 hours	111
Figure (32):	Electronmicrograph of HuH7 cells cultured in conditioned media for 96 hours	113
Figure (33):	Electronmicrograph of HuH7 cells cultured in conditioned media for 96 hours	113
Figure (34):	Electronmicrograph of HuH7 cells culture media for 48 hours	116
Figure (35):	Electronmicrograph of HuH7 cells cultured in co-culture media for 48 hours.....	116
Figure (36):	Electronmicrograph of HuH7 cells cultured in co-culture media for 48 hours.....	118
Figure (37):	Electronmicrograph of HuH7 cells cultured in co-culture media for 48 hours.....	118
Figure (38):	Electronmicrograph of HuH7 cells cultured in co-culture media for 72 hours.....	121
Figure (39):	Electronmicrograph of HuH7 cells cultured in co-culture media for 72 hours.....	121
Figure (40):	MTT Box plot with Time for HuH7 cultured in Conditioned media and Co-culture media. .	124
Figure (41):	Scatter plot with normally distributed variables showing linear regression of AFP with time.....	126
Figure (42):	Means plot of AFP with time for HuH7 cells culture in conditioned media and co-culture media.	126

List of Figures cont...

Fig. No.	Title	Page No.
Figure (43):	Means plot of albumin with time for HuH7 cells cultured in conditioned media and co-culture media.....	127
Figure (44):	Means plot of GOT with time for HuH7 cells cultured in conditioned media and co-culture media.....	128
Figure (45):	GPT box plot with time for HuH7 cells cultured in conditioned media and co-culture Media	129
Figure (46):	GOT/ GPT box plot with time for HuH7 cells cultured in conditioned media and co-culture media.....	130
Figure (47):	Alkaline phosphates Box plot with Time for HuH7 cells cultured in Conditioned media and Co-culture media	131
Figure (48):	γGT Box plot with time for HuH7 cells cultured in conditioned media and co-culture media.....	132
Figure (49):	Survivin box plot with time for HuH7 cells cultured in conditioned media and co-culture media.....	133
Figure (50):	PCNA Box plot with Time for HuH7 cells cultured in Conditioned media and Co-culture media.....	135
Figure (51):	β-Catenin RQ Box plot with Time for HuH7 cells cultured Conditioned media and Co-culture media.....	136
Figure (52):	Telomerase RQ Box plot with Time for HuH7 cells cultured in Conditioned media and Co-culture media	137
Figure (53):	VEGF RQ Box plot with Time for HuH7 cells cultured in Conditioned media and Co-culture media.....	138