

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

## جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



# THE RELATION BETWEEN COGNITIVE FUNCTIONS AND PREVALENT HEMODIALYSIS IN A SAMPLE OF ELDERLY PATIENTS IN CAIRO

Thesis

Submitted for partial fulfillment of M.D degree in Geriatrics and Gerontology

Presented by

#### Ola Abd El-Fattah Ali Amro

M.B., B. Ch. M.Sc. (Geriatrics and Gerontology)

Supervised by

## **Prof. Mohamed Hassan El-Banouby**

Professor of Geriatrics & Gerontology Faculty of Medicine, Ain Shams University

## **Prof. Mohamed Aly Ibrahim**

Professor of Internal Medicine and Nephrology Faculty of Medicine, Ain Shams University

## Dr. Walaa Wessam Aly

Associate Professor of Geriatrics & Gerontology Faculty of Medicine, Ain Shams University

#### Dr. Suzan Mounir Ali

Lecturer of Geriatrics & Gerontology Faculty of Medicine, Ain Shams University

> Faculty of Medicine Ain Shams University 2020



## العلاقة بين الوظائف المعرفية والغسيل الكلوي السائد في عينة من المرضى المسنين في القاهرة

رسالة

توطئة للحصول على درجة الدكتوراة في طب المسنين وعلوم الإعمار مقدمة من

الطبيبة / علا عبد الفتاح على عمرو

بكالوريوس الطب والجراحة- ماجستير طب المسنين وعلوم الأعمار تحت إشراف

أد/ محمد حسن البانوبي

أستاذ طب المسنين وعلوم الأعمار كلية الطب- جامعة عين شمس

أد/ محمد على إبراهيم

استاذ امراض الباطنة والكلى كلية الطب- جامعة عين شمس

د/ ولاء وسام علي

أستاذ مساعد طب المسنين وعلوم الأعمار كلية الطب- جامعة عين شمس

د/ سوزان منیر علی

مدرس طب المسنين وعلوم الأعمار كلية الطب- جامعة عين شمس كلية الطب

جامعة عين شمس



سورة البقرة الآية: ٢١



#### First and foremost, thanks to ALLAH, the Most Merciful.

I wish to express my deep appreciation and sincere gratitude to **Prof. Dr.**Mohamed Hassan El-Banouby, Professor of Geriatrics & Gerontology, Ain Shams University, for his close supervision, valuable instructions, continuous help, patience, advices and guidance. He has generously devoted much of his time and effort for planning and supervision of this study. It was a great honor to me to work under his direct supervision.

I wish to express my great thanks and gratitude to Prof. Dr. Mohamed Aly Ibrahim, Professor of Internal Medicine and Nephrology, Ain Shams University, for his close supervision, valuable instructions, continuous help, patience, advices and guidance. he has generously devoted much of his time and effort for planning and supervision of this study. It was a great honor to me to work under his direct supervision.

I wish to express my great thanks and gratitude to **Dr. Walaa Wessam Aly,** Associate Professor of Geriatrics & Gerontology, Ain Shams University, for her kind supervision, indispensable advice and great help in this work.

I wish to express my great thanks and gratitude to **Dr. Suzan Mounir Ali,**Lecturer of Geriatrics & Gerontology, Ain Shams University, for her kind supervision, indispensable advice and great help in this work.

Last and not least, I want to thank all my family, my colleagues, for their valuable help and support.

Finally, I would present all my appreciations to my patients without them, this work could not have been completed.

### **CONTENTS**

•	List of Abbreviations I				
•	List of TableIV				
•	List of FiguresXIV				
•	Introduction 1				
•	Aim of the work 4				
Review of literature					
	Chapter (1):	Cognitive functions & cognitive impairement in elderly5			
	Chapter (2):	Evaluation of Cognitive impairement in elderly hemodialysis patients32			
	Chapter (3):	Management of Cognitive impairement in elderly hemodialysis patients			
•	Patients and	d methods51			
•	Results	64			
•	Discussion	147			
•	Summary177				
•	Conclusions182				
•	Recommendations183				
•	References.	184			
•	Appendix	224			
•	Arabic Sum	mary			

#### LIST OF ABBREVIATIONS

HA1C : glycated hemoglobin

: American Academy of Neurology **AAN** 

: Ankle-brachial index **ABI** 

**ABPI** : Ankle-brachial pressure index

: Addenbrooke's cognitive examination ACE

AD · Alzheimer disease

ADL : Activities of the daily living

Alb · Albumin

**ANOVA** : Analysis of variance

Australia and New Zealand Dialysis and Transplant **ANZDATA** 

Registry

APO4 allele

**AV** fistula : Arterio-venous Fistula

**BMI** : Body mass index BP : Blood pressure

CaPO4 product : Calcium Phosphorus product

> CAA : Cerebral amyloid angiopathy CAC : Coronary artery calcium **CBD** : Corticobasal degeneration **CBT** : Cognitive behavioral therapy

: Cognitive disorders **CDs** 

CDT : Clock-drawing test

Consortium to Establish a Registry for Alzheimer's **CERAD-NP** 

Disease Neuropsychological Battery

: Cognitive impairment CI **CJD** : Creutzfeldt-Jakob disease **CKD** : Chronic kidney Disease

**Corrected Ca** : Corrected calcium

> Cr : Creatinine

**CSF** : Cerebrospinal fluid

**CST** : Cognitive stimulation therapy

CT : Computed tomography

: Dialysis disequilibrium syndrome DDS

DLB : Dementia with Lewy bodies

#### &List of Abbreviations

**DSM**: Diagnostic and Statistical Manual of Mental Disorders

The Diagnostic and Statistical Manual of Mental

Disorders, Fifth Edition

The Diagnostic and Statistical Manual of Mental

Disorders, Fourth Edition

**eGFR** : Estimated glomerular filtration rate

ESRD : End stage renal disease
 FTDs : Frontotemporal dementias
 GDS : Geriatric depression scale
 HBsAg : Hepatitis B surface antigen

**HCV Ab** : Hepatitis C antibody

HD : HemodialysisHGB : Hemoglobin level

**HIV**: Human Immune deficiency Virus

**HIV Ab** : Human Immunodeficiency Virus antibody

**HS**: Highly significant

IADL : Instrumental activities of daily livingIBM SPSS : Statistical package for social sciences

**IQCODE** : The Informant Questionnaire on Cognitive Decline in

the Elderly

**IQR** : Interquartile range

K : Potassium

**LP** : Lumbar puncture

MCI : Mild cognitive impairment
MIS : Memory impairment screen

**mm Hg** : Millimeter of mercury

MMSE : Mini-mental status examinationMNA : Mini nutritional assessment

**MNA-SF** : Mini nutritional assessment-short form

MND : Motor neuron disease

MoCA : Montreal cognitive assessmentMRI : Magnetic resonance imagingMSA : Multiple system atrophy

Na : Sodium

NCDs : Neurocognitive disorders

NMDA : Neurotoxicity induced by activation of N-Methyl-D-

· aspartate

## **∠**List of Abbreviations

**NPH**: Normal pressure hydrocephalus

NS : Non-significant

**PAD**: Peripheral arterial disease

PET : Positron emission tomography
PHQ2 : Patient health questionnaire 2

PO4 : Phosphorus

PSP : Progressive supra nuclear palsy
PTH : Intact parathyroid hormone

**REM** : Rapid eye movement

**RO** : Reverse osmosis

S : Significant

SD: Standard deviation
SIS: Six-item screener

SLUMS : Saint louis university mental status examination
 SPECT : Single-photon emission computed tomography
 SPMSQ : Short portable mental status questionnaire

T.Ca : Total calcium

**TSH** : Serum thyroid-stimulating hormone

**URR** : Urea reduction ratio

**VCI** : Vascular cognitive impairment

## **LIST OF TABLE**

Tab. No.	Subjects	Page
Table 1:	DSM-IV and DSM-5 criteria for dementia	33
Table 2:	Different global cognitive assessment tools	36
Table 3:	Drugs used in treatment of dementia	46
Table (4):	Comparison between group A (HD) & group B (CKD) as regard demographic data	64
Table 5 :	Comparison between group A (HD) & group B (CKD) as regard Comprehensive Geriatric Assessment	66
Table 6:	Comparison between group A (HD) & group B (CKD) as regard cognitive functions assessment by Mini Mental State Examination (MMSE) & Montreal Cognitive Assessment (MoCA)	67
Table 7:	Comparison between group A (HD) & group B (CKD) as regard cognitive domains of Mini Mental State Examination (MMSE)	69
Table 8:	Comparison between group A (HD) & group B (CKD) as regard cognitive domains of Montreal Cognitive Assessment (MoCA)	70
Table 9:	Comparison between group A (HD) & group B (CKD) as regard Ankle brachial index (ABI)	71
Table 10:	Comparison between group A (HD) & group B (CKD) as regard laboratory investigations	72
Table 11:	Comparison of the studied group A (HD) divided as regard demographic data at baseline, after 6 months & after 12 months	73
Table 12:	Comparison of the studied group A (HD) divided as regard Comprehensive Geriatric Assessment at baseline, after 6 months & after 12 months	74

## ∠List of Table

Tab. No.	Subjects	Page
Table 13:	Comparison of the studied group A (HD) divided as regard cognitive functions assessment at baseline, after 6 months & after 12 months	75
Table 14:	Comparison of the studied group A (HD) divided as regard cognitive domains of Mini Mental State Examination (MMSE) at baseline, after 6 months & after 12 months	76
Table 15:	Comparison of the studied group A (HD) divided as regard cognitive domains of Montreal Cognitive Assessment (MoCA) at baseline, after 6 months & after 12 months	78
Table 16:	Comparison of the studied group A (HD) divided as regard laboratory investigations at baseline, after 6 months & after 12 months	79
Table 17:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard demographic data at baseline	81
Table 18:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard comprehensive geriatric assessment at baseline	82
Table 19:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard Ankle brachial index (ABI) at baseline	83
Table 20:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard laboratory investigations at baseline	84

## ∠List of Table

Tab. No.	Subjects	Page
Table 21:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard demographic data after 6 months	85
Table 22:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard Comprehensive Geriatric Assessment after 6 months	86
Table 23:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard laboratory investigations after 6 months	87
Table 24:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard demographic data after 12 months	88
Table 25:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard Comprehensive Geriatric Assessment after 12 months	89
Table 26:	Comparison of the studied group A (HD) divided according to Mini Mental State Examination (MMSE) as regard laboratory investigations after 12 months	90
Table 27:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard demographic data at baseline	91

## ≰List of Table

Tab. No.	Subjects	Page
Table 28:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard Comprehensive Geriatric Assessment at baseline	92
Table 29:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard Ankle brachial index (ABI) at baseline	93
Table 30:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard laboratory investigations at baseline	94
Table 31:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard demographic data after 6 months	95
Table 32:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard Comprehensive Geriatric Assessment after 6 months	96
Table 33:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard laboratory investigations after 6 months	97
Table 34:	Comparison of the studied group A (HD) divided according to Montreal Cognitive Assessment (MoCA) as regard demographic data after 12 months	98