


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم


قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



Analytical Study on Some Drugs Used for Treatment of Acne and Melasma

THESIS

Presented for the partial fulfilment of Master's Degree in Pharmaceutical Sciences
(Analytical Chemistry)

By

Khaled Hesham Abd El Aal Mahmoud

B.Sc. Pharmacy, Ain Shams University, 2014

Department of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ahram
Canadian University

Under Supervision of

Professor Dr. Lobna Abd El Aziz

Professor of Pharmaceutical Analytical
Chemistry and Head of Department
Faculty of Pharmacy, Ain Shams University

Professor Dr. Shereen Tawakkol

Professor of Pharmaceutical Analytical
Chemistry and Head of Department
Faculty of Pharmacy, Ahram Canadian
University

Assistant Professor Dr. Mona Hamdy

Assistant Professor of Pharmaceutical Analytical Chemistry
Faculty of Pharmacy,
Ain Shams University

Department of Pharmaceutical Analytical Chemistry
Faculty of Pharmacy
Ain Shams University
2022

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

﴿وَمَنْ لَّمْ يَجْعَلِ اللَّهُ لَهُ نُورًا فَمَا لَهُ مِنْ نُورٍ﴾

Acknowledgement

All words of thanks to "ALLAH", the source of all knowledge, by whose abundant grace this work was accomplished.

First and foremost, I would like to thank **Prof. Dr. Lobna Abd El Aziz**, Professor of Pharmaceutical Analytical Chemistry and Head of Department, Faculty of Pharmacy, Ain Shams University, for her kind and inspiring supervision, fruitful advice and valuable guidance, revising and proofreading this thesis which made this work possible.

I would like to express my sincere appreciation to **Prof. Dr. Shereen Mostafa Tawakkol**, Professor of Pharmaceutical Analytical Chemistry and Head of Department, Faculty of Pharmacy, Ahram Canadian University, for her kind help, constructive comments, revising and proofreading this thesis which made this work possible.

Last but not least, I wish to express my sincere appreciation to **Associate Professor Dr. Mona Hamdy**, Associate Professor of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ain Shams University, for her co-operation and kind help, revising and proofreading this thesis which made this work possible.

Words are inadequate in offering my thanks to **Dr. Nesma Mahmoud Mohammed Fahmy**, Lecturer of Pharmaceutical Analytical Chemistry, Faculty of Pharmacy, Ahram Canadian University for her kindness, endless co-operation and valuable time.

I am extremely grateful to my parents, **Hesham Abd El Aal** and **Manal Saleh**, for their unconditional love, prayers, caring and sacrifices for raising, educating, and preparing me for my future. Also, I express my thanks to my best friend, my brother **Mohamed Hesham** for his endless support, and always having my back.

Finally, I would like to thank my lovely family, my beautiful wife **Nour Mostafa Hassan** no words can describe her pure love, help, support and always being there for me, and my sweet daughter **Jana Khaled Hesham** for being such an inspiration and a blessing from Allah that encouraged me through all hard times.

List of Publications

1	“Mathematical filtration of quaternary mixture to the zero order spectra of its individual components.”	Spectrochimica Acta Part A Impact factor 4.098 (2020)	May (2021) volume (261)
2	“Three Different Approaches Based on Derivative Ratio Spectra for Spectrophotometric Resolution of Quaternary Mixture in Semisolid Dosage Form”	Journal of AOAC INTERNATIONAL Impact factor 1.913	April (2021)

List of Contents

List of Contents	I
List of Figures.....	XI
List of Tables	XV
List of Abbreviations	XX
Preface.....	XXIII
Summary.....	XXV
 Part I:	 1
General Introduction	1
I.1.Melasma disease	2
I.1.1 Background.....	2
I.1.2 Prevalence of Melasma	3
I.1.3 Etiology.....	4
I.1.4 Quality of life	4
I.1.5 Treatment.....	5
I.2. Acne Vulgaris.....	10
I.2.1 Background.....	10
I.2.2 Prevalence of Acne vulgaris.....	11
I.2.3 Etiology.....	11
I.2.4 Quality of life	12
I.2.5 Treatment.....	12

List of Contents

Part II:	15
Literature Review	15
II.1. Tretinoin (TN):	16
II.1.1. Structure:	16
II.1.2. Chemical and Physical Properties:	16
II.1.3. Pharmacology and Mechanism of Action:	16
II.1.4. Structure Activity Relationship:	17
II.1.5. Pharmacokinetics:	18
II.1.6. Methods of Analysis in Literature:	18
II.1.6.1. Spectrophotometric Methods:	18
II.1.6.2 Voltammetric Methods:	19
II.1.6.3. Chromatographic Techniques:	19
II.1.6.3.1. Thin Layer Chromatographic Methods:	19
II.1.6.3.2. High Performance Liquid Chromatographic Methods:	20
II.2. Eusolex (EX):	24
II.2.1. Structure:	24
II.2.2. Chemical and Physical Properties:	24
II.2.3. Pharmacology and Mechanism of Action:	24
II.2.4. Structure Activity Relationship:	25
II.2.5. Pharmacokinetics:	25
II.2.6. Methods of Analysis in Literature:	26
II.2.6.1. Spectrophotometric Methods:	26
II.2.6.2. Voltammetric Methods:	27
II.2.6.3. Chromatographic Techniques:	27
II.2.6.3.1. High Performance Thin Layer Chromatographic Methods (HPTLC):	27

II.2.6.3.2. High Performance Liquid Chromatographic Methods:	28
II.2.6.3.3. Gas Chromatographic Methods:	30
II.3. Hydroquinone (HQ):	31
II.3.1. Structure:	31
II.3.2. Chemical and Physical Properties:	31
II.3.3. Pharmacology and Mechanism of Action:	31
II.3.4. Structure Activity Relationship:	32
II.3.5. Pharmacokinetics:	33
II.3.6. Methods of Analysis in Literature:	33
II.3.6.1. Spectroscopic Techniques:	33
II.3.6.1.1. Spectrophotometric Methods:	33
II.3.6.1.2. Spectrofluorimetric Methods:	34
II.3.6.2. Voltammetric Methods:	34
II.3.6.3. Chromatographic Techniques:	34
II.3.6.3.1. Gas Chromatographic Methods:	34
II.3.6.3.2. High Performance Liquid Chromatographic Methods:	35
II.4. Hydrocortisone Acetate (HC):	38
II.4.1. Structure:	38
II.4.2. Chemical and Physical Properties:	38
II.4.3. Pharmacology and Mechanism of Action:	38
II.4.4. Structure Activity Relationship:	39
II.4.5. Pharmacokinetics:	39
II.4.6. Methods of Analysis in Literature:	40
II.4.6.1. Spectrophotometric Methods:	40
II.4.6.2. Chromatographic Techniques:	40

II.4.6.2.1 Thin Layer Chromatographic Methods (TLC):	40
II.4.6.2.2. High Performance Liquid Chromatographic Methods:	41
II.5. Fluocinolone Acetonide (FA):	44
II.5.1. Structure:.....	44
II.5.2. Chemical and Physical Properties:	44
II.5.3. Pharmacology and Mechanism of Action:.....	44
II.5.4. Structure Activity Relationship:.....	45
II.5.5. Pharmacokinetics:	45
II.5.6. Methods of Analysis in Literature:	46
II.5.6.1. Spectrophotometric Methods:	46
II.5.6.2. Chromatographic Techniques:.....	46
II.5.6.2.1. High Performance Thin Layer Chromatographic Methods (HPTLC):	46
II.5.6.2.2. Thin Layer Chromatographic Methods (TLC):	46
II.5.6.2.3. Gas Chromatographic Methods:	47
II.5.6.2.4. High Performance Liquid Chromatographic Methods:	48
 Part III:	 51
Spectrophotometric Analysis	51
Section A: Mathematical Filtration of Quaternary Mixture to The Zero Order Spectra of Its Individual Components.....	52
III.A.1. Introduction:	53
III.A.2. Experimental:	55
III.A.2.1. Apparatus:	55
III.A.2.2. Materials:	55
III.A.2.2.1. Chemicals and Reagents:	55
III.A.2.2.2. Pharmaceutical formulation:	55

List of Contents

III.A.2.2.3. Standard solutions:	55
III.A.2.3. Procedures:	56
III.A.2.3.1. Tretinoin, Eusolex, Hydroquinone, and Hydrocortisone acetate spectra:	56
III.A.2.3.2. Linearity and calibration graphs:	56
III.A.2.3.3. Application of the spectrophotometric methods for determining Tretinoin, Eusolex, Hydroquinone, and Hydrocortisone acetate in laboratory prepared mixtures:	57
III.A.2.3.4. Application to pharmaceutical formulation:	60
III.A.3. Results and Discussion:	60
III.A.3.1. Method Validation:	63
III.A.3.1.1. Linearity range:	63
III.A.3.1.2. Limit of Detection (LOD) and Limit of Quantitation (LOQ):	64
III.A.3.1.3. Accuracy:	64
III.A.3.1.4. Precision:	64
III.A.3.1.5. Specificity:	64
III.A.3.2. Statistical Comparison:	65
III.A.4. Conclusion:	65
 Section B: Three Different Approaches Based on Derivative Ratio Spectra for Spectrophotometric Resolution of Quaternary Mixture in Semisolid Dosage Form	 79
III.B.1. Introduction:	80
III.B.2. Experimental:	84
III.B.2.1. Apparatus:	84
III.B.2.2. Materials:	84
III.B.2.2.1. Chemicals and Reagents:	84
III.B.2.2.2. Pharmaceutical formulation:	84
III.B.2.2.3. Standard solutions:	84

List of Contents

III.B.2.3. Procedures:	84
III.B.2.3.1.Tretinoin, Hydroquinone and Fluocinolone acetonide spectra:	84
III.B.2.3.2.Linearity and calibration graphs:.....	85
III.B.2.3.3. Application of the spectrophotometric methods for determining Tretinoin, Hydroquinone and Fluocinolone acetonide, in presence of Methyl paraben in laboratory prepared mixtures:	86
III.B.2.3.4. Application to pharmaceutical formulation:	87
III.B.3. Results and Discussion:	87
III.B.3.1. Method Validation:	90
III.B.3.1.1. Linearity range:	90
III.B.3.1.2. Limit of Detection (LOD) and Limit of Quantitation (LOQ):	90
III.B.3.1.3. Accuracy:	91
III.B.3.1.4. Precision:	91
III.B.3.1.5. Specificity:	91
III.B.3.2. Statistical Comparison:	91
III.B.4. Conclusion:	92
 Section C: Comparative Study between PLS and PCR in Determination of Quaternary Mixtures in Tritospot® Semisolid Dosage Form.	103
III.C.1. Introduction:	104
III.C.2. Experimental:	105
III.C.2.1. Apparatus and Software:	105
III.C.2.2. Materials:.....	105
III.C.2.2.1. Chemicals and Reagents:	105
III.C.2.2.2. Pharmaceutical formulation:	105
III.C.2.2.3. Standard solutions:	105

List of Contents

III.C.2.3. Procedures:	105
III.C.2.3.1. Construction of calibration curves:	105
III.C.2.3.2. Pre-processing of the data of the chemometric methods:	106
III.C.2.3.3. Construction of the chemometric models:	106
III.C.2.3.4. Selection of the optimum number of factors to build the PCR and PLS models:	106
III.C.2.3.5. Application to pharmaceutical formulation:	107
III.C.2.3.6. Construction of the validation set:	107
III.C.2.3.7. Predictive abilities of the developed models:	107
III.C.3. Results and Discussion:	108
III.C.3.1. Method Validation:	108
III.C.3.2. Statistical comparison:	109
III.C.4. Conclusion:	109
 Section D: Comparative Study between PLS and PCR in Determination of Quaternary Mixtures in Trimelasma® Semisolid Dosage Form.	 117
III.D.1. Introduction:	118
III.D.2. Experimental:	118
III.D.2.1. Apparatus and Software:	118
III.D.2.2. Materials:	118
III.D.2.2.1. Chemicals and Reagents:	118
III.D.2.2.2. Pharmaceutical formulation:	118
III.D.2.2.3. Standard solutions:	118
III.D.2.3. Procedures:	118
III.D.2.3.1. Construction of calibration curves:	118
III.D.2.3.2. Pre-processing of the data of the chemometric methods:	119
III.D.2.3.3. Construction of the chemometric models:	119

List of Contents

III.D.2.3.4. Selection of the optimum number of factors to build the PCR and PLS models:....	119
III.D.2.3.5. Application to pharmaceutical formulation:	120
III.D.2.3.6. Construction of the validation set:	120
III.D.2.3.7. Predictive abilities of the developed models:	121
III.D.3. Results and Discussion:	121
III.D.3.1. Method Validation:	122
III.D.3.2. Statistical analysis:.....	122
III.D.4. Conclusion:	123
 Part IV:	132
High Performance Liquid Chromatographic Analysis: Simultaneous Determination of Hydroquinone, Hydrocortisone Acetate, Fluocinolone Acetonide, Eusolex and Tretinoin by RP-HPLC-UV method and Its Application to Two Different Topical Dosage Forms.	132
IV.1. Introduction:	133
IV.2. Experimental:	133
IV.2.1. HPLC instrument:	133
IV.2.2. Materials:	133
IV.2.2.1. Pure samples:	133
IV.2.2.2. Pharmaceutical formulation:.....	134
IV.2.2.3. Chemicals and Reagents:.....	134
IV.2.2.4. Standard solutions:.....	134
IV.2.3. Procedures:	134
IV.2.3.1. Chromatographic Conditions:.....	134
IV.2.3.2. Construction of calibration graphs:	135
IV.2.3.3. System suitability:	136
IV.2.3.4. Analysis of laboratory-prepared mixtures:	136