

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

# بسم الله الرحمن الرحيم





HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكرونيله



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



HANAA ALY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

# جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها على هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



HANAA ALY



## Evaluation of Adhesive Capsulitis of the Shoulder with Fat-Suppressed T2-Weighted MRI: Association between Clinical Features and MRI Findings

#### Thesis

Submitted for Partial Fulfillment of Master Degree in **Radiodiagnosis** 

**By** Mariam Hussien Mohamed Khalifa <sub>M.B.B.Ch.</sub>

Under Supervision of

#### Prof. Dr. Remon Zaher Elia

Assistant Professor of Radiodiagnosis Faculty of Medicine, Ain Shams University

#### Prof. Dr. Khalid Ahmed Mohamed Ali

Assistant Professor of Radiodiagnosis Faculty of Medicine, Ain Shams University

### Prof. Dr. Fady Micheal Fahmi

Assistant Professor of Orthopedic Surgery Faculty of Medicine, Ain Shams University

Faculty of Medicine
Ain Shams University
2022



سورة البقرة الآية: ٣٢

### Acknowledgments

First and foremost, I feel always indebted to **Allah** the Most Beneficent and Merciful.

I wish to express my deepest thanks, gratitude and appreciation to Prof. Dr. Remon Zaher Elia, Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for his meticulous supervision, kind guidance, valuable instructions and generous help.

Special thanks are due to Prof. Dr. Khalid Ahmed Mohamed Ali, Assistant Professor of Radiodiagnosis, Faculty of Medicine, Ain Shams University, for his sincere efforts, fruitful encouragement.

I am deeply thankful to Prof. Dr. Fady Micheal Fahmi, Assistant Professor of Orthopedic Surgery, Faculty of Medicine, Ain Shams University, for his great help, outstanding support, active participation and guidance.

I would like to express my hearty thanks to all my family for their support till this work was completed.

Last but not least my sincere thanks and appreciation to all patients participated in this study.

Mariam Hussien Mohamed Khalifa

## **List of Contents**

Title	Page No.
List of Tables	i
List of Figures	ii
List of Abbreviations	xiv
Introduction	1
Aim of the Work	5
Review of Literature	
Normal MRI Anatomy of the Shoulder	28
Technique of MRI Shoulder	46
<ul> <li>Pathophysiology of Adhesive Capsulitis of the Shoulde</li> </ul>	r61
<ul> <li>Radiological Features of Adhesive Capsulitis of the Sho</li> </ul>	oulder76
Patients and Methods	91
Results	101
Illustrative Cases	124
Discussion	144
Summary and Conclusion	156
Recommendations	159
References	160
Arabic Summary	

## **List of Tables**

Table No	o. Title	Page No.
Table 1:	Shows the clinical and histological stages	of AC68
Table 2:	Demographic data distribution among (n=70)	, ,
Table 3:	Clinical symptoms distribution among (n=70)	
Table 4:	Clinical stage distribution among study g	roup (n=70)107
Table 5:	Qualitative findings distribution among (n=70)	
Table 6:	Quantitative findings distribution among (n=70)	
Table 7:	Association between levels of pain intent to MRI finding (n=70)	
Table 8:	Association between limitation of RON according to MRI finding (n=70)	
Table 9:	Association between limitation of RC rotation" according to MRI finding (n=70	
Table 10:	Association between clinical stage according (n=70)	•
Table 11:	Results of Linear Regression Analysis Variables Most Predictive of Clinical In pain intensity.	mpairment at
Table 12:	Results of Linear Regression Analysis Variables Most Predictive of Clinical In limitation of ROM "abduction"	mpairment at
Table 13:	Results of Linear Regression Analysis Variables Most Predictive of Clinical In limitation of ROM "external rotation"	mpairment at

# List of Figures

Fig. No.	Title	Page No.
Fig. 1:	Showing the bony structures of the shoul the pectoral girdle and one arm bone	
Fig. 2:	Diagram showing the anatomy of the sho	ulder joint 13
Fig. 3:	Showing Gleno-humeral ligaments attachments	
Fig. 4:	Glenohumeral ligaments: Schematic illuthe anterior ligaments of the shoulder	
Fig. 5:	Showing the rotator cuff muscles attachments	
Fig. 6:	Shoulder anatomy	19
Fig. 7:	Shoulder anatomy	20
Fig. 8:	Illustration showing a sagittal view of the of ligaments and rotator cuff muscles	
Fig. 9:	Shows the origin of upper subscapular the posterior cord of brachial plexus and subscapular nerve from the axillary nerve	d the lower
Fig. 10:	Illustration shows the inferomedial local brachial plexus and axillary vessels in a to the coracoid process	relationship

# List of Figures cont...

Fig. No.	Title	Page No.
Fig. 11:	Illustration of the posterior surface of shows the course of the suprascapular nerve as they supply the suprascapular infraspinatus muscles, with the suprascapular passing deep to the transverse scapulathrough the suprascapular notch, and passing superficially to the ligament. Cat the level of the suprascapular notch the supraspinatus and infraspinatus whereas compression at the spino gleaffects only the infraspinatus muscle	artery and inatus and pular nerve ar ligament the artery ompression affects both s muscles, enoid notch
Fig. 12:	Shows the posterior rotator cuff muscle blood supply and innervations	
Fig. 13:	A diagram shows the blood supply of the (subclavian artery and vein)	
Fig. 14:	An axial T2-weighted image of the right the level of the glenoid labrum showin head of the biceps tendon as it course bicipital groove	ng the long s along the
Fig. 15:	An axial proton density fat-suppressed 13-year-old boy demonstrates normal the subscapularis tendon (arrowheads lesser tuberosity (solid arrow)	insertion of s) into the
Fig. 16:	A coronal proton-density fat-suppresse the right shoulder at the level of the su- muscle and the insertion of the conjoine site that is very prone to rotator cuff inju-	praspinatus ed tendon, a
	List of Figures cont	
Fig. No.	Title	Page No.

Fig. 17:	Coronal unenhanced fat-suppressed proton density—weighted MR images of a normal right shoulder 32
Fig. 18:	MRI coronal T1 (a), PD with fat suppression (b) and T2 (c) WI showing abnormal intermediate signal of the supraspinatus tendon in all pulse sequences with no disruption of its continuity (red arrows)
Fig. 19:	Coronal fat -suppressed T2-weighted image showing normal shoulder anatomy . HH: humeral head
Fig. 20:	A sagittal proton-density image with fat suppression of the left shoulder at the level of the rotator cuff muscles. Although it takes some practice to evaluate the shoulder in the sagittal plane, the rotator cuff muscles are often best visualized on this view. recess 36
Fig. 21:	Oblique sagittal fat-suppressed T2- weighted imaging of right shoulder showing thickened coracohumeral ligament and obliteration of the subcoracoid fat triangle are observed (arrowheads) 37
Fig. 22:	A sagittal T1 –weighted MR image showing the normal anatomy of the shoulder (*for the clavicle) 37
Fig. 23:	Sagittal fat –suppressed T2 weighted MR arthrogram showing the radiological anatomy of the rotator interval

## List of Figures cont...

Fig. No.	Title	Page No.
Fig. 24:	Axial T2 –weighted MR arthrogram level of the superior glenoid desublabral foramen or sublabral hole (w	monstrates a
Fig. 25:	Sagittal T2 –weighted MR arthroshowing the anatomy of normal rotato	0
Fig. 26:	Normal anatomy of the ligaments ari coracoid process. Shallow oblique weighted MR arthrogram of the r shows normal ligaments arising from t	coronal T1- ight shoulder
Fig. 27:	Sagittal T2- weighted MR arthrogram gleno-humeral ligaments of the should	_
Fig. 28:	Axial T2-weighted MR arthrogram in relation between the rotator cuff mu MGHL	iscles and the
Fig. 29:	Normal coracoacromial ligament. Ob (a) and oblique sagittal proton densi showing the coracoacromial ligament homogeneous and thin hypointer attaching to the inferolateral aspect of acromion	ty images (b) (arrows) as a ase structure
Fig. 30:	Normal anatomy as depicted on coron weighted magnetic resonance (MR) obtained with fat saturation after administration of dilute gadolinium com	arthrographic intraarticular
	List of Figures cont	
Fig. No.	Title	Page No.
Fig. 21.	A R Full-thickness tear (A arrow) at	cupracpinatus

**Fig. 31:** A, B. Full-thickness tear (A, arrow) at supraspinatus tendon insertion to the humerus on a coronal

	oblique MR image has developed in the background of tendonosis (A, dashed arrow); the tear ends at the joint capsule; and there are some motion artifacts. The anteroposterior dimensions of such a tear (B, arrows) on sagittal oblique images are very important for the orthopedic surgeon
Fig. 32:	1.5 Tesla Philips Healthcare MRI machine52
Fig. 33:	Shoulder magnetic resonance imaging planes 56
Fig. 34:	Shoulder orientation of scan planes for shoulder examination: a axial plane; b coronal oblique plane; c sagittal oblique plane; d ABER (abduction and external rotation)
Fig. 35:	Abduction and external rotation (ABER position) 58
Fig. 36:	Pathogenesis and pathology of primary frozen shoulder in the left of the scheme, the pathological findings documented in the literature are listed. In the right, the possible concept of the pathogenesis of primary FS is shown
Fig. 37:	Diagram showing pathogenesis and clinical findings of frozen shoulder
Fig. 38:	Proposed cellular pathway for the activation of TGF-B and PDGF, which in turn stimulate the capsular fibroblasts with resultant capsular hypertrophy and restricted motion
	List of Figures cont
Fig. No.	Title Page No.
Fig. 39:	The left image: coronal fat suppressed PD-weighted MR image shows capsular thickening and edema (arrow), the right image: axial fat-suppressed PD-weighted MR image shows pericapsular edema (arrow)
Fig. 40:	(A) Coronal fat-suppressed proton density (PD) image at the level of axillary pouch shows edema of

	suppressed PD image shows anterior pericapsular edema (arrow). (C) Axial fat-suppressed PD image at the level of humeral neck shows fluid around the biceps tendon (arrow). (D) Sagittal T1-weighted image shows obliteration of fat in the subcoracoid triangle (asterisk)	. 78
Fig. 41:	(A) Axial proton density (PD) fat-suppressed image shows the measurement of maximal thickness of the	
	humeral (solid arrow) and glenoid portions (line	
	arrow) of the anterior band of inferior	
	glenohumeral ligament (IGHL). (B) Coronal PD fat-	
	suppressed image shows the measurement of	
	maximal thickness of the humeral (solid arrow) and	
	glenoid portions (open arrow) of the IGHL at the	
	midaxillary pouch at the level of glenohumeral joint.	
	(C) Sagittal T1-weighted image shows the	
	coracohumeral ligament (arrow). Normal fat in	
	subcoracoid triangle (asterisk). (D) Coronal PD fat-	
	suppressed image shows the measurement of	
	maximal height and width of the axillary pouch	. 80

inferior glenohumeral ligament on both the humeral and glenoid aspects (arrows). (B) Sagittal fat-

## List of Figures cont...

Fig. No.	Title	Page No.
Fig. 42:	Coronal oblique T2 and PD-fat sat increased capsular thickness and hype (edema) at axillary pouch	erintensity
Fig. 43:	Coronal fat-suppressed T2 weighted MR as shows thickened axillary pouch of capsule capsular edema	with peri
Fig. 44:	The coronal fat-suppressed T2-weight through the mid-glenoid demonstrates a and edematous inferior glenohumeral lighthe axillary pouch (arrow). Pericapsular demonstrated inferior to the axillary pour	thickened gament at edema is

	the superior aspect of the glenohumeral joint (arrowhead)
Fig. 45:	Oblique coronal T2 weighted image of a 57-year-old man with clinically proven adhesive capsulitis. There is thickening of the axillary recess, which is only mildly hyperintense (white arrows)
Fig. 46:	The sagittal T2-weighted image shows replacement of the subcoracoid fat by intermediate signal soft tissue thickening (asterisk), with synovial and capsular thickening at the anterior inferior aspect of the glenohumeral joint (short arrow)
Fig. 47:	T1 sagittal oblique MRI (left) shows complete obliteration of subcoracoid fat triangle, T2 fat-sat sagittal oblique MRI (right) shows inter mediate signal of rotator
Fig. 48:	Axial fat –suppressed T2-weighted MR image showing fluid at long head biceps tendon sheath (arrow)
	List of Figures cont
Fig. No.	List of Figures cont  Title Page No.
Fig. No. Fig. 49:	
	A53-year-old man with shoulder pain and
Fig. 49:	Title Page No.  A53-year-old man with shoulder pain and quantitative measurement of adhesive capsulitis
Fig. 49: Fig. 50:	Title Page No.  A53-year-old man with shoulder pain and quantitative measurement of adhesive capsulitis