

شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو

بسم الله الرحمن الرحيم





MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلو



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية التوثيق الإلكترونى والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY

Emotional Problems among Substance Dependent Patients Undergoing Detoxification

Thesis

Submitted for Partial Fulfillment of Master Degree in Psychiatric/ Mental Health Nursing

\mathfrak{P}_{γ} Fatma Saber Hassan Ibrahim

B.Sc. Nursing Science

Faculty of Nursing
Ain Shams University
2021

Emotional Problems among Substance Dependent Patients Undergoing Detoxification

Thesis

Submitted for Partial Fulfillment of Master Degree in Psychiatric/ Mental Health Nursing

Supervisors

Prof. Dr. Sahar Mahmoud Mohamed

Professor of Psychiatric/ Mental Health Nursing Faculty of Nursing - Ain Shams University

Assist. Prof. Dr. Afaf Mohamed Fahmy

Assistant Professor of Psychiatric/ Mental Health Nursing Faculty of Nursing - Ain Shams University

Faculty of Nursing
Ain Shams University
2021



My sincere gratitude should be submitted first and foremost to **Allah**, who gives me the strength and ability to complete this work.

I would like to express my deepest thanks, gratitude, and sincere appreciation to **Prof. Dr. Sahar Mahmoud**Mohamed, Professor of Psychiatric/ Mental Health Nursing Faculty of Nursing, Ain Shams University for her instructions, constructive criticism, and for devoting much of her precious time, effort, valuable and constant encouragement through the whole work. I will always in debt for her sincere advice.

I wish to express my respect and deep indebtedness to **Assist. Prof. Dr. Afaf Mohamed Fahmy,** Assistant Professor of Psychiatric/Mental Health Nursing Faculty of Nursing, Ain Shams University for her great support, careful supervision, advices, guidance, help, and encouragement that made the completion of this work. I consider myself fortunate to work under her supervision.

My deepest thanks and sincere appreciation are also extended to all who had supported me to complete this study. Also, I could never forget my special thanks to all the patients who share in this work as their cooperation was of great value to accomplish this study.

Table of Contents

Title	Page No.
List of Tables	I
List of Figures	III
List of Abbreviations	IV
Definitions of Terms	V
Abstract	VII
Introduction	1
Aim of the Study	7
Review of Litrature	8
Subjects and Methods	89
Results	100
Discussion	133
Conclusion	160
Recommendations	161
Summary	162
References	172
Appendices	217
Protocol	
Arabic Summary	

List of Tables

Table	Title	Page
1	Frequency distribution of the substance dependent patients according to their socio-demographic characteristics.	101
2	Family history of addiction among substance dependent patients.	104
3A	Frequency distribution of the substance dependent patients according to clinical data about substance abuse.	106
3B	Frequency distribution of the substance dependent patients according to clinical data about substance abuse.	108
3C	Frequency distribution of the substance dependent patients according to clinical data about substance abuse.	109
4	Physical health among substance dependent patients.	110
5	Anxiety and Insomnia among substance dependent patients.	112
6	Social dysfunction among substance dependent patients undergoing detoxification.	114
7	Presence of severe depression among substance dependent patients.	116
8A	Frequency distribution of the substance dependent patients' craving to the first drug during the last 24 hours.	119
8B	Frequency distribution of the substance dependent patients' craving to the first drug during the last 24 hours.	121
9	Frequency distribution of the substance dependent patients' craving to the second drug during the last 24 hours.	123

Table	Title	Page
10	Frequency distribution of the substance dependent patients' craving to the third drug during the last 24 hours.	125
11	Relation between the substance dependent patients' total mental health score and their socio-demographic characteristics.	128
12	Relation between the substance dependent patients' total craving score and their socio-demographic characteristics.	130
13	Correlation between the substance dependent patients' total mental health and total craving.	132

List of Figures

Fig.	Title	Page
	Figures in Review	
I	The cognitive processing model	53
	Figures in Results	
1	Percentage distribution of the patients	103
	according to their educational level.	
	Percentage distribution of the studied	
2	patients according to their family history	105
	of addiction or psychiatric diseases.	
	Percentage distribution of the substance	
3	dependent patients according to their	118
	total mental health score.	
	Percentage distribution of the substance	
4	dependent patients according to their	127
	total craving score to the addictive drugs.	

$List\ of\ Abbreviations$

Abb.	Full Term
AOD	Alcohol and Other Drug
APA	American Psychiatric Association
ASAM	American Society of Addiction Medicine
AUD	Alcohol Use Disorder
AWS	Acute Withdrawal Syndrome
CB1	Cannabinoid
CIWA-Ar	Clinical Institutes Withdrawal Assessment of Alcohol Scale – Revised
D1	Dopamine 1
DSM-5	The 5 th edition of the Diagnostic and Statistical Manual of Mental Disorders
FDA	Food and Drug Administration
GABA-A	Gamma- Amino –Butyric Acid
LPN	Licensed Practical Nurse
NIDA	National Institute on Drug Abuse
NMDA	N-methyl-D-aspartate receptor
PAWS	Post-Acute Withdrawal Syndrome
PCP	Phencyclidine
PE	Patient Empowerment
RN	Registered Nurse
SAMHSA	Substance abuse and mental health services
	administration
UNODCCP	United Nations Office for Drug Control and
	Crime Prevention
US	United States
VTA	Ventral Tegmental Area
WHO	World Health Organization

Definitions of Terms

Term	Definition
Substance	A drug of abuse, a medication, or a
	toxin.
Substance-	Disorders related to the taking of a
related disorders	drug of abuse (including alcohol),
	to the side effects of a medication,
	and to toxin exposure.
Substance abuse	A maladaptive (i.e., harmful to a
(also sometimes	person's life) pattern of substance
used to denote	use marked by recurrent and
"substance	significant negative consequences
dependence")	related to the repeated use of
	substances.
Substance	A cluster of cognitive, behavioral,
dependence	and physiological symptoms
(substance	indicating that the individual is
abuse" is	continuing use of the substance
sometimes used	despite significant substance-
to include	related problems. A person
"dependence")	experiencing substance
	dependence shows a pattern of
	repeated self-administration that
	usually results in tolerance,
	withdrawal, and compulsive drug-
	taking behavior.

Term	Definition
Substance	The development of a reversible
intoxication	substance-specific syndrome as
	the result of the recent ingestion of
	(or exposure to) a substance.
Substance	The development of a substance-
withdrawal	specific maladaptive behavioral
	change, usually with
	uncomfortable physiological and
	cognitive consequences, that is the
	result of a cessation of, or
	reduction in, heavy and prolonged
	substance use.

American Psychiatric Association (2015)

Emotional Problems among Substance Dependent Patients Undergoing Detoxification

Abstract

Background: Patients entering detoxification are undergoing profound personal and medical crisis. Withdrawal itself can cause or exacerbate current emotional, psychological, or mental problems. The detoxification staff needs to be equipped to identify and address potential problems. This study aimed to: Assess the emotional among substance dependent patients detoxification. Research design: Descriptive design has been utilized in this study. Setting: The study was conducted in the National Center for Addiction affiliated to the Abbasia mental health hospital. **Sample:** Convenient sample of 92 substance dependent patients was used in the current study. Tool: Data were collected by using the following tool. I: Structured interviewing questionnaire sheet which consisted of socio-demographic characteristics of the studied patients, and the clinical data about substance abuse, the General Health Questionnaire (GHQ-28), and Brief Substance Craving Scale (BSCS). **Results:** More than half of the substance dependent patients their age were between 30 to less than 40 years old, more than three quarters were males, about one third of them had intermediate education, more than half of the substance dependent patients feel that their health much worth than usual, the majority of substance patients had a worth total mental health score and 75% of them a high total craving score **Conclusion**: more than half of the substance dependent patients much than usual think themselves as worthless person, the majority of them had a worth total mental health score, and three quarters of them had a high total craving score. **Recommendations:** Further study should be carried out on the aspect of improving the substance dependent patients' self-esteem and quality of life after detoxification.

Keywords: Emotional problems, Substance dependent patients, Detoxification.

Introduction

Substance abuse is considered one of the major health problems that has been faced by humanity in the last few decades and is becoming one of the most serious and rapidly growing phenomena all over the world (*Geyen & Bailey, 2021*).

Parisi, (2021), added that the adverse consequences related to substance abuse may be emotional, cognitive, behavioral, and physiological symptoms indicating that the individual continues use of the substance despite significant substance-related problems.

Detoxification is viewed as the initial phase in drug treatment. During which there is fear of the medications' lack in the body and the possibility of the detrimental physical, psychological, and euphoric effects caused by the withdrawal effects from drug abuse (*Lesser*, 2021).

Additional detoxification is a form of palliative care aimed to reducing the intensity of any disorder for many patients. It represents a point of first contact with the treatment system and the first step to recovery (*Juergens*, 2021).