

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ



SALWA AKL



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



SALWA AKL

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



SALWA AKL



بعض الوثائق الأصلية تالفة



SALWA AKL



بالرسالة صفحات

لم ترد بالأصل



SALWA AKL

B17438

**Immunological Activity of Snail
Hemocytes as Biomarkers of
Environmental Quality**

Presented by

Mohamed Mohsen Mohamed Mohamed

**A Thesis Submitted
To
Faculty of Science**

**In Partial Fulfillment of the
Requirements for
The Degree of
Master of Science
(Immunology & Parasitology)**

**Zoology Department
Faculty of Science
Cairo University**

2011





Cairo University
Faculty of Science

To WHOM IT MAY CONCERN

This is to certify that **Mohamed Mohsen Mohamed Mohamed**,
Has attended and passed successfully the following Postgraduate
Courses as a Partial Fulfillment of the requirements of the degree
of Master of Science, Zoology (**Immunology & Parasitology**,
July 2008).

- 1- Immunochemistry (1)
- 2- Immunochemistry (2)
- 3- Biochemistry of parasites
- 4- Advanced Immunity (1)
- 5- Advanced Immunity (2)
- 6- Immunity of Parasites
- 7- Radiobiology
- 8- Computer Science
- 9- Electronmicroscope
- 10- Nematology
- 11- Structural Function of Parasites
- 12- Invertebrate Phylogeny
- 13- Parasitology (1)
- 14- Parasitology (2)
- 15- Fine Structure of Protozoa
- 16- Immuno-diagnosis
- 17- Applied Immunity
- 18- Biostatistics
- 19- Parasites diagnosis
- 20- Comparative and Advanced Immunity
- 21- Molecular Biology
- 22- German Language

This Certificate is issued at his own request

Date of Birth: 7/10/1983


Place of Birth: Cairo

Controller

Head of Zoology Department

Prof. Dr. Anwar Bakr

Prof. Dr. Prof. Dr. Abdel-Rahman Bashter



APPROVAL SHEET FOR SUBMISSION


Thesis Title: Immunological activity of Snail Hemocytes as Biomarkers of Environmental Quality

Name of candidate: Mohamed Mohsen Mohamed Mohamed

This thesis has been approved for submission by the supervisors:

1- Prof. Dr. Abdel-Hakim Saad El-Din
Professor of Immunology
Faculty of Science, Cairo University
Cairo, Egypt


Signature




2- Prof. Dr. Abdel-Rahman Bashter
Professor of Parasitology
Faculty of Science, Cairo University
Cairo, Egypt



3- Prof. Dr. Ragia Ali Charmy
Professor of Immunology
Faculty of Science, Cairo University
Cairo, Egypt



~~Prof. Dr. Abdel-Rahman Bashter~~



**Chairman of Zoology Department
Faculty of Science- Cairo University**

1000

Acknowledgments


First of all express my deepest gratitude to my God to whom I owed everything I learned and every success in my life.

I would like to express my deepest gratitude to **Prof. Dr. Abdel-Hakim Saad El-Din**, Professor of Immunology, Department of Zoology, Faculty of Science, Cairo University, for his valuable supervision and continuous encouragement. I owe him many thanks for teaching me the art of research, accuracy and patience. I am very lucky to have such a great opportunity to be one of his students.

I wish my express my sincere thanks to **Prof. Dr. Abdel-Rahman Bashtar**, Professor of parasitology, Department of Zoology, Faculty of Science, Cairo University, for his generous help, supervision, superb guidance and faithful encouragement through revising the writing and checking the final manuscript of this work.

I am greatly indebted to **Prof. Dr. Ragia Ali Charmy** Professor of Immunology, Department of Zoology, Faculty of Science, Cairo University, to whom I owe so much for her direct supervision and generous assistance in all details of this thesis. I am so grateful for her support, suggestions and facilities rendered to me during this work.

I am also more than grateful to my family especially my wonderful mother and father for their support and encouragement through this time and throughout all my life.



List of Figures

	Page
Fig. 1: Sequence of toxicity development from the individual to the ecosystem levels.	9
Fig. 2: Patterns of response to environmental stress factors, leading to adaptation (a) or toxicity (b) in the exposed species, and identified by biomarkers.	10
Fig.3: Map of Suez Canal Bay showing the two sampling sites. The study area outside 1 and the reference area at site 2.	25
Fig.4: (A) The external morphology of clam, <i>Ruditapes decussatus</i> (Family: <i>Veneridae</i>) (B) Soft tissue of non - polluted sample. (30X) (C) Soft tissue of polluted sample. (30X)	36
Fig.5: (A) The external morphology of clam, <i>Macoma edentula</i> (Family: <i>Tellinidae</i>). (B) Soft tissue of non - polluted sample. (30X). (C) Soft tissue of polluted sample. (30X).	37
Fig.6: The total DNA content (A) and total length (B) of non-polluted (normal) and polluted species of <i>R. decussatus</i> and <i>M. edentula</i> . 20 specimens per area from each species were collected and examined using comet assay. Mean±SEM. (P<0.05).	44
Fig.7: The levels of Hsp 70 from non-polluted (normal) and polluted species of <i>R. decussatus</i> and <i>M. edentula</i> . 20 specimens per area from each species were collected and examined using Hsp 70. Mean±SEM. (P<0.05).	46
Fig.8:(A,B) : Magnified portion of the control mantle of <i>R. decussatus</i> , showing normal arrangement and shape of muscle fibers (MF),normal shape of columnar epithelial cells (EC),and different stages of secretions inside glandular cells, (arrows). Scale bars=1.2µm. (C,D): Photograph of polluted <i>R. decussatus</i> . No detectable changes in muscle fibers (MF). Columnar epithelial cells (EC) slightly ruptured with granulated cytoplasm.(arrows).Scale bars = 1.2µm.	50

Fig.9:

(A,B) : Magnified portion of control mantle of *M.edentula* showing normal shape of muscle fibers (MF). Columnar epithelial cells (EC) have normal shape and contain slight accumulation of granules (arrows). Scale bars = 1.2µm.

51

(C,D): Photograph of polluted *M.edentula* showing fragmentation of muscle fibers (MF). Columnar epithelial cells (EC) completely damaged. Glandular cells degenerated and became necrotic (arrows). Scale bars = 1.2µm.

Fig.10:

(A,B): Photograph of non - polluted control of *R.decussatus* through gill sections showing gill filaments (F) and ciliated columnar epithelial cells (EC). Scale bars = 1.5 µm.

52

(C,D): Photograph of polluted *R.decussatus* through gill section showing vacuolation and swelling of the gill filaments (F) and rupture of some ciliated columnar epithelial cells (EC). Scale bars = 1.5 µm.

Fig.11:

(A,B) : Photograph of non - polluted control of *M.edentula* through gill sections showing normal shape of gill filaments (F) and ciliated columnar epithelial cells (EC). Scale bars = 1.5 µm.

53

(C,D): Photograph of polluted *M.edentula* through gill sections showing vacuolation and distortion of gill filaments (F). Scale bars = 1.5 µm.

Fig.12:

(A,B) : Photograph of the digestive gland of non - polluted control of *R.decussatus* showing digestive gland cells (DC) and secretory cells (SC). Scale bars = 1.5 µm .

54

(C,D): Photograph of the digestive gland of polluted *R.decussatus*. No defined digestive gland tubules (DT) and degeneration (D) of the other digestive tubules. Scale bars = 1.5 µm.