

بسم الله الرحمن الرحيم



SALWA AKL



شبكة المعلومات الجامعية

التوثيق الالكتروني والميكروفيلم



SALWA AKL

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



SALWA AKL



بعض الوثائق الأصلية تالفة



SALWA AKL




بالرسالة صفحات

لم ترد بالأصل



SALWA AKL



قالوا سبحانك لا علم لنا إلا ما علمتنا
إنك أنت العليم الحكيم

صلى الله عليه وسلم
العزيز العظيم

(البقرة : ٣٢)

**Effect of Counseling Approaches on the
Utilization of Health Services by Women
with Reproductive Tract Infections**

B17468
T

Thesis

*Submitted to The Faculty of Nursing - University of Alexandria
in partial fulfillment of the requirements for the*

**Degree of Doctor of
Maternity and Gynecologic Nursing**

By

Souma Hassan El-Shenawy

B.Sc.N. Alex., MSc. Alex.

Maternity and Gynecologic Nursing

**Faculty of Nursing
University of Alexandria
2005**

SUPERVISORS

Prof. Dr. Magda Y.H. Mourad

Professor of Maternity and Gynecologic Nursing

Faculty of Nursing

University of Alexandria

Prof. Dr. Mohamed Ramadan Gaber

Professor of Obstetric and Gynecologic Medicine

Faculty of Medicine

University of Alexandria

Prof. Dr. Dalal Ali M. Abd El-Rahman

Professor of Maternity and Gynecologic Nursing

Faculty of Nursing

University of Alexandria

Dr. Shadia Taha Yassein

Lecturer of Maternity and Gynecologic Nursing

Faculty of Nursing

University of Alexandria



Faithfully Dedicated To

My Mother

My beloved Husband

And My Sweet heart kids

Aya & Omar

Haneen & Shahd



Acknowledgement

First of all, thanks my God for help and strength offered to me during this work.

*I wish to offer my whole-hearted thanks, deepest gratitude and indebtedness to **Prof. Dr. Magda Youssef Helmy Mourad**, Professor of Maternity and Gynecologic Nursing, for her generous, advice, constructive criticism, enthusiastic help and kind supervision throughout the study. Her help is beyond praise.*

*My profound thanks and appreciation to **Prof. Dr. Mohamed Ramadan Gaber**, Professor of Obstetric and Gynecologic Medicine, Faculty of Medicine, University of Alexandria, for his constant guidance and willingness to devote his time during the various phases of this work.*





*Also I would like to express my sincere thanks to **Dr. Dalal Ali H. Abd El-Rahman**, Professor of Maternity and Gynecologic Nursing, for her constant moral support, offered with the open hearted personality of that of true valuable guidance and support during the work without her support, this work would not have been completed.*

*I gratefully acknowledge the cooperation, assistance and interest of **Dr. Shadia Taha Yassein**, Lecturer of Maternity and Gynecologic Nursing, while supervising the present study.*

*I am greatly indebted to **Prof. Dr. Mervat El-Genaidy**, Professor of Mental and Psychiatric Nursing, for her fruitful suggestions and wise guidance regarding counseling techniques and approach.*



CONTENTS

	PAGE
Introduction.....	1
Aim of the Work	43
Material and Methods	44
Results	57
Discussion	148
Conclusion and Recommendations.....	185
Summary.....	189
References	199
Protocol	
Appendices	
Arabic Summary	

LIST OF TABLES

Table		Page
I	Number and percent distributions of the study subjects according to their sociodemographic characteristics	62,63
II	Distribution of the study subjects according to their obstetrical history	66
III	Number and percent distribution of the study subjects according to their gynecological history	69
IV	Number and percent distribution of the study subjects according to their family planning (F.P) practices	71
V	Number and percent distribution of the study subjects according to their medical history	73
VI	Distribution of women according to self reported vaginal discharge	76
VII	Number and percent distribution of women according to their reported menstrual problems and lower abdominal pain	78
VIII	Number and percent distribution of women by their reported urinary symptoms	80
IX	Number and percent distribution of women according to their sexual history	84
X	Number and percent distribution of women according to their self reported backache	86
XI	Number and percent distribution of the study subjects according to their practices regarding their self reported symptoms	94,95
XII	Number and percent distribution of women according to their knowledge about reproductive tract infections	97
XIII	Number and percent distribution of women according to their knowledge about the consequences of RTI	99

Table		Page
XIV	Number and percent distribution of women according to their knowledge about sexually transmitted disease	101
XV	Number and percent distribution of the study subjects according to their perception about the role of health care provider	103
XVI	Percent distribution of the study subjects according to their total knowledge score	105
XVII	Post counseling percent distribution of the study subjects according to their utilization of services and H. seeking behaviors	109,110
XVIII	Post counseling percent distribution of the study subjects according to their compliance with treatment	113
XIX	Post counseling percent distribution of the study subjects according to their follow up activities	116
XX	Post counseling percent distribution of the study subjects according to their adherence to general hygienic practices	119
XXI	Post counseling percent distribution of the study subject according to their adherence to healthy menstrual hygienic practices	121
XXII	Post counseling percent distribution of the study subject according to their adherence to sexual hygienic practice	124

Table	Page
XXIII Post counseling percent distribution of the study subject according to their adherence of husband management	126
XXIV Post counseling distribution of the study subjects according to their total knowledge score about reproductive tract infection (RTI)	128
XXV Post counseling percent distribution of the study subject according to their level of hygienic practices regarding symptoms of reproductive infection	130
XXVI Post counseling distribution of the intervention group according to the effect of counseling sessions on their decision of health care utilization	132