


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم


قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات




يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار






بعض الوثائق الأصلية تالفة





بالرسالة صفحات
لم ترد بالأصل



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

B1V<37

**A COMPARATIVE STUDY BETWEEN MOISTURE INSENSITIVE
AND SELF ETCHING PRIMERS ON DRY AND SALIVA
CONTAMINATED ENAMEL SURFACES
(IN VITRO STUDY)**

Thesis

Submitted to the Faculty of Dentistry
Alexandria University
In Partial Fulfillment of the Requirements
for

Master Degree

In

Orthodontics

By

Ahmed El-Sayed Rizk, B.D.S, 1999

Faculty of Dentistry
Alexandria University
2005

SUPERVISORS

Prof. Dr. Samir Fouad Aboul-Azm

Professor of Orthodontics

Faculty of Dentistry, Alexandria University

President of the Egyptian Orthodontic Society

Prof. Dr. Shadia Hussein Abdel Meguid

Professor of Oral Biology and Histology

Head of Oral Biology and Histology Department

Faculty of Dentistry, Alexandria University

Dr. Hanan Amin Ismail

Assistant Professor of Orthodontics

Faculty of Dentistry, Alexandria University

Dr. Amal Ezzel Din A. Fahmy

Assistant Professor of Dental Biomaterials

Faculty of Dentistry, Alexandria University

*To My Parents,
My beloved Wife,
and Mohab*

ACKNOWLEDGMENT

I would like to express my feelings of gratitude and indebtedness to *Prof. Dr. Samir Aboul Azm*, Professor of Orthodontics, Alexandria University, and President of the Egyptian Orthodontic Society, for his support, guidance, encouragement, and inspiration throughout the study. I was really honored to be supervised by such a great professor.

I would like also to extend my deepest thanks and gratitude to *Prof. Dr. Shadia Hussein*, Head of the Oral Biology and Histology department, Alexandria University, for her laborious effort, guidance, valuable notes and remarks, which were not limited to the histological part of the thesis, but extended to all the parts of the study.

I am very thankful to *Dr. Hanan Ismail*, Assistant Prof. of Orthodontics, Alexandria University, for her invaluable supervision of the study. She willingly gave the effort and time to make this work come to existence, always providing me with the needed guidance in designing and improving the study, but above all the continuous support and encouragement.

I extend my sincere appreciation, and genuine thanks to *Dr. Amal Ezzel Dtn*, Assistant Prof. of Dental Biomaterials, Alexandria University, for her valuable supervision. She always provided me with her precious advice, constructive notes, innovative ideas, and the needed enthusiasm, while doing her best, and being exceptionally keen to get this study in its best form.

My genuine appreciation goes to Prof. *Dr. Hassan Ismail*, Head of Orthodontic Department, Alexandria University, for his support and motivation.

I specially thank *Prof. Dr. Myra Fahmy*, and *Dr. Nadia El Harouni* for their precious notes, help and support. I can hardly express my thanks for all what they have done throughout the work.

I am most thankful to all my Professors in the Orthodontic department, not only for teaching me the science of orthodontics, but continuously nourishing me with the manners and ethics of this artistic profession.

CONTENTS

<i>Chapter</i>	<i>page</i>
LIST OF FIGURES	ii
LIST OF TABLES AND SCHEMATIC DIAGRAMS	v
LIST OF ABBREVIATIONS	vi
INTRODUCTION	1
• Moisture insensitive primer	4
• Self etching primer	10
• Enamel structure and patterns of acid etching	19
• Effect of conventional phosphoric acid etching and self etching primers on enamel	20
• Studies comparing Moisture insensitive primer to self etching primer	24
AIM OF THE WORK	27
MATERIAL AND METHODS	28
RESULTS	51
DISCUSSION	66
SUMMARY AND CONCLUSION	78
RECOMMENDATIONS	82
REFERENCES	83
APPENDIX	97
PROTOCOL	
ARABIC SUMMARY	

LIST OF FIGURES

<i>Figure</i>	<i>Page</i>
Fig. (1): Transbond XT conventional primer.....	29
Fig. (2): Transbond Moisture Insensitive primer kit.....	30
Fig. (3): Transbond Plus Self Etching Primer Kit	31
Fig. (4): Transbond Plus Self Etching Primer packet...	31
Fig. (5): Transbond XT Light cure Composite adhesive	39
Fig. (6): Force gauge.....	39
Fig. (7): Light curing unit.....	40
Fig. (8): Thermocycling machine.....	43
Fig. (9): Method of tooth and bracket alignment during mounting.....	44
Fig. (10): Bracket base parallel to blade of Instron Universal testing machine.....	44
Fig. (11a): Instron Universal testing machine.....	45
Fig. (11b): Universal testing machine digital monitor...	45
Fig. (12): One of the samples after gold sputtering.....	49
Fig. (13): graphical representation of mean shear bond strengths of 7 groups.....	52
Fig. (14): Box and Whisker plot.....	52
Fig. (15): Weibull curves.....	55
Fig. (16): SEM micrograph of sagittal section, Transbond XT/dry enamel.....	57
Fig. (17): SEM micrograph of bracket base, Transbond XT/ dry enamel.....	57

<i>Figure</i>	<i>Page</i>
Fig.(18): SEM micrograph of sagittal section, Transbond XT/saliva contaminated enamel..	57
Fig. (19): SEM micrograph of bracket base, Transbond XT/ saliva contaminated enamel..	57
Fig. (20): SEM micrograph of sagittal section, MIP/dry enamel.....	59
Fig. (21): SEM micrograph of bracket base, MIP/ dry enamel.....	59
Fig. (22): SEM micrograph of bracket base, MIP/ dry enamel (higher magnification).....	59
Fig. (23): SEM micrograph of sagittal section, MIP/saliva contaminated enamel.....	60
Fig. (24): SEM micrograph of bracket base, MIP/ saliva contaminated enamel.....	60
Fig.(25): SEM micrograph of sagittal section, SEP/dry enamel.....	62
Fig.(26): SEM micrograph of bracket base, SEP/ dry enamel (higher magnification).....	62
Fig. (27): SEM micrograph of sagittal section, SEP/saliva contaminated enamel.....	62
Fig. (28): SEM micrograph of bracket base, SEP/ saliva contaminated enamel.....	62
Fig. (29): SEM micrograph of enamel surface etched using 37% phosphoric acid.....	64

<i>Figure</i>	<i>Page</i>
Fig. (30): SEM micrograph of enamel surface etched using 37% phosphoric acid (higher magnification).....	64
Fig. (31): SEM micrograph of sagittal section of enamel etched using 37% phosphoric acid.....	64
Fig. (32): SEM micrograph of enamel surface conditioned using SEP.....	65
Fig. (33):): SEM micrograph of enamel surface conditioned using SEP (higher magnification).....	65
Fig. (34): SEM micrograph of enamel surface conditioned using SEP (higher magnification).....	65
Fig. (35): SEM micrograph of sagittal section of enamel conditioned using SEP.....	65