

بسم الله الرحمن الرحيم



-C-02-50-2-





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرونيلم





جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعيدا عن الغيار













بالرسالة صفحات لم ترد بالأصل



B11710

STUDIES ON SOME MICROORGANISMS CAUSING URINARY TRACT INFECTION IN DIABETICS

Presented by
DALIA ABD ELMONEM AHMED EBRAHIM
B.Sc. (2000)

Thesis
Submitted in Partial Fulfillment for the Master Degree of
Science In Microbiology

Under supervision of

Prof. Dr.

ZAHIRA MOHAMED FATHY

Professor of Microbiology & Immunology Faculty of Medicine Zagazig University

Dr.

MOHAMED FAROUK GHALY

Assist. Professor of Microbiology Faculty of Science Zagazig University

Dr.

MOHAMED HESHAM ELSAYED

Assist. Professor of Microbiology Faculty of Science Zagazig University(Banha branch)

Dr.

NAHID MOHAMED ALI

Lecturer of Microbiology Faculty of Science Zagazig University (Banha Branch)

Zagazig University –Banha Branch Faculty of Science - Botany Department 2005



سيم الله الرحمن الرحيم

قالوا

سبطنك لا علم لنا إلاما علمتنا

إنك أنت الطبيم الحكيم

صدق الله العظيم سورة البقرة آية (٣٢)



ACKNOWLEDGEMENT

Firstly, I wish to express my profound gratitude to "ALLAH" who gave me the ability and patience to finish this work.

I would like to express my deep appreciation and profound gratitude to Prof. Dr. Zahira Mohamed Fathy, Professor of Microbiology & Immunology, Faculty of Medicine, Zagazig University, for giving me the honor of working under her supervision, for her distinctive orientation and effective help. She offered me her great enthusiastic support and enriched me with her vast experience. So, thanks means nothing to what she had done to me.

Words fail to express my sincere gratitude to Dr. Mohamed Farouk Ghaly, Assistant Professor of Microbiology, Faculty of Science, Zagazig University, who scarified a great deal of his valuable time and experience to guide me throughout the whole work by his precious instructions and effective co-operation, for his excellent guidance.

I am also deeply indebted to the great endless help and sincere cooperation offered by Dr. Mohamed Hesham Elsayed, Assist. Professor of Microbiology, Faculty of Science, Zagazig University, to whom I owe many valuable remarks, meticulous supervision and a lot of precious time and effort.

My greatest sincere gratitude and deep appreciation to Dr. Nahid Mohamed Ali, Lecturer of Microbiology, Faculty of Science, Zagazig University, for being highly caring, helpful and supportive for me. Her paternal advices were kindly given to me that helped to bring this work into light.

DALIA ABD ELMONEM

Dedication

Dedicated with all affection to:

- My Parents,
- My Husband and
- My dear Son

Whom their kindness and support is appreciated more than words can say.

DALIA ABD ELMONEM 2005

CONTENTS

	Pag
LIST OF TABLES	I
LIST OF FIGURES	III
INTRODUCTION	- 1
AIM OF THE WORK	- 3
REVIEW OF LITERATURE	- 4
The normal flora of urinary tract	- 4
General description of urinary tract infections	
Asymptomatic urinary tract infection (Bacteriuria):	
Clinical manifestation of diabetic renal diseases	
Pathological organisms causing urinary tract infection:	
Routes of infection	
Host factors predisposing to urinary tract infection	
MATERIALS AND METHODS	. 29
RESULTS	. 50
1- Isolation of selected organisms	50
2- Identification of bacterial isolates	
3- The distribution of pathogenic isolate from positive urine samples	57
4- The effect of different antibiotics on pathogenic isolates	60
5- Sensitivity test of pathogenic isolates against different tested antibiotics	63

6- Statistical analysis of sensitive and resistance pathogenic isolates against different antibiotics	66
7-Minimum inhibitory concentration (MIC) and minimum bactericidal concentrations (MBC) of some antibiotics	69
8- The effect of different plant extracts (water and alcohol extract) on E. coli	72
9- The effect of different plant extracts (water, alcohol) on K. aerogenese	77
10- The effect of different plant extracts (water, alcohol) against both isolates of <i>P. aeroginosae</i> (isolate no. 12 & 30)	82
11- The effect of different volatile oils (10 µl) against different isolates of E. coli, K. aerogenes, P. aeroginosae	87
12- The effect of different volatile oils (20 μl) against pathogenic bacterial isolates	92
13- The effect of different volatile oils (30 µl) on microorganisms	97
DISCUSSION	102
SUMMARY	113
REFERENCES	117
ARABIC SUMMARY	

LIST OF TABLES

No.		Page
1	Diabetic urine sample collected from different ages of male	
	and female (positive samples contaminated with E. coli or K.	
	aerogenes, P. aeroginosae)	51
2	Statistical analysis and characteristics of the studied groups	53
3	Biochemical reaction of E. coli, K. aerogenes and P.	
	aeroginosae	56
4	The distribution number of pathogenic bacterial isolate from	
	positive collected samples	58
5	Inhibition zone (mm) of different pathogenic bacterial	
	isolates against different tested antibiotics	61
6	Sensitivity test of pathogenic isolates against different	
	antibiotics	64
7	Statistic analysis of sensitive and resistance pathogenic	
	bacterial isolates against different antibiotics	67
8	Minimum inhibitory concentration (MICs) (µg/ml) and	
	minimum bacterial concentration (MBCs) of different	
	antibiotics	70
9	Diameter of inhibition zone (mm) of different plant extract	
	(water and alcohol) on E. coli (isolate number 36, 47)	73
10	Sensitivity of E. coli to water and alcoholic plant extracts	
	(diluted and concentrated)	76

11	Diameter of inhibition zone (mm) of different plant extract	
	(water and alcohol) on K. aerogenes (isolate 8, 50) and after	
	treatment	78
12	Sensitivity of K. aerogenese to water and alcoholic plant	
	extracts (diluted and concentrated)	81
13	Diameter of inhibition zone (mm) of different plant extract (water	
	and alcohol) on P. aeroginosae (isolate number 12, 30)	83
14	Sensitivity of P. aeroginosae to water and alcoholic plant	
	extracts (diluted and concentrated)	86
15	Diameter of inhibition zone (mm) of different volatile oils	
	(10 μl) against pathogenic bacterial isolates	88
16	Diameter of inhibition zone (mm) of different volatile oils	
	(20 µl) against different isolates of E. coli, K. aerogenes and	
	P. aeroginosae	93
17	Diameter of inhibition zone (mm) of different volatile oils	
	(30 μl) against different isolates of E. coli, K. aerogenes and	
	P. aeroginosae	98

LIST OF FIGURES

No.		Page
1	Diabetic urine sample collected from different ages of male	
	and female (positive samples contaminated with E. coli or K.	
	aerogenes, P. aeroginosae)	52
2	The distribution number of pathogenic bacterial isolate from	
	positive collected samples	59
3	Sensitivity test of pathogenic isolates against different	17 2
	antibiotics	65
4	Minimum inhibitory concentration (MICs) (μg/ml) and	
	minimum bacterial concentration (MBCs) of different	
	antibiotics	71
5	Diameter of inhibition zone (mm) of different plant extract	
	(water and alcohol) on <i>E. coli</i> (isolate number 36)	74
6	Diameter of inhibition zone (mm) of different plant extract	
Ū	(water and alcohol) on <i>E. coli</i> (isolate number 47)	75
7		13
7	Diameter of inhibition zone (mm) of different plant extract	7 0
	(water and alcohol) on <i>K. aerogenes</i> (isolate 8)	79
8	Diameter of inhibition zone (mm) of different plant extract	
	(water and alcohol) on <i>K. aerogenes</i> (isolate 50)	80
9	Diameter of inhibition zone (mm) of different plant extract (water	
	and alcohol) on P. aeroginosae (isolate number 12)	84

		100
10	Diameter of inhibition zone (mm) of different plant extract (water	
	and alcohol) on P. aeroginosae (isolate number 30)	85
11	Diameter of inhibition zone (mm) of different volatile oils	
	(10 μl) against <i>E.coli</i> isolates	89
12	Diameter of inhibition zone (mm) of different volatile oils	
	(10 μl) against P. aeroginosae isolates	90
13	Diameter of inhibition zone (mm) of different volatile oils	
	(10 μl) against K. aerogenes isolates	91
14	Diameter of inhibition zone (mm) of different volatile oils	
	(20 μl) against isolate of <i>E. coli.</i>	94
15	Diameter of inhibition zone (mm) of different volatile oils	
	(20 μl) against isolate of <i>P. aeroginosae</i>	95
16	Diameter of inhibition zone (mm) of different volatile oils	
	(20 μl) against isolate of K. aerogenes	96
17	Diameter of inhibition zone (mm) of different volatile oils	
	(30 μl) against isolate of <i>E. coli.</i>	99
18	Diameter of inhibition zone (mm) of different volatile oils	
	(30 μl) against isolate of <i>P. aeroginosae</i>	100
19	Diameter of inhibition zone (mm) of different volatile oils	
	(201)	101