


بسم الله الرحمن الرحيم





شبكة المعلومات الجامعية التوثيق الالكتروني والميكرو فيلم



جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم


قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات




يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار






بعض الوثائق الأصلية تالفة





بالرسالة صفحات
لم ترد بالأصل



B 1572A



ALEXANDRIA UNIVERSITY
Faculty of Agriculture
Saba Bacha - EGYPT

**HISTOPATHOLOGICAL AND BIOCHEMICAL
STUDIES ON *PHASEOLUS VULGARIS* SEEDS
INFECTED BY SOME SEED-BORNE FUNGI**

BY

ZAHRA IBRAHIM EL-GALI MOHAMED

**A Thesis submitted on Partial Fulfillment of the Requirements
Governing the Award of Degree of**

DOCTOR OF PHILOSOPHY OF AGRICULTURAL SCIENCES

IN

PLANT PATHOLOGY

DEPARTMENT OF AGRICULTURAL BOTANY

UNIVERSITY OF ALEXANDRIA

2003

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وَالْحَمْدُ لِلَّهِ رَبِّ الْعَالَمِينَ

الآية: 182 - سُورَةُ الصَّافَّاتِ.



ALEXANDRIA UNIVERSITY
Faculty of Agriculture
Saba Bacha - EGYPT

HISTOPATHOLOGICAL AND BIOCHEMICAL STUDIES ON *PHASEOLUS VULGARIS* SEEDS INFECTED BY SOME SEED-BORNE FUNGI

Presented by

ZAHRA IBRAHIM EL-GALI MOHAMED

For the Degree of

DOCTOR OF PHILOSOPHY OF AGRICULTURAL SCIENCES

IN

PLANT PATHOLOGY

Examiner's Committee:

Prof. Dr. Ibrahim A. El-Samra

**Prof. of Plant Pathology and Vice President of
Alexandria University, Damanhour Branch.**

Prof. Dr. Mohamed Kh. Dawood

**Prof. Emeritus of Plant Pathology
Fac. of Agriculture, Mansoura University.**

Prof. Dr. Mohamed A. Fayed

**Prof. Emeritus of Plant Pathology
Fac. of Agriculture – Saba Bacha,
Alexandria University.**

Prof. Dr. Saad M. Shama

**Prof. of Plant Pathology and Vice Dean for Post
Graduate Studies and Research, Faculty of
Agriculture – Saba Bacha, Alexandria University.**

Approved

Samra

Dawood

Fayed

Saad

SUPERVISOR'S COMMITTEE

Prof. Dr. MOAMED A. FAYED

**Professor of Plant Pathology,
Department of Agricultural Botany,
Faculty of Agriculture, Saba-Bacha
Alexandria University**

Prof. Dr. SAAD M. SHAMA

**Professor of Plant Pathology,
and Vice Dean for Post Graduate studies and Researches
Faculty of Agriculture, Saba-Bacha
Alexandria University**

ACKNOWLEDGMENTS

Thankfulness and gratefulness is due to merciful Allah who gave me all the facilities and ability to complete this thesis.

I would like to express my sincere gratitude and appreciation to **Prof. Dr. Mohamed A. Fayed**, Professor of Plant Pathology, Faculty of Agriculture, Saba-Basha, Alexandria University, for his effective supervision, invaluable suggestion, great continuous encouragement, continuous help and guidance throughout the investigation and preparation of the manuscript.

I kindly express my utmost appreciation and the deepest gratitude to **Prof. Dr. Saad M. Shama**, Professor of Plant Pathology, Faculty of Agriculture, Saba-Basha, Alexandria University for his willing supervision, his helpful suggestions, continuous help during the preparing of the final manuscript, continuous encouragement, constructive criticism and guidance throughout the investigation.

My thanks and gratefulness are extended to **Prof. Dr. Abdel-Fattah S. Abdel-Kereem**, Professor of Pesticide Chemistry and Toxicology and **Prof. Gamal Abdel-Nasser**, Professor of soil and water, for their kind help and encouragement.

Likewise my thanks are directing to the **staff members and colleagues of Agriculture Botany Department**, Faculty of Agriculture, Saba-Basha, Alexandria University, for their great help during accomplishment of this study.

Finally, it wish to express my particular and heartfelt thanks to **my beloved husband, Fawzi, my lovely children Abd El-Rahman and Hafsa**, for their moral sacrifice and their understanding and for sharing my many burdens in life.

CONTENTS

	Page No.
LIST OF TABLES.....	V
LIST OF FIGURES.....	VII
I. INTRODUCTION.....	1
II. REVIEW OF LITERATURE.....	4
1. Seed mycoflora.....	4
2. Effect of seed health testing on the frequency of the isolated fungi.....	9
3. Symptoms associated with seed disease.....	11
4. Studies on seed and root extracts and exudates.....	13
4.1. Effect on fungal growth.....	13
4.2. Chemical composition of extracts and exudates.....	15
4.2.1. Determination of amino acids.....	15
4.2.2. Determination of phenol compounds.....	16
5. Changes in the biochemical constituents of seed due to infection with seed-borne fungi.....	16
5.1. Total sugar content.....	17
5.2. Proteins content.....	18
5.2.1. Soluble protein and N% protein content.....	18
5.2.2. Free amino acids.....	21
5.3. Phenol compounds and related enzymes.....	22
5.3.1. Total phenol compounds.....	22
5.3.2. Oxidative enzymes.....	23
5.4. Nucleic acids.....	24
6. Histopathological studies on seeds infected with seed-borne fungi.....	25
7. Disease control.....	31
7.1. Biological control.....	31
7.1.1. Rhizobacteria as a biocontrol.....	31
7.1.2. Trichoderma as a bioagent.....	36
7.2. Chemical control.....	41
III. MATERIALS AND METHODS.....	47
1. Sources of seed samples.....	48
2. Isolation and identification of causal fungal agents.....	48
2.1. Isolation of bean seed-borne fungi.....	48
2.1.1. Blotter paper method.....	48
2.1.2. Agar-Plate method.....	50
2.2. Purification of the isolated fungi.....	50
2.3. Identification.....	50
3. Location of fungi in seeds.....	51

4. Pathogenicity studies.....	52
4.1 cultivars response.....	53
5. Studies on crude extracts and exudates of highly and less susceptible cultivars.....	54
5.1. Preparation of exudates from seed and root.....	54
5.2. Preparation of extracts from seed and root.....	55
5.3. Effect of crude extracts and exudates on fungal growth....	55
5.4. Chemical analysis.....	56
5.4.1. Determination of amino acids in extracts and exudates ..	56
a. Qualitative determination.....	56
b. Quantitative determination.....	56
5.4.2. Determination of phenol components.....	57
a. Determination of total phenols.....	57
b. Determination of free phenols.....	57
c. Determination of conjugated phenols.....	58
6. Determination of changes in biochemical constituents of bean seeds due to infection.....	58
6.1. Determination of carbohydrates.....	58
6.1.1. Total soluble sugars	58
6.1.2. Reducing sugars.....	59
6.1.3. Non-Reducing sugars.....	60
6.2. Determination of crude proteins.....	60
6.2.1. Total soluble proteins.....	60
6.2.2. protein nitrogen (N% content).....	60
6.3. Content of amino acids.....	61
6.4. Measurement of Total nucleic acids, DNA and RNA.....	61
6.5. Determination of phenolic compounds and their corresponding enzymes.....	62
6.5.1. Total phenolic compounds.....	62
6.5.2. Extraction and bioassay of enzymes	63
a. Polyphenol oxidase.....	63
b. Phenylalanine oxidase.....	64
c. Peroxidase.....	64
d. Phenylalanine ammonia-lyase.....	65
7. Histopathological studies on bean seeds infected with the tested fungi.....	66
7.1. Seeds inoculation.....	66
7.2. Histology.....	66
8. Disease control.....	69
8.1. Biological control.....	69
8.1.1. <i>Rhizobium</i> as a bioagent.....	69
a. In Vitro studies.....	69
b. In Vivo studies.....	71

8.1.2. <i>Trichoderma</i> as a bioagent.....	71
a. In Vitro studies.....	72
b. In Vivo studies.....	72
8.2. Chemical control.....	73
a. In Vitro studies.....	75
b. In Vivo studies.....	76
9. Disease assessments.....	76
10. Plant growth and yield measurements.....	77
10.1. Fresh weight of roots and shoots.....	77
10.2. Air dry weight of roots and shoots.....	77
10.3. Number of nodules.....	77
10.4. Seed yield.....	77
a. Number of flowers.....	77
b. Number of pods.....	77
c. Number of seeds.....	78
10.5. Nitrogen content.....	78
11. Statistical analysis.....	78
IV. EXPERIMENTAL RESULTIS.....	79
1. Isolation and identification of associated fungi.....	80
1.1. Survey of bean seed-borne fungi in Libyan Jamahiriya....	80
1.2. Survey of bean seed-borne fungi in Egypt.....	83
2. Seed health testing and isolation of seed-borne fungi.....	87
3. Location of fungi in the seeds.....	87
4. Pathogenicity studies.....	89
4.1. Cultivars response.....	92
4.1.1. Seed decay.....	94
4.1.2. Seed emergence.....	94
4.1.3. Seedling survival.....	94
4.2. Symptoms on seed and seedling.....	97
4.2.1. Symptoms on seed.....	97
4.2.2. Symptoms on seedling.....	97
5. Studies on crude extracts and exudates of highly and less susceptible cultivars.....	100
5.1. Effect of crude extracts and exudates on fungal growth...	100
5.2. Chemical analysis of crude extracts and exudates.....	105
5.2.1. Qualitative and quantitative determination of amino acids.....	105
5.2.2. Phenols content.....	108
6. Changes in the biochemical constituents of bean due to infechion with seed-borne fungi.....	112
6.1. Determination of sugars content.....	112
6.2. Determination of crude protein content.....	116
6.3. Determination of amino acids content.....	119

6.4. Determination of phenolic compounds and related oxidative enzymes.....	120
6.4.1. Phenolic compounds.....	120
6.4.2. Oxidative enzymes.....	124
6.5. Determination of nucleic acids.....	129
7. Histopathological studies.....	132
a. <i>Botrytis cinerea</i>	132
b. <i>Macrophomina phaseolina</i>	133
c. <i>Rhizoctonia solani</i>	143
8. Disease control.....	159
8.1. Biological control.....	159
8.1.1. <i>Rhizobium phaseoli</i> as a bioagent.....	159
a. In Vitro studies.....	159
b. In Vivo studies.....	159
8.1.2. <i>Trichoderma viride</i> as a bioagent.....	162
a. In Vitro studies.....	162
b. In Vivo studies.....	165
8.2. Chemical control.....	172
a. In Vitro studies.....	172
b. In Vivo studies.....	174
9. Effect of disease control on plant characteristics and N ₂ fixation of bean cultivars grown in soil artificially infested with seed-borne fungi.....	184
9.1. Fresh weight of shoot and root.....	184
9.1.1. Shoot fresh weight.....	184
9.1.2. Root fresh weight.....	186
9.2. Dry weight of shoot and root.....	186
9.2.1. Shoot dry weight.....	186
9.2.2. Root dry weight.....	187
9.3. Seed yield.....	188
9.4. Number of nodules.....	189
9.5. N% content.....	191
V. DISCUSSION.....	199
VI. SUMMARY.....	243
VII. LITERATURE CITED.....	250
VIII. ARABIC SUMMARY.....	294

LIST OF TABLES

Table No.		Page No.
(1)	Collecting sites of bean (<i>Phaseolus vulgaris</i> L.) seed samples.....	42
(2)	Sources of cultivars.....	53
(3)	The listed fungicides and their chemical structure.....	74
(4)	Frequencies of seed-borne fungi associated with bean (<i>Phaseolus vulgaris</i> L.) seed samples representing four governorates of Libya.....	81
(5)	Frequencies of seed-borne fungi associated with bean (<i>Phaseolus vulgaris</i> L.) seed samples representing four governorates of Egypt.....	84
(6)	The percentages of bean seed-borne fungi using blotter paper and agar plate methods.....	88
(7)	Recovery of seed-borne fungi from different parts of bean seeds.....	90
(8)	Pathogenicity tests of fungi isolated from seeds of bean after 20 days from sowing under greenhouse conditions.....	91
(9)	Varietal reaction of some bean cultivars inoculated with different tested fungi.....	95
(10)	The effect of extracts and exudates collected from seeds and roots of Libyan cultivar on the linear growth of the tested fungi.....	103
(11)	The effect of extracts and exudates collected from seeds and roots of Giza-6 cultivar on the linear growth of the tested fungi.....	104
(12)	The amino acids presented in seeds and roots extracts and exudates of bean Libyan and Giza-6 cultivars	106
(13)	Determination of amino acids in seeds and roots extracts and exudates of bean cultivars Libyan and Giza-6.....	110
(14)	Phenol contents, free, conjugated and total in seeds and roots extracts and exudates of two bean cultivars, Libyan and Giza-6.....	111
(15)	Changes in the sugar content of Libyan bean seed cultivar due to seed-borne fungi.....	113