

شبكة المعلومات الحامعية

بسم الله الرحمن الرحيم



-Caro-



شبكة المعلومات الحامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم





ببكة المعلم مات المامعية

hossam maghraby

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسو

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة يعبدا عن الغيار





شبكة المعلومات الجامعية






شبكة المعلومات الحامعية



بالرسالة صفحات لم ترد بالأصل





Serum transferrin receptors in newborns, healthy children, and children with iron deficiency anemia

Thesis submitted in the partial Fulfillment of the Requirements for Degree of Master in Pediatric

By

Amr Habashi Said

Supervisors

Prof. Dr. Zeinab Ahmed Esmail

Professor and Chairman of clinical pathology Faculty of medicine, Minia University

Dr. Sawsan Mahmoud El Bana

Lecturer of pediatrics Faculty of medicine, Minia University

Dr. Gamal Baheeg Mohamed

Lecturer of pediatrics Faculty of medicine, Minia University

FACULTY OF MEDICINE MINIA UNIVERSITY 2003

بليم الحج أبي

(وما بكم من نعمة فمن الله ثمر إنكا مسكم المصر فإليه تكثرون)

سورة الكل أية "٥

ACKNOWLEDGEMENT

Acknowledgment

First of all, great thanks for "ALLAH", for helping me in my life and in this work.

I would like to express my deepest gratitude to Prof. Dr. Zeinab Ahmed Esmail, Professor and Head of Clinical Pathology Department, Faculty of Medicine, Minia University. She has kindly guided my steps and was always providing expert advice and counseling. And for his generous help and support precious advises.

I am deeply grateful to Dr. Sawsan Mahmoud El-Bana, Lecturer of Pediatrics, Faculty of Medicine, Minia University, for her valuable help, expert advice and continuous encouragement throughout this work. I feel greatly thankful for her close supervision and generous cooperation.

My appreciation and great thank to Dr. Gamal Baheeg Mohamed, Lecturer of Pediatrics, Faculty of Medicine, Minia University. For his valuable help, expert advice and generous assistance in this work.

Many thanks to Prof. Dr. Salem Ahmed Sallam, Professor and Head of Pediatric Department, Faculty of Medicine, Minia University, for his generous assistance and help in conducting this work.

Last but not least, I would like to express my deep feelings to all colleagues in the pediatric department in Minia University Hospital, for their co-operation and generous assistance.

LIST OF CONTENTS

Title	Page
LIST OF ABBREVIATIONS	1-11
LIST OF TABLES	111
LIST OF FIGURES	IV
INTRODUCTION AND AIM OF WORK	1-2
REVIEW OF LITERATURE	3
BASICS OF IRON METABOLISM	3
DISORDERS OF IRON METABOLISM	
LABORATORY ASSESSMENT OF IRON STATUS	13
TRANSFERRIN RECEPTORS	16 25
CHARACTERIZATION AND STRUCTURE OF TRANSFERRIN RECEPTOR	
Regulation of transferrin receptor expression.	28 31
Tissue-specific regulation of transferrin receptor expression	34
Clinical importance of cellular transferrin receptor	39
Changes in Transferrin receptor expression	39
THE SERUM TRANSFERRIN RECEPTOR	40
Serum transferrin receptor in disease	43
STfR assays	45
Clinical importance of serum transferrin receptor	45
SUBJECTS AND METHOD	63
Results	72
Discussion	92
SUMMARY AND CONCLUSION	102
RECOMMENDATION	105
REFERENCE	107
	107
MASTER SHEETS	
ARABIC SUMMARY	

LIST OF ABBREVIATIONS

ACD : Anemia of chronic diseases.

CLL : Chronic lymphocytic leukemia.

DCT_1 : Divalent Cation Transporter_1.

2,3DPG : 2,3 diphosphoglycerate.

ELISA : Enzyme linked immunosorbent assay.

EP : Erythrocyte Protoporphyrin.

EPO : Erythropoietin.

Fig. : Figure.

FI : Femto-liter.

FRP : Ferritin repressor protein.

HB conc. : Hemoglobin concentration.

HIV. : Human immunodeficiency virus.

ID : Iron deficiency.

IDA : Iron deficiency anemia.

IDE : Iron-deficient erythropoiesis.

IFN - ά : Interferon-ά.

IL-2 Interleuken-2.

IRE : Iron responsive elements.

IRE-BPs : Iron-regulatory element binding proteins.

IRF : Iron regulatory factor.

IRMA : Immunoradiometric assay.

IRP : Iron regulatory proteins.

Kb : Kilobase.

M.C.H.C. (%) : Mean corpuscular hemoglobin concentration.

M.C.V : Mean corpuscular volume.

Mabs : Monoclonal antibodies.

m-RNA Messenger-Ribonucleic acid.

NK : Natural killer cells.

NO : Nitric oxide.

P.C.V : Packed cell volume.

Plat.count : Platelet counts.

PSM : Prostate-specific membrane.

Ratio : STfRs / S.F.

R.B.C. : Red blood cell counts.

RDW: Red-cell distribution width.

Retic : Reticulocytic count.

RHuEPO : Recombinant human erythropoietin.

RIA : Radioimmunoassay.

S.F : Serum ferritin.

S.I : Serum iron.

SD : Standard deviation.

Sig. : Significant.

STfRs : Serum transferrin receptors.

STfRs index : STfRs / log ferritin.

TfR : Transferrin receptor.

TfR2 : Second transferrin receptor.

TfR-F Index : STfR/log ferritin index.

TIBC : Total iron binding capacity.

TMB : Tetramethylbenzidine :

TS: Transferrin saturation.

UIBC : Unsaturated iron binding capacity.

UTRs : Untranslated regions.

LIST OF TABLES

No	Title	Page
 	Iron components	4
11	Reference intervals for serum ferritin	11
	Conditions which increase and decrease serum ferritin	11
IV	Conditions which increase and decrease TIBC	20
1	Age in different groups (range and M ± SD)	77
2	Different CBC parameters (preterm and fullterm neonates)	78
3	Serum iron, total iron binding capacity, serum ferritin and serum transferrin receptors in preterm and fullterm neonates.	78
4	Difference between healthy children (group 3) and children with iron deficiency anemia (group2A) regarding CBC parameters.	79
5	Serum iron and total iron binding capacity in different studied groups.	80
6	Serum ferritin and serum transferrin receptors in different studied groups.	80
7	CBC parameters in follow up group children (group2B) before treatment and after treatment.	81
8	Comparison between serum iron and total iron binding capacity in follow up group children (group2B) before treatment and after treatment.	81
9	Serum ferritin and serum transferrin receptors in follow up group children (group2B) before treatment and after treatment.	82
10	correlations between S.F, STfRs and weight, gestational age,sex of neonates (group1),age, sex of healthy children (group3).	82
11	Correlation between STfRs and S.I, HB% conc., S.F in children with iron deficiency anemia without ttt.	82

LIST OF FIGURES

No	Figures	Page
1	Diagrammatic representation of the human transferrin receptor.	29
1	Age distribution between different studied groups.	83
2	Distribution of sex in all studied groups	83
3	the mean of S.I and TIBC in different studied groups.	84
4	the mean of S.F and STfRs in different studied groups.	84
5	the correlation between Hb,RBC, P.C.V and Retcs before and after ttt	85
6	S.I and TIBC before and after ttt.	85
7	Serum ferritin and STfRs before and after ttt.	86
8	Correlation between serum ferritin and gestational age of neonates	86
9	correlation between STfRs and gestational age of neonates.	87
10	Correlation between STfRs and serum iron in children with IDA	87
11	Correlation between STfRs and HB% conc. in children with IDA.	88
12	Correlation between STfRs and S.F in children with IDA.	88
13	Correlation of ratio and serum ferritin In children with IDA.	89
14	Correlation of STfRs to reticulocytic % in healthy control group	89
15	Correlation between STfRs and age in healthy control group.	90
16	Correlation between Ratio and age in healthy control group.	90
17	Index before and after ttt.	91

INTRODUCTION 8 AIMOF THE WORK