


hossam maghraby



شبكة المعلومات الجامعية

بسم الله الرحمن الرحيم




hossam maghraby



شبكة المعلومات الجامعية



شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



hossam maghraby



شبكة المعلومات الجامعية

جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغيرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



hossam maghraby



شبكة المعلومات الجامعية



بعض الوثائق الأصلية تالفة




hossam maghraby



شبكة المعلومات الجامعية



**بالرسالة صفحات
لم ترد بالأصل**



B17747

**Computer Aided Design
And
Optimization of Worm Gear Sets
by**

Abd El Moniem Mohamed Abd El Gwaad

**A Thesis Submitted to the
Faculty of Engineering at Cairo University
in partial fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
MECHANICAL DESIGN and PRODUCTION**

FACULTY OF ENGINEERING, CAIRO UNIVERSITY

GIZA, EGYPT

June 2005

**Computer Aided Design
And
Optimization of Worm Gear Sets**
by


Abd El Moniem Mohamed Abd El Gwaad

**A Thesis Submitted to the
Faculty of Engineering at Cairo University
in partial fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
MECHANICAL DESIGN and PRODUCTION**

Under the Supervision of

Prof. Dr. Sayed M. Metwalli

Professor of Machine Design





Mechanical Design and Production Department

Faculty of Engineering at Cairo University

Dr. Hesham A. Hegazi

Assistant Professor



**FACULTY OF ENGINEERING, CAIRO UNIVERSITY
GIZA, EGYPT**

June 2005

**Computer Aided Design
And
Optimization of Worm Gear Sets
by**

Abd El Moniem Mohamed Abd El Gwaad

**A Thesis Submitted to the
Faculty of Engineering at Cairo University
in partial fulfillment of the
Requirements for the Degree of
MASTER OF SCIENCE
in
MECHANICAL DESIGN and PRODUCTION**

Approved by the

Examining Committee

Prof. Dr. Sayed M. Metwalli

Prof. Dr. Ali A. Khatab

Prof. Dr. Farouk M. Budran

Sayed M. Metwalli
(Thesis Main Advisor)

(Professor, Cairo university)

(Professor, Assuit university)

Farouk M.F. Budran

FACULTY OF ENGINEERING, CAIRO UNIVERSITY

GIZA, EGYPT

June 2005

CONTENTS

	Page
LIST OF TABLES	iv
LIST OF FIGURES	v
NOMENCLATURE	x
ACKNOWLEDGEMENT	xiii
ABSTRACT	xiv
1. INTRODUCTION	
1.1 Fundamentals of Worm Gear set Drive	1
1.2 Types of Worms	3
1.3 Worm-Drive with Concave- Convex Profile	6
1.4 Literature Review	9
1.4.1 Optimization Process	9
1.4.2 Optimization of Gear Set Design	10
1.5 Thesis Contents and Scope of work	13
2. WORM GEARS DESIGN PROCEDURE	15
2.1 Introduction	15
2.2 Geometry of worm gear sets	15
2.2.1 Gear Terminology, Symbols and Notations	15
2.2.2 Typical Geometry of Worm gear set	19
2.3 Preliminary Design Procedure	22
2.4 Forces Analysis in Worm Gear Sets	25
2.5 Detailed Design	30
2.5.1 Bending stress analysis of Worm Gear	30
2.5.2 Fatigue Strength	31
2.5.3 Surface Durability of Worm Gear Drive	36
3. COMPUTER AIDED DESIGN OF WORM GEARS	41
3.1 Introduction	41
3.2 preliminary Selection	41
3.2.1 Input Parameters	41
3.2.2 Calculations	41

3.2.3 Displaying Results	42
3.3 Procedure for Force Analysis and Detailed Design	47
3.3.1 Input Parameters	47
3.3.2 Calculations Process	47
3.3.3 Displaying Results	50
4.OPTIMIZATION FORMULATION AND COMPUTER AIDED OPTIMIZATION	
4.1 Introduction	58
4.2 Problem Formulation	58
4.3 Solution Technique	59
4.3.1 Calculations Procedure	60
4.3.2 Displaying Optimum Results	66
5. RESULTS AND DISCUSSIONS	76
5.1. Introduction	76
5.2. Optimum Behavior Curves	77
5.2.1. Effect of torque on the optimum parameters	77
5.2.2. Effect of torque on the optimum parameters for different materials	77
5.2.3. Effect of design parameters on the optimum objective function	78
5.2.4. Effect of torque on the optimum parameters	92
5.2.5. Effect of torque on the optimum parameters for different materials	92
5.2.6. Effect of design parameters on the optimum objective function	93
5.3. Design Curves	93
5.4. Comparison with case study	108
6. CONCLUSION	110
REFERENCES	111
APPENDIX I General Classification of Gears	114
APPENDIX II Table A.1. Worm Gear Case Study	117

LIST OF TABLES

Table (2.1) shows typical values used for the dimensions of worm threads and gear teeth	Page 19
Table (2.2) Nominal Capacity of Cylindrical Gear Pairs for Standard Speed Reducers (service factor $C_{SF} = 1$)	23
Table (2.3) Suggested Minimum Number of Wormgear Teeth as a Function of Normal Pressure Angle ϕ_n	24
Table (2.4) Approximate Lewis Form Factor for Wormgear Teeth	31
Table (2.5) Surface Finish Factors	32
Table (2.6) Size Factors	33
Table (2.7) Reliability Factors	34
Table (3.1) Load Application Factors, k_o	48
Table (3.2) Load Distribution Factors, k_m	48
Table (5.1) Comparison with case study for $m_G = 57$	108
Table (5.2) Comparison with case study for $m_G = 14$	109

LIST OF FIGURES

	Page
Figure (1.1) Types of Worm Flanks	5
Figure (1.2) Characteristics of CAVEX drive	8
Figure (2.1) Single-Enveloping Wormgear Set	16
Figure (2.2) Lead Angle	17
Figure (2.3) Shell Worm	21
Figure (2.4) Wormgear Details	21
Figure (2.5) Forces on a Worm and Wormgear	25
Figure (2.6) Coefficient of Friction vs. Sliding Velocity for Steel Worm and Bronze Wormgear	27
Figure (2.7) Materials Factor, C_s vs. Mean gear diameter, D_G	38
Figure (2.8) Ratio Correction Factor, C_m vs. Gear Ratio, m_G	39
Figure (2.9) Velocity Factor, C_v vs. Sliding Velocity V_s	40
Figure (3.1.a) Main Screen showing Input Data for $m_G = 14, rpm = 1700$	43
Figure (3.1.b) Main Screen showing Geometric output Data for $m_G = 14, rpm = 1700$	44
Figure (3.1.c) Main Screen showing Input Data for $m_G = 57, rpm = 1700$	45
Figure (3.1.d) Main Screen showing Geometric output Data for $m_G = 57, rpm = 1700$	46
Figure (3.2.a) Main Screen showing Forces & Stresses output Data for $m_G = 57, rpm = 1700, S_{e1} = 330MPa$	50
Figure (3.2.b) Main Screen showing Forces & Stresses output Data for $m_G = 57rpm = 1700, S_{e1} = 248MPa$	51
Figure (3.2.c) Main Screen showing Forces & Stresses output Data for $m_G = 57, rpm = 500, S_{e1} = 330MPa$	52
Figure(3.2.d)) Main Screen showing Forces & Stresses output Data for $m_G = 57, rpm = 500, S_{e1} = 330MPa$	53