

Salwa Ak1



# بسم الله الرحمن الرحيم

مركز الشبكات وتكنولوجيا المعلومات

قسم التوثيق الإلكتروني



Salwa Akl



# جامعة عين شمس

التوثيق الإلكتروني والميكروفيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
على هذه الأقراص المدمجة قد أعدت دون أية تغييرات



Salwa Akl



بعض الوثائق الأصلية تالفة  
وبالرسالة صفحات لم ترد بالأصل



Tanta University "Kafr EL-Sheikh Branch"

Faculty of Veterinary Medicine

Department of Microbiology

B18383

## **Studies on Herpesviruses in sheep and goats**

Thesis presented by

**Ahmed said Ahmed Mohamed**

B. V. Sc. Cairo University (1983)

M. V. Sc. (Microbiology) Cairo University (1990)

For the degree of

**Doctor of Philosophy in Veterinary Science**

**Virology**

Under supervision of

**Prof. Dr. Hassan Badr Hassan**

Professor of Virology

Faculty of Veterinary Medicine

Tanta University "Kafr El-Sheikh Branch"

**Prof. Dr. Ikram Abd El-Karim Ismail**



Chief Researcher of Virology and Head of ELISA Unit

Animal Health Research Institute

Dokki, Giza

Agriculture Research Center

(2002)



قَالُوا سُبْحَانَكَ لَا عِلْمَ لَنَا إِلَّا مَا  
عَلَّمْتَنَا إِنَّكَ الْعَلِيمُ الْحَكِيمُ  
بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Tanta University "Kafr El-Sheikh branch"

Faculty of Veterinary Medicine

Department of Microbiology

## APPROVAL SHEET

This is to approve that the thesis presented by **Ahmed Said Ahmed Mohamed** to Tanta University for the degree of Ph. D. in Veterinary science "Virology" has been approved by the examining committee:-

**Prof. Dr. Mohamed El- Bakry Abd El-Rehim**

Professor of Microbiology and Head of Virology Department

Faculty of Vet Med., Zagazig University.

*M El-Bakry*

**Prof. Dr. Salwa Mahmoud Helmy**

Professor and Head of Microbiology Department

Faculty of Vet. Med., Tanta University

(Kafr El- sheikh branch).

*Salwa Mahmoud Helmy*

**Prof. Dr. Ikram Abd El- Karim Ismail**

Chief Researcher of Virology and Head of ELISA Unit

Animal Health Research Institute, Doki, Giza

Agriculture Research Center

(Supervisor of the thesis).

*Ikram A. Karim*

Date: 9/6/2002



## Acknowledgement

In actual fact the prayerful thanks at first to our **merciful God**, who gave me everything I have.

Sincere thanks are also due to Prof. Dr. **Hassan B. Hassan**, Prof. of virology, Microbiology department, faculty of Vet. Med., Tanta Univ. (Kafr El-Sheikh branch) for his help, advice and supervision.

I am very grateful sending my sincere appreciation and gratitude to Prof. Dr. **Ikram A. Karim Ismail**, Prof. of Virology, Animal Health Research Institute, Dokki, Giza, for her persistent help, valuable advice, supervision, continuous encouragement and supplying the facilities for carrying out this work.

My highest regard and deepest thanks are due to Prof. Dr. **Salwa M. Helmy**, Prof. and Head of Microbiology department, faculty of Vet. Med., Tanta Univ. (Kafr El-Sheikh branch) for her help, advice and interest.

I am greatly indebted to the kind help of Dr. **Ibrahim A. Khalil**, Lecturer of clinical pathology, Fac. Of Vet. Med., Cairo Univ., and Dr. **Adel S. Amin**, Senior Researcher, Animal Reproduction Research Institute, Agriculture Research Center for their help and interest.

I must not forget acknowledge all staff members of **ELISA** unit and virus strain bank, Animal Health Research Institute, Dokki, for their help, continuous encouragement and scientific cooperation.

Cordial thanks to my **parents** and my **family** for their patience, sacrifice and sympathy.

# Contents

	Page
<b>1. Introduction</b>	<b>1</b>
<b>2. Review of Literature</b>	<b>4</b>
2.1. History and distribution	4
2.2. Infectious Bovine Rhinotracheitis in Egypt	8
2.3. Classification and nomenclature	10
2.4. Morphology and viral structure	11
2.5. Physicochemical properties	15
2.6. Biological properties	18
2.6.1. Haemagglutination	18
2.6.2. Cell culture susceptibility	19
2.6.3. Protein synthesis and virus release	23
2.6.4. Antigenic structure and antigenic relationship	25
2.7. Epizootiology	29
2.7.1. Animal susceptibility (age, species and predisposing factors)	29
2.7.2. Source and mode of infection	33
2.7.3. Clinical signs and P.M lesion	34
2.7.4. Latency	36
2.8. Diagnosis	39
2.8.1. Isolation of BHV-1	39
2.8.2. Detection of BHV-1 antigen	41
2.8.3. Detection of BHV-1 DNA	44
2.8.4. Detection of BHV-1 antibodies	46



2.8.5.Comparative evaluation of sensitivity of different serological tests	49
<b>3.Material and Methods</b>	52
3.1. Material	52
3.1.1. Animals	52
3.1.2. Samples	54
3.1.2.1. Serum samples	54
3.1.2.2. Swabs	54
3.1.2.3. Lung tissues	54
3.1.3. Reagents and solutions used for BHV-1 antigen preparation	58
3.1.4. Reagents and solutions used for indirect ELISA technique.	58
3.1.5. Tissue culture, media and solutions used for virus isolation	60
3.1.6.Reagents used for indirect fluorescent antibody technique	63
3.1.7. Reagents used for virus neutralization test	64
3.1.8. Reagents used for DNA extraction	65
3.1.9. Reagents and equipments used for polymerase chain reaction	67
3.1.10. Chemicals used for electrophoresis	68
3.1.11. Chemicals, solutions and tissue cultures used for characterization of virus isolates	69
<b>3.2. Methods</b>	70
3.2.1. Clinical examination of sheep and goats	70
3.2.2. Collection and handling of serum samples for serological studies	70

3.2.3. Preparation and titration of antigen	71
3.2.3.1. Preparation of BHV-1 antigen	71
3.2.3.2. Titration of the prepared BHV-1 antigen	72
3.2.4. Detection of BHV-1 antibodies in sheep and goats sera using indirect ELISA technique	73
3.2.5. Collection and handling of samples for virus isolation	75
3.2.6. Virus isolation and identification	75
3.2.6.1. Virus isolation	75
3.2.6.2. Identification of virus isolates by indirect fluorescent antibody technique	76
3.2.6.3. Titration of the viral isolates (infectivity test)	77
3.2.6.4. Identification of the virus isolates by using virus neutralization test	78
3.2.6.5. Detection of viral nucleic acids	79
3.2.7. Characterization of the virus isolates	81
3.2.7.1. Determination of nucleic acid of the virus isolates	81
3.2.7.2. Sensitivity of virus isolates to heat “thermostability”	82
3.2.7.3. Sensitivity of virus isolates to lipid solvents	83
3.2.7.4. Stability of virus isolates to different PH	83
3.2.7.5. Susceptibility of different cell cultures to virus isolates	84
<b>4. Results</b>	85
4.1. Serological studies on the prevalence of BHV-1 antibodies in sera of sheep and goats	85
4.1.1. Results of the prepared BHV-1 antigen titration	85
4.1.2. Prevalence of BHV-1 antibodies in sera of sheep and goats by indirect ELISA technique	87
4.2. Virus isolation and identification	93
4.2.1. Isolation of a viral agent from different swabs	93

4.2.2. Identification of the cytopathic viral agents	98
4.2.2.1. Indirect fluorescent antibody technique	98
4.2.2.2. Titration of the viral isolates "infectivity test"	102
4.2.2.3. Virus neutralization test	104
4.2.2.4. Detection of BHV-1 DNA by using polymerase chain reaction	106
4.3. Comparison of results of the three techniques for detection of BHV-1	109
4.4. Percentage of BHV-1 isolates in relation to type of samples species, age, sex and season	111
4.5. Characterization of the virus isolates	113
4.5.1. The effect of 5-iodo-2-deoxyuridine (IUDR) on the multiplication of BHV-1 isolates	113
4.5.2. The effect of heat treatment on the infectivity of BHV-1 isolate	115
4.5.3. Effect of treatment of BHV-1 isolate with 10% and 20% diethyl ether at 4°C	120
4.5.4. Effect of different PH values on the infectivity of BHV-1 isolate	121
4.5.5. Results of susceptibility of different cell culture to BHV-1 isolate	123
<b>5. Discussion</b>	125
<b>6. Summary</b>	144
<b>7. References</b>	146
<b>8. Arabic summary</b>	

## List of Tables

Table No.	Title	Page
1	Distribution of sheep and goats at different farms used for BHV-1 isolation	53
2	Number of Serum samples collected from sheep and goats for serodiagnosis of BHV-1 in Lower Egypt Governorates.	55
3	Number of Serum samples collected from sheep and goats for serodiagnosis of BHV-1 in Upper Egypt Governorates.	56
4	Number and type of samples collected from sheep and goats for virus isolation.	57
5	Prevalence of BHV-1 specific antibodies among sheep and goats in 11 governorates in Lower Egypt.	88
6	Prevalence of BHV-1 specific antibodies among sheep and goats in 9 governorates in Upper Egypt.	90
7	Comparison between prevalence of BHV-1 antibodies in sera of sheep and goats in Lower and Upper Egypt.	92
8	Number of samples showing Cytopathic effect in relation to type of swabs, species, age, sex and season.	97
9	Results of indirect fluorescent antibody for detection of BHV-1 isolates.	101
10	Infectivity titres of BHV-1 isolates after 3 passages on MDBK cell line.	103
11	Results of virus neutralization test for identification of BHV-1 isolates using standard BHV-1 positive serum.	105
12	Results of examination of BHV-1 isolates by polymerase chain reaction.	108

13	Comparison of the results obtained by the three techniques for detection of BHV-1.	110
14	Percentage of BHV-1 isolates in relation to type of samples, species, age, sex, and season.	112
15	Effect of 5-iodo-2-deoxyuridine (IUDR) on the multiplication of BHV-1 isolates.	114
16	Effect of heat at 37°C on infectivity of BHV-1 isolate.	116
17	Effect of heat at 56°C on infectivity of BHV-1 isolate.	118
18	Results of treatment of BHV-1 isolate with 10% and 20% diethyl ether at 4°C.	120
19	Effect of different PH on infectivity of BHV-1 isolate.	122
20	Susceptibility of different cell cultures to BHV-1 isolate after 3 passages onto respective cell culture.	124

## List of Photos

Photo No.		Page
1	Control non infected complete sheet of MDBK cell (Mag-40X).	95
2	Cytopathic effect of BHV-1 isolate on MDBK cell after 24 hours post inoculation (Mag-40X).	96
3	Characteristic CPE of BHV-1 isolates 48 hours post inoculation on MDBK cells in the form of grape like appearance, rounding and cell detachment. (Mag-40X)	96
4	Control non infected MDBK cells stained by fluorescein isothiocyanate. (Mag-40X)	99
5	MDBK cells infected by BHV-1 local isolate and stained by fluorescein isothiocyanate after 18 hours post inoculation (notice the specific perinuclear yellowish green fluorescent granules). (Mag-40X)	100
6	MDBK cells showing intracytoplasmic fluorescent granules after 24 hours post inoculation. (Mag-40X)	100
7	The photo showed 2 markers and in between them results of the positive control strain of BHV-1 and negative control, then followed by isolates No. 5,6,10,12,14,17 and 18 of BHV-1.	107
8	The photo showed the marker then results of isolates No. 25, 26, 29, 33 and 36 of BHV-1 followed by the negative and positive control reference strain.	107

## List of Figures

Fig. No.		Page
1	Titration of the prepared BHV-1 antigen against positive and negative reference sera.	86
2	Percentage of prevalence of BHV-1 specific antibodies among sheep and goats in 11 governorates in Lower Egypt.	89
3	Percentage of prevalence of BHV-1 specific antibodies among sheep and goats in 9 governorates in Upper Egypt.	91
4	Effect of heat treatment on the infectivity of BHV-1 isolate at 37°C.	117
5	Effect of heat treatment on the infectivity of BHV-1 isolate at 56°C.	119