

Mona maghraby



بسم الله الرحمن الرحيم

مركز الشبكات وتكنولوجيا المعلومات

قسم التوثيق الإلكتروني



Mona maghraby



جامعة عين شمس

التوثيق الإلكتروني والميكرو فيلم

قسم


نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
على هذه الأقراص المدمجة قد أعدت دون أية تغييرات



Mona maghraby



بعض الوثائق الأصلية تالفة
وبالرسالة صفحات لم ترد بالأصل



B1A11

*Alexandria University
Faculty of Veterinary Medicine
Department of Pathology and Parasitology*

Trials for vaccination of cattle against *Babesia bovis*

Thesis Presented By

MERVAT MOHAMMED ALI HUSSEIN

*B.V.Sc., Fac. Vet. Med., Cairo Univ., 1989
Diploma of Applied Parasitology, 1992
M.V.Sc., Fac. Vet. Med., Cairo Univ., 1997*

*for the degree of
Ph.D. in Parasitology
To*

*The Department of Pathology and Parasitology
Faculty of Veterinary Medicine
Alexandria University*

2001

**Under The Supervision
of**

Prof. Dr. Karam E. Ashmawy
Professor of Parasitology
Fac. Vet. Med., Alexandria Univ.

Prof. Dr.
Yahia Zakaria Otify
Professor of Parasitology
Fac. Vet. Med., Alexandria Univ.

Dr.
Amani Wadie Farah
Senior Researcher, Department of
Parasitology
Vet. Serum and Vaccine Research
Institute, Abbasia, Cairo, Egypt

Alexandria University
Faculty of Veterinary Medicine,
Department of Pathology and Parasitology

APPROVAL SHEET

The Examination Committee approved the Ph.D. Thesis Presented by

Mervate Mohamed Ali Hussein

Entitled

"Trials for vaccination of cattle against Babesia bovis"

1. Prof. Dr. Zein El-Abddin Abdou Mohamed

Chief Research and Head of Parasitology Dept.,
Vet. Serum and Vaccine Research
Institute, Abbasia, Cairo.

2. Prof. Dr. Mohamed Yosry El-Sokary

Prof. of Parasitology, Head of Pathology and Parasitology Dept.
Faculty of Veterinary Medicine,
Alexandria University.

3. Dr. Amani Wadie Farah

Senior Researcher, Dept. of Parasitology,
Vet. Serum and Vaccine Research
Institute, Abbasia, Cairo.
(Supervisor)

4. Prof. Dr. Yehia Zakaria Otify

Prof. of Parasitology,
Faculty of Veterinary Medicine,
Alexandria University.
(Supervisor)

5. Prof. Dr. Karam E. Ashmawy

Prof. of Parasitology,
Faculty of Veterinary Medicine,
Alexandria University.
(Supervisor)

Date : / /2001.

I would like to present the utmost thanks to Prof.


*Dr. Ahmed Daoud, Director of the
Veterinary Serum and Vaccine Research and
Production Institute, Abbassia, Cairo, for
guidance and supplying facilities for this work.*

Dept., Veterinary Serum and Vaccine Research Institute, for their valuable technical help.

My thanks also extend to **Prof. Dr. Zein El-Abdin A. Mohamed**, Head of Parasitology Department, Veterinary Serum and Vaccine Research Institute, **Dr. Romany M.M.**, Researcher in Parasitology Department, Veterinary Serum and Vaccine Research Institute, for their kind cooperation.


Thanks are also due to the **members of Parasitology Dept.**, Veterinary Serum and Vaccine Research Institute, Abbasia, Cairo, for their assistance.

It is a pleasure to cordially thank to all the **members of my family**, for their continuous support and help.




LIST OF CONTENTS


	Page
1. INTRODUCTION.	1
2. REVIEW OF LITERATURE	4
1. Incidence of Babesia infection in Egypt	4
2. Characterization and serotyping of Babesia bovis	7
3. In-vitro cultivation of Babesia species	12
4. Control of Babesia by different vaccination methods	18
4.1. Infection and treatment method	18
4.2. Vaccination with dead vaccines	21
4.3. Vaccination with live attenuated vaccine	31
5. Diagnosis of Babesia infection	36
5.1. Blood film examination	37
5.2. Serological techniques	37
5.3. Evaluation of cell mediated immune response	42
3. MATERIAL AND METHODS.	49
1. Materials.	49
1.1. Animals	49
1.2. Samples	50



	Page
1.3. Materials used in characterization and serotyping of <i>B. bovis</i>	51
1.4. <i>B. bovis</i> exoantigen vaccine strain	54
1.5. Materials used in the isolation of <i>B.</i> <i>bovis</i> strain from infected cattle and its cultivation	55
1.6. Materials used in the haematological study	57
1.7. Materials used in the challenge test	57
1.8. Materials used in the serological techniques	58
1.9. Material used for evaluation of the cell mediated immunity	61
3.2. Methods.	64
2.1. Sample collection	64
2.2. Characterization and serotyping of <i>B. bovis</i> isolates	65
2.3. Method of <i>B. bovis</i> exoantigen vaccine preparation	69
2.4. Method of vaccination	71
2.5. Method of challenge test	72
2.6. Cryopreservation of <i>Babesia bovis</i> strain	72
2.7. Serological studies	73
2.7.1. Enzyme Linked Immunosorbent Assay	73
2.7.2. Indirect fluorescent antibody test	75
2.8. Evaluation of the cell mediated immunity	77




	Page
4. RESULTS.	80
5. DISCUSSION.	150
6. SUMMARY.	169
7. REFERENCES.	172
ARABIC SUMMARY.	




LIST OF TABLES

Table		Page
1	Five different 10 mer oligonucleotides used as primers in random amplified polymorphic DNA (RAPD) marker generated by polymerase chain reaction (PCR)	53
2	The number of bands amplified by each primer	81
3	The degree of variation among the three B. bovis genotypes	85
4	Two amalgamation groups showed in the amalgamation schedule	85
5	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (1) vaccinated with B. bovis exoantigen vaccine and challenged 12 weeks post vaccination	90
6	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (2) vaccinated with B. bovis exoantigen vaccine and challenged 24 weeks post vaccination	108
7	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (3) vaccinated with B. bovis exoantigen vaccine and challenged 36 weeks post vaccination	122
8	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (4) vaccinated with B. bovis exoantigen vaccine and challenged 48 weeks post vaccination	137
9	Evaluation of cell mediated immune response of vaccinated by B. bovis exoantigen with saponin adjuvant vaccine using lymphocyte blastogenesis	148



LIST OF TABLES

Table		Page
1	Five different 10 mer oligonucleotides used as primers in random amplified polymorphic DNA (RAPD) marker generated by polymerase chain reaction (PCR)	53
2	The number of bands amplified by each primer	81
3	The degree of variation among the three B. bovis genotypes	85
4	Two amalgamation groups showed in the amalgamation schedule	85
5	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (1) vaccinated with B. bovis exoantigen vaccine and challenged 12 weeks post vaccination	90
6	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (2) vaccinated with B. bovis exoantigen vaccine and challenged 24 weeks post vaccination	108
7	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (3) vaccinated with B. bovis exoantigen vaccine and challenged 36 weeks post vaccination	122
8	Mean values of temperature, Parasitaemia %, PCV %, IFA and ELISA titres for group (4) vaccinated with B. bovis exoantigen vaccine and challenged 48 weeks post vaccination	137
9	Evaluation of cell mediated immune response of vaccinated by B. bovis exoantigen with saponin adjuvant vaccine using lymphocyte blastogenesis	148



LIST OF FIGURES

Figure	Title	Page
1	RAPD profiles of <i>B. bovis</i> piroplasm genotypes isolated from Behera (Lane 1); Kalubia (Lane 2) and Sohag (Lane 3) provinces generated by three different primers	82
2	RAPD profiles of <i>B. bovis</i> piroplasm genotypes isolated from Behera (Lane 1); Kalubia (Lane 2) and Sohag (Lane 3) provinces generated by two different primers	83
3	Tree diagram based on RAPD data unweighed pair-group average dissimilarity	86
4	Serum antibody titres of calves of group (1) vaccinated with <i>B. bovis</i> exoantigen vaccine using ELISA technique during a period of 12 weeks	92
5	Serum antibody titres of calves of group (1) vaccinated with <i>B. bovis</i> exoantigen vaccine using IFA technique during a period of 12 weeks	93
6	Positive indirect fluorescent antibody reaction of <i>Babesia bovis</i> piroplasm antigen with serum of calves vaccinated with <i>B. bovis</i> exoantigen vaccine	94
7	Mean body temperature of calves of group (1) challenged with virulent strain of <i>B. bovis</i> 12 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	95
8	Mean parasitaemia percentage of calves of group (1) challenged with virulent strain of <i>B. bovis</i> 12 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	96
9	Mean PCV percentage of calves of group (1) challenged with virulent strain of <i>B. bovis</i> 12 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	97




Figure	Title	Page
10	Serum ELISA antibody titres of calves of group (1) challenged with virulent strain of <i>B. bovis</i> 12 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	98
11	Serum IFA antibody titres of calves of group (1) challenged with virulent strain of <i>B. bovis</i> 12 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	99
12	Serum antibody titres of calves of group (2) vaccinated with <i>B. bovis</i> exoantigen vaccine using ELISA technique during a period of 24 weeks	110
13	Serum antibody titres of calves of group (2) vaccinated with <i>B. bovis</i> exoantigen vaccine using IFA test during a period of 24 weeks	111
14	Mean body temperature of calves of group (2) challenged with virulent strain of <i>B. bovis</i> 24 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	112
15	Mean parasitaemia percentage of calves of group (2) challenged with virulent strain of <i>B. bovis</i> 24 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	113
16	Mean PCV percentage of calves of group (2) challenged with virulent strain of <i>B. bovis</i> 24 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	114
17	Serum ELISA antibody titres of calves of group (2) challenged with virulent strain of <i>B. bovis</i> 24 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	115
18	Serum IFA antibody titres of calves of group (2) challenged with virulent strain of <i>B. bovis</i> 24 weeks post vaccination with <i>B. bovis</i> exoantigen vaccine	116
19	Serum antibody titres of calves of group (3) vaccinated with <i>B. bovis</i> exoantigen vaccine using ELISA technique during a period of 36 weeks	125

