

بسم الله الرحمن الرحيم

 $\infty\infty\infty$

تم رفع هذه الرسالة بواسطة / هناء محمد علي

بقسم التوثيق الإلكتروني بمركز الشبكات وتكنولوجيا المعلومات دون أدنى مسئولية عن محتوى هذه الرسالة.

		02		λ
\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	((p)) ((p))		72	ملاحظات:
			3)	
		حامعت		
	Since	1992	7/3/	•••••

بركات وتكنولوجياراه



Value of Neutrophil Gelatinase Associated Lipocalin as a Biomarker of Renal Involvement and Activity in Pediatric Patients with Lupus Nephritis

Thesis

Submitted in Partial Fulfillment of an M.Sc. Degree in **Pediatrics**

By

Mohammad Abo El Fotouh Hegazy *M.B.,B.Ch. Ain Shams University*, 2013

Supervisors

Prof. Dr. Elham Mohammad Hossny

Professor at Pediatrics

Faculty of Medicine, Ain Shams University

Dr. Mohammad Abdelmonaem Sharaf

Lecturer at Pediatrics

Faculty of Medicine, Ain Shams University

Assist. Prof. Dr. Nancy Samir Wahba Assistant Professor of Clinical Pathology Faculty of Medicine, Ain Shams University

Faculty of Medicine Ain Shams University **2022**



سورة البقرة الآية: ٣٢

Acknowledgment

First and foremost, I feel always indebted to **ALLAH**, the Most Kind and Most Merciful.

I would like to express my respectful thanks and gratitude to **Prof. Elham Mohammad Hossny,** Professor of Pediatrics, Pediatric Allergy, Immunology and Rheumatology Unit, Children's Hospital, Ain Shams University for her keen supervision, and valuable advice which made possible the completion of this work.

I am also indebted and deeply thankful to **Dr. Mohammad Abdelmonaem Sharaf,** Lecturer of Pediatrics, Pediatric Nephrology and Dialysis Unit, Children's Hospital, Ain Shams University, for his kind continuous support, valuable instructions, and great assistance throughout this work.

My gratitude is also due to **Assist. Prof. Dr. Nancy Samir Wahba**, Assistant professor of Clinical Pathology Faculty of Medicine, Ain Shams University, for her great help, and active participation in the laboratory part of the work.

I wish to express my cordial thanks to all my family members for their support during this work and always.

Finally, my sincere thanks and appreciation are due to all subjects and their parents who kindly accepted to participate in this study.

Mohammad Abo El Fotouh Hegazy

Tist of Contents

Title	Page No.
List of Abbreviations	i
List of Tables	iii
List of Figures	iv
Introduction and Aim of the Work	6
Review of Literature	9
Lupus Nephritis	9
Neutrophil Gelatinase Associated Lipocalin in Lupus Nephritis	
Patient and Methods	52
Results	62
Discussion	75
Recommendations	81
Summary	82
References	85
Arabic Summary	

Tist of Abbreviations

Abb. Full term	
24p3R24p3 receptor	
ABPM Ambulatory blood pressure monitoring	
ACR American College of Rheumatology	
AKI Acute kidney injury	
AlActivity Index	
ANA Anti-Nuclear Antibodies	
ANCA Antineutrophil cytoplasmic antibodies	
anti-dsDNA Anti-double stranded DNA	
Ao-SLE Adult-onset	
AZAAzathioprine	
CBCComplete blood count	
CICCirculating immune complexes	
CKDChronic kidney disease	
ClChronicity Index	
cSLEChildhood Systemic Lupus Erythematosus	
DMARDsDisease-modifying antirheumatic drugs	
EC4dErythrocyte-bound C4d	
ESRD End-stage renal disease	
GFRGlomerular filtration rate	
HCQHydroxychloroquine	
HNLHuman neutrophil lipocalin	
HRP Horseradish Peroxidase	
IFN-gamma Interferon gamma	
IkB-zetaInhibitor of kappaB-zeta	
IL-4Interleukin-4	
IRBInstitutional Review Board	
ISNInternational Society of Nephrology	
JIAJuvenile idiopathic arthritis	
Jo-SLEJuvenile-onset	
jSLEJuvenile-onset systemic lupus erythematosus	

Tist of Abbreviations (Cont...)

Abb.	Full term
LN	. Lupus nephritis
MH	. Masked hypertension
MMP9	. Matrix metalloproteinase-9
MSFI	. Migration stimulating factor inhibitor
MTX	. Methotrexate
MUCH	. Masked uncontrolled hypertension
NF-κB	. Nuclear factor-κB
NGAL	. Neutrophil gelatinase associated lipocalin
NIH	. National institutes of health
OPN N-half	. Osteopontin N-half
pNGAL	. Plasma NGAL
RC4d	. Reticulocyte-bound C4d
ROS	. Reactive oxygen species
	. Renal Pathology Society
RPS	. Renal Pathology Society
SLE	. Systemic lupus erythematosus
SLEDAI	. Systemic Lupus Erythematosus Disease Activity
	Index
	. Systemic Lupus International Collaborating Clinics
SV-40	
	. Soluble vascular cell adhesion molecule
	. Transforming growth factor-beta
	. Toll-like receptors
	. Tumor necrosis factor
	. Urinary neutrophil gelatinase-associated lipocalin
WCH	. White coat hypertension

Tist of Tables

Table No.	Title	Page No.
Table (1):	Definitions of SLE classification criter	ia17
Table (2):	Modifications proposed by the national health (NIH) to the system of somephritis activity and chronicity	coring lupus
Table (3):	Different urinary biomarker in relaactivity of lupus nephritis	
Table (4):	Demographic and clinical data for the patients:	
Table (5):	Laboratory data of the SLE patients:	64
Table (6):	Demographic and laboratory data of co	ontrol group65
Table (7):	Urinary NGAL among the studied sam	ple:67
Table (8):	Variation of urinary NGAL results acc presence and classes of LN	
Table (9):	Variation of urinary NGAL levels accurativity	_
Table (10):	Variation of urinary NGAL levels according grades	_
Table (11):	Correlation between urinary NGAI clinical and laboratory numerical data patients	a of the SLE

List of Figures

Fig. No.	Title	Page No.
Figure (1):	Schematic representation of the pathog lupus nephritis	
Figure (2):	Histopathology classification of lupus according to the criteria established International Society of Nephrology Renal Pathology Society (ISN/RPS) revised in 2018	by the and the in 2003
Figure (3):	Schematic representation of the lipocalin	fold38
Figure (4):	Effects of NGAL on survival, angiogenic, apoptotic and glucose me NGAL	tabolism.
Figure (5): Prop	bosed paradigm of kidney injury with su damage detected by novel biomarkers progressing to functional change	prior to
Figure (6):	NGAL as a Biomarker for Cancers	48
Figure (7):	Steps of NGAL assay	58
Figure (8):	Distribution of SLE patients according presence of LN.	
Figure (9):	Distribution of the disease activity ampatients with LN.	
Figure (10):	Variation of urinary NGAL levels according classes	_
Figure (11):	ROC of urinary NGAL among SLE cases without LN	
Figure (12):	ROC of urinary NGAL among SL according to LN activity status	
Figure (13):	Correlation between Urinary NGAL and of SLE	
Figure (14):	Correlation between Urinary NGAL and of LN	

Tist of Figures (Cont...)

Fig. No.	Title	Page No.
Figure (15):	Correlation between Urinary NGAL urinary proteins.	
Figure (16):	Correlation between Urinary NGAL and	l eGFR74